

Content

organisational	
About HP VELOTECHNIK	3
How to order?	3
Terms and conditions	
Shipping	
Payment	
Right of cancellation for customers within the EU	
Cancellation form	
General Conditions of Trade	
accessories and spare parts	
accessories – shipment from us - warehouse	
accessories for folding frames	
barends	
bags and transport covers	
brakes	
chains	
chain protection tubes and accessories	
comfort and ability accessories	
comfort and ability options (for trike orders only)	
cranksets, chainrings, freewheel sprocket	
front boom and accessories	
front boom quick adjust	
front suspension parts and accessories	
gear systems, cable routing	
gripsgrips	
handlebars for two wheelers	
handlebars/steering retrofit kits for two wheelers	
handlebars for tricycles	
headsets	
horns, bells, computer mount, universal holder	
hub and drive shaft accessories	
idlers and accessories	
indicator lights	
light systems	
locks	
lowriders	22
manuals	04
mirrors	
mudguards	
pedelec/e-drive retrofit kits	18
pedelec/e-drive spare parts NEODRIVES	
pedelec/e-drive spare parts GO SWISSDRIVE	20
pedelec/e-drive spare parts SHIMANO STEPS	19
pedelec/e-drive spare parts BAFANG	
PINION retrofit kits, spare parts	14
protection adhesive film	22
quick release and seat mount bushes	10
rear racks	21
rear shocks	11
seats and seat accessories BodyLink	08
seats and seat accessories ErgoMesh / ErgoMesh Premium	09
seats and seat accessories ErgoMesh	
seats and seat accessories Gekko netseats	09
seats and seat accessories Spirit	10
stands	
stems for two wheelers	
stanta fan tulandar	1.5



Streamer front fairing and spare parts	
tie-rods for tricycles	
trailer hitches	
touch-up paint applicators	
waterbottle sets	
wheels 20" ISO 406, tires, rims, accessories	
wheels 26" ISO 559, tires, rims, accessories	
workshop-tools	. 04
recumbent bikes	
Grasshopper fx foldable recumbent 20"/20" (GHF)	
Streetmachine Gte recumbent 20"/26" (SMGTe)	
Speedmachine recumbent 20"/26" (SPM)	. 32
Delta was week and trible	
Delta recumbent trike	2.4
Delta tx splittable trike 20"/20" (DET)	. 34
recumbent trikes	20
Gekko fxs foldable recumbent trike for children and special ability use_20"/20" (GES)	
Gekko fx 20 foldable recumbent trike 20"/20" (GEF)	
Gekko fx 20 US VERSION foldable recumbent trike 20"/20" (GEF)	
Gekko fx 26 US VERSION foldable recumbent trike 20"/26" (GEL)	
Gekko 26 US VERSION recumbent trike 20"/26" (GEN)	. 40
recumbent trikes with rear suspension	
Scorpion recumbent trike 20"/26" (SCO2)	50
Scorpion fx foldable recumbent trike 20"/20" (SCF2)	
Scorpion ix loldable recumber tilke 20 /20 (SCF2)	. 32
recumbent trikes with full suspension	
Scorpion fs 20 foldable full suspension trike 20"/20" (SFS)	54
Scorpion is 26 foldable full suspension trike 20"/26" (SFL)	
Scorpion is 26 Enduro foldable full suspension trike 20"/26" (SFN)	
Scorpion plus 20 foldable full suspension trike 20"/20" (SPS)	
Scorpion plus 26 foldable full suspension trike 20"/26" (SPL)	. 68
(0. <u>-</u>)	
Recumbent bikes and trikes with 45km/h approval (S-Pedelecs)	
Speedmachine S-Pedelec recumbent 20"/26" (SPE)	.72
Scorpion fs 26 S-Pedelec foldable full suspension trike 20"/26" (SFE)	. 74
Recumbent trikes with hand drive	
HOC Gekko fx 26 trike 20"/26" (GELH)	
HOC Scorpion fs 20 trike 20"/20" (SFSH)	
HOC Scorpion plus 20 trike 20"/20" (SPSH)	
HOC Scorpion plus 26 trike 20"/26" (SPLH)	. 82
pre-assembled Special Edition (SE) models	
Delta tx Pedelec SE splittable trike 20"/20", BAFANG M300, ENVIOLO AUTOMATIQ (KREDETY)	. 36
Scorpion fs 20 SE foldable full suspension trike 20"/20", STURMEY ARCHER Tripleshift 27 (KRSFSV)	
Scorpion fs 20 Pedelec SE foldable full suspension trike 20"/26", SHIMANO STEPS EP801 Cargo (KRESFSV)	
Scorpion fs 26 SE foldable full suspension trike 20"/26", SRAM 30 (KRSFLV)	
Scorpion fs 26 Pedelec SE foldable full suspension trike 20"/26", SHIMANO STEPS EP801 Cargo (KRESFLV)	
Scorpion plus 20 Pedelec SE foldable full suspension trike 20"/20", SHIMANO STEPS E6100 (KRESPSV)	
Scorpion plus 26 Pedelec SE foldable full suspension trike 20"/26", SHIMANO STEPS E6100 (KRESPLV)	. 70

Dear customer and recumbent enthusiast,

with well thought-out additions and ergonomic attention to detail, we are extending the range of use of our latest model *Delta tx*. From the comfortable folding stem and the extended adjustability of the riding position to the practical support feet for upright parking, all the new features ensure even greater benefits. A particularly positive aspect is that all innovations for this model can also be retrofitted to existing *Delta tx* tricycles.

Good news also for all comfort-orientated drivers who require a manual drive – our innovative *Hands-On-Cycle* hand drive is now also available for the *Scorpion plus 20* and *Scorpion plus 26* comfort trikes. The high seating position ensures even easier access and a perfect overview.

Our pre-configured Special Edition models are once again available immediately this season through participating dealers but can also still be ordered as normal during regular production times. In both cases, the fully equipped Special Edition models offer you an attractive price advantage.

On the following pages you have the choice: You will find short descriptions and prices of all current bikes and our complete range of individual parts and accessories. Detailed information can be found in the respective individual brochures, which we will be happy to send to you, or on the Internet at **www.hpvelotechnik.com**.

Your HP VELOTECHNIK team

Your contact person in the HP VELOTECHNIK sales team



Mathieu Aubel
Sales North/South/East Europe, UK, Asia, Africa,
Canada, USA
+49 6192 – 97 99 2-286
sales@hpvelotechnik.com



Agustin Cuevas Sales USA +49 6192 – 97 99 2-15 sales@hpvelotechnik.com



Carsten Meyer Sales Germany +49 6192 – 97 99 2-16 sales@hpvelotechnik.com



Thomas Krack
Sales Belgium, the Netherlands,
Luxembourg,
Germany
+49 6192 – 97 99 2-13
sales@hpvelotechnik.com



Thomas WilkensSales Germany, Switzerland, Austria, Liechtenstein +49 6192 – 97 99 2-26 sales@hpvelotechnik.com



Gregor Stabenow
Sales France &
General Sales
+49 6192 – 97 99 2-287
sales@hpvelotechnik.com



Alex Kopp Technical Sales +49 6192 – 97 99 2-250 support@hpvelotechnik.com



Jakob Zieser Technical Sales +49 6192 – 97 99 2-250 support@hpvelotechnik.com



Marko Diwisch Technical Sales +49 6192 – 97 99 2-250 support@hpvelotechnik.com



Thomas Wilkens Sales Director & Rehabilitation/Special Abilities +49 6192 – 97 99 2-27 sales@hpvelotechnik.com



About HP VELOTECHNIK

Speed, ergonomic comfort, and fun attract people when they start exploring recumbents. With 25 years of bicycle know-how, Daniel Pulvermüller (Eng. MSc.) and Paul Hollants of HP VELOTECHNIK set out to create something new: a vehicle that fulfilled the vision of an ideal HPV (Human Powered Vehicle) being far more capable anything previously available.

The HP VELOTECHNIK's design concept has become a classic: the fully-suspended, compact recumbent, known as the Streetmachine Gran tourismo. Completely designed around the human form, the Streetmachine Gte combines a luxurious full suspension ride with a completely ergonomic riding position. Excellant aerodynamics and mechanical efficiency provide outstanding performance.

A comfortable, fast, and luxurious ride can be enjoyed with every recumbent in our range: Speedmachine, Streetmachine Gte, Grasshopper fx as well as the Scorpion, Scorpion fx, Scorpion fs 20, Scorpion fs 26, Scorpion fs 26 Enduro, Scorpion fs 26 S-Pedelec, Scorpion plus 20, Scorpion plus 26 not to forget the Gekko fx 20, the Gekko 26 and the Gekko fx 26 trikes.

Since the company founding in 1993, we've been working with a cycle-enthusiastic team in Kriftel, a small town located next to Frankfurt in the middle of Germany, designing and optimizing both recumbents and accessories.

We focus development, assembly, and marketing. Frame building, with its highly-demanding welding techniques required for the thin-walled aluminum alloy tubes, laser-cutting of reinforcement parts, and powder coating is only done by specially selcted, qualified partners.

How to order HP Velotechnik recumbents and trikes?

Bike configurator: For setting up your individual recumbent as easy and convenient as possible we created an individual configuration tool for all of our models.

Please check https://www.hpvelotechnik.com/en/recumbent-trikes-bikes to learn more on our models, our customize program and explore the recumbent world of HP VELOTECHNIK – enjoy!

Bike orders: All complete bikes are sold through qualified bikeshops only.

Have you made your choice and select your individual HP VELOTECHNIK recumbent? To proceed please contact your HP VELOTECHNIK retailer who will process your order. Once your order is received, he will set up your recumbent and support you with good advice to ensure an excellent initial riding experience.

Spare part orders: Spare parts can be ordered with your bikeshop.

Please check <u>www.hpvelotechnik.com</u>, category *Dealers* to have full access to our international dealer locator to find your nearest HP VELOTECHNIK retailer.

Terms and conditions

Prices: All prices listed in US Dollar. This retail price list is valid for customers in the USA only (for all other countries please ask for our EURO price list).

The MSRP for bikes or trikes includes shipping, US-duties and customes handling, but not state sales tax (if applicable).

The MSRP for any after-market article includes UD-duties and customs-handling, but not shipping (if ordered individually) and state sales tax (if applicable).

Please contact your authorized HP VELOTECHNIK retailer for details and ordering.

## Indicates an item that is discountable price workshop-tools worksho	NEW	indicates an item that is new in specification		
Workshop-tools		indicates an item that is discountable	ordercode	sugg.
tool for freewheel sprocket removal Delta to assembly mount for holding complete bibs or framekits in a repair stand, fits all models except Gelkios and Spirit (sameship) mount for Gelko fs. Gelko fs. 20. Gelko fs. 26. Track adjustment tool for HP VELOTECHNIK (rikes for easy aligning of the front wheel toe-in or toe-truing stand adapter black anodized, for HP VELOTECHNIK (non-side trike hubs. NAZUZA 9.00 Track adjusting tool Spirit for A-head headset 69mm / 2.72° on Spirit 16"(20" and Spirit 20")20" Stamp to finish chain rube ends headset adjusting tool Spirit for A-head headset 69mm / 2.72° on Spirit 16"(20" and Spirit 20")20" Hook wrench for adjusting CONCEPT suppersion fords, 45-50 mm / 1,77-1,977; two pieces needed derailleur hanger for all models except Spirit derailleur hanger for all models except Spirit derailleur hanger for spirit only ### HP tool box 60-pct. contains a variety of most important recumbent specific spare parts and special tools for your workshop in a handy plaste sorting box. Saves 10% compared to individual part purchase. **Manual for Hands-On-Cycle (German) manual for Hands-On-Cycle (German) manual for PMEOTECHNIK (rikes (German) manual for PMEOTECHNIK (rikes (German) manual for PMEOTECHNIK (rikes (German) manual for Hands-On-Cycle (English) manual for PMEOTECHNIK (rikes (French) manual for PMEOTEC	\$	indicates an item that is new in price		retaii
assembly mount for holding complete bilds or framebits in a repair stand, fits all models except Geldocs and Spirit (assembly mount is fixed to seat connection after removing the seat) assembly mount for Geldox to Geldox 12. Geldox		workshop-tools		
and Spirit (assembly mount is fixed to seat connection after removing the seat) assembly mount for Geldo Ex. Geldo Ex. 20. Geldo	5	tool for freewheel sprocket removal Delta tx	WZDETFL	39.00
assembly mount for Geldo fix, Geldo fx 20, Geldo fx 26 track adjustment tool for HVELOTECHNIK trikes for easy aligning of the front wheel toe-in or toe-truing stand adapter black anodized, for HP VELOTECHNIK one-side trike hubs NAZUZA 4, 9,00 straing stand adapter black anodized, for HP VELOTECHNIK Delta or rear wheel hubs NAZUZA 5,00 Stram to finish chain tube end headset adjusting tool Spirit for A-head headset 69mm / 2,72° on Spirit 16°/20° and Spirit 20°/20° STSZUEH Hook wrend for adjusting CONCEPT suspension forks, 45-50 mm / 1,77-1,97°, two pieces needed derailleur hanger for Spirit only WZRSRST 220195 4,90 NEW HP tool box 60-pcs., contains a variety of most important recumbent specific spare parts and special tools for your workshop in a handy platute sorting box. Saves 10% compared to individual part purchase. Manual for Hands-On-Cycle (German) manual for Plands-On-Cycle (German) manual for Delta tx (German) manual for PD VELOTECHNIK trikes (German) manual for PP VELOTECHNIK trikes (German) manual for PP VELOTECHNIK trikes (German) manual for PP VELOTECHNIK trikes (German) manual for Delta tx (German) manual for PD VELOTECHNIK trikes (English) manual for PB VELOTECHNI			MHHP	129.00
track adjustment tool for HP VELOTECHNIK trikes for easy aligning of the front wheel toe-in or toe- truing stand adapter black anodized, for HP VELOTECHNIK one-side trike hubs NAZUZA \$2,000 Truing stand adapter black anodized, for HP VELOTECHNIK Deats or rare wheel hubs NAZUZA \$2,000 \$2,000 \$2,000 NAZUZA \$2,000 \$2,000 \$2,000 NAZUZA \$2,000 \$2,000 \$2,000 \$2,000 NAZUZA \$2,000 \$2,000 \$2,000 NAZUZA \$2,000 \$2,		• • • • • • • • • • • • • • • • • • • •	MHHPGEF	155.00
truing stand adapter black anodized, for HP VELOTECHNIK one-side trike hubs tring stand adapter Delta to black anodized, for HP VELOTECHNIK Delta tax rear wheel hubs stamp to finish chain tube ends headset adjusting tool Spirit for A-head headset 69mm / 2.72° on Spirit 16°/20° and Spirit 20°/20° hook wrench for adjusting CONCEPT suspension forks, 45-50 mm / 1.77-1.97°, two pieces needed derailleur hanger for Spirit only ### WHP tool box 60-pcs., contains a variety of most important recumbent specific spare parts and special tools for your workshop in a handy plastic sorting box. Saves 10% compared to individual part purchase. #### WHP tool box 60-pcs., contains a variety of most important recumbent specific spare parts and special tools for your workshop in a handy plastic sorting box. Saves 10% compared to individual part purchase. ###################################		•		199.00
truing stand adapter Delta tx black anodized, for HP VELOTECHNIK Delta tx rear wheel hubs MAZUZA2 stamp to finish chain tube ends Mazussist 32.00 headset adjusting tool Spirit for A-head headset 69mm / 2.72" on Spirit 16/20" and Spirit 20°720" STSZUEH 6.70 hook wrench for adjusting CONCEPT suspension forks, 45-50 mm / 1.77-1.97", two pieces needed derailleur hanger for all models except Spirit 2201955 9.70 derailleur hanger for Spirit only AFF HP tool box 60-pcs, contains a variety of most important recumbent specific spare parts and special tools for your workshop in a handy plastic sorting box. Saves 10% compared to individual part purchase. Manuals Manual for Hands-On-Cycle (German) Manual for Hands-On-Cycle (German) Manual for Pelta tx. (German) Manual for HP VELOTECHNIK trikes (German) Manual for HP VELOTECHNIK (Krow heeders (German) Manual for HP VELOTECHNIK (Krow heeders (German) Manual for HP VELOTECHNIK (Krow heeders (German) Manual for Delta tx. (English) Manual for HP VELOTECHNIK (Krow sheeders (English) Manual for HP VELOTECHNIK (Krow oneelers (English) Man		,	NAZUZA	9.00
headwet adjusting tool Spirit for A-head headset 69mm / 2.72" on Spirit 16'720" and Spirit 20'720" STSZUEH hook wrench for adjusting CONCEPT suspension forks, 45-50 mm / 1,77-1,97", two pieces needed derailleur hanger for all models except Spirit 20'920 derailleur hanger for all models except Spirit 20'920 derailleur hanger for Spirit only 280195 11.00 ##### Hool box 60-pcs, contains a variety of most important recumbent specific spare parts and special tools for your workshop in a handy plastic sorting box. Saves 10% compared to individual part purchase. ###################################			NAZUZA2	56.90
hook wrench for adjusting CONCEPT suspension forks, 45-50 mm / 1,77-1,97°, two pieces needed WZHS59 220195 derailleur hanger for 3 models except Spirit 220195 11.00 derailleur hanger for 3 models except Spirit 220195 11.00 metal programment of the programment		stamp to finish chain tube ends	WZKSRST	32.00
derailleur hanger for all models except Spirit derailleur hanger for Spirit only ### HP tool box 60-pcs., contains a variety of most important recumbent specific spare parts and special tools for your workshop in a handy plastic sorting box. Saves 10% compared to individual part purchase. #### MP tool box 60-pcs., contains a variety of most important recumbent specific spare parts and special tools for your workshop in a handy plastic sorting box. Saves 10% compared to individual part purchase. ###################################		headset adjusting tool Spirit for A-head headset 69mm / 2,72" on Spirit 16"/20" and Spirit 20"/20"	STSZUEH	6.90
derailleur hanger for Spirit only ### HP tool box 60-pcs, contains a variety of most important recumbent specific spare parts and special tools for your workshop in a handy plastic sorting box. Saves 10% compared to individual part purchase. ### Manual for Hands-On-Cycle (German) ### BADET ### I1.00 ### manual for Delta to (German) ### BADET #			WZHS50	29.00
### HP tool box 60-pcs, contains a variety of most important recumbent specific spare parts and special tools for your workshop in a handy plastic sorning box. Saves 10% compared to individual part purchase. Manual for Hands-On-Cycle (German)		derailleur hanger for all models except Spirit	Z20195	9.90
for your workshop in a handy plastic sorting box. Saves 10% compared to individual part purchase. manual for Hands-On-Cycle (German)		derailleur hanger for Spirit only	Z80195	11.00
manual for Hands-On-Cycle (German) manual for Delta tx (German) manual for Delta tx (German) manual for Scorpion Plus (German) manual for Preventives (German) manual for HP VELOTECHNIK trikes (German) manual for HP VELOTECHNIK two wheelers (German) manual for HP VELOTECHNIK two wheelers (German) manual for Gekko fxs (German) manual for Delta tx (English) manual for Delta tx (English) manual for Delta tx (English) manual for HP VELOTECHNIK trikes (English) manual for Delta tx (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK two wheelers (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK two wheelers (French) ### Pageon HP Pageon H	NEW		WZKHP	389.00
manual for Delta tx (German) manual for Scorpion Plus (German) manual for PV PLLOTECHNIK trikes (German) manual for HP VELOTECHNIK twikes (German) manual for HP VELOTECHNIK two wheelers (German) manual for HP VELOTECHNIK two wheelers (German) manual for Bades brake for Scorpion Plus (German) manual for Bades brake for Scorpion Plus (German) manual for Hands-On-Cycle (English) manual for Hands-On-Cycle (English) manual for Hands-On-Cycle (English) manual for Hands-On-Cycle (English) manual for Plus PLOTECHNIK two wheelers (English) manual for Plus PLOTECHNIK two wheelers (English) manual for Plus Corporation Plus Plus Plus Plus Plus Plus Plus Plus		manuals		
manual for Delta tx (German) manual for Scorpion Plus (German) manual for PV PLLOTECHNIK trikes (German) manual for HP VELOTECHNIK twikes (German) manual for HP VELOTECHNIK two wheelers (German) manual for HP VELOTECHNIK two wheelers (German) manual for Bades brake for Scorpion Plus (German) manual for Bades brake for Scorpion Plus (German) manual for Hands-On-Cycle (English) manual for Hands-On-Cycle (English) manual for Hands-On-Cycle (English) manual for Hands-On-Cycle (English) manual for Plus PLOTECHNIK two wheelers (English) manual for Plus PLOTECHNIK two wheelers (English) manual for Plus Corporation Plus Plus Plus Plus Plus Plus Plus Plus		manual for Hands-On-Cycle (German)	BAHTAIIK	3 00
manual for Scorpion Plus (German) manual for HP VELOTECHNIK trikes (German) manual for HP VELOTECHNIK two wheelers (German) manual for HP VELOTECHNIK two wheelers (German) manual for Gekko fix (German) manual for Gekko fix (German) manual for Delta tx (English) manual for Delta tx (English) manual for PV VELOTECHNIK trikes (English) manual for HP VELOTECHNIK trikes (English) manual for HP VELOTECHNIK trikes (English) manual for HP VELOTECHNIK trikes (English) manual for Gekko fix (English) manual for Gekko fix (English) manual for HP VELOTECHNIK trikes (English) manual for HP VELOTECHNIK trikes (English) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK two wheelers (French) manual for				
manual for HP VELOTECHNIK trikes (German) manual for HP VELOTECHNIK two wheelers (German) manual for Gekko fox (German) manual for Gekko fox (German) manual for Gekko fox (German) manual for Hands-On-Cycle (English) manual for Delta tx (English) manual for Delta tx (English) manual for HP VELOTECHNIK trikes (English) manual for HP VELOTECHNIK trikes (English) manual for HP VELOTECHNIK two wheelers (English) manual for Delta tx (French) manual for Delta tx (French) manual for Delta tx (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK two wheelers (French) manual for HP VELOTECHNIK two wheelers (French) manual for Gekko fox (French) manual for Gekko fx (French) manual for HP VELOTECHNIK two wheelers (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK trikes (French) manual for Gekko fx (French) ### Company of the Compan		· · · · ·		
manual for HP VELOTECHNIK two wheelers (German) manual for Gekko fixs (German) manual for Hands-On-Cycle (English) manual for Hands-On-Cycle (English) manual for Delta tx (English) manual for Delta tx (English) manual for HP VELOTECHNIK trikes (English) manual for HP VELOTECHNIK two wheelers (English) manual for HP VELOTECHNIK two wheelers (English) manual for HP VELOTECHNIK two wheelers (English) manual for Gekko fixs (English) manual for Hands-On-Cycle (French) manual for Delta tx (French) manual for Delta tx (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK two wheelers (French) manual for HP VELOTECHNIK two wheelers (French) manual for Gekko fixs (French) manual for Gekko fixs (French) manual for Gekko fixs (French) manual for HP VELOTECHNIK two wheelers (French) manual for HP VELOTECHNIK two wheelers (French) manual for Gekko fixs (French) document bag for manuals with HP Logo complete wheels 20" ISO 406 from 11/2017 20" front wheel for disc-brake with HP DB-1 box section "disc brake only" rim, HP x-light disc brake hub, VR20V052 219.00 SCHWALBE Marathon Racer tire 20" front wheel with SON delux disc dynohub HP DB-1 box section "disc brake only" rim, SON delux VR20V053 419.00 20" dynohub with centerlock, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel for trike with SON xs-m dynohub right HP DB-1 box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike with SON xs-m dynohub right HP DB-1 box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side hub, HP DB-1 box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side hub, HP DB-1 box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side		. , ,		
manual for Gekko fxs (German) manual for Hands-On-Cycle (English) manual for Hands-On-Cycle (English) manual for Pelta tx (French) (English) manual for Pelta tx (French) manual for Hands-On-Cycle (French) manual for Hands-On-Cycle (French) manual for Pelta tx (French) manual for Manual fx (French) ma		· · ·	BAHP2RAD	
manual for Delta tx (English) manual for Delta tx (English) manual for PVELOTECHNIK trikes (English) manual for HP VELOTECHNIK trikes (English) manual for HP VELOTECHNIK two wheelers (English) manual for Gekko fxs (English) manual for Gekko fxs (English) manual for Gekko fxs (English) manual for Hands-On-Cycle (French) manual for Delta tx (French) manual for Delta tx (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK two wheelers (French) manual for Gekko fxs (French) manual for MP VELOTECHNIK two wheelers (French) manual for Gekko fxs (French) manual for Gekko fxs (French) manual for HP VELOTECHNIK two wheelers (French) 20" front wheel for trike with HP DB-I box section "disc brake only" rim, VR20V055 SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike with SON xs-m dynohub right HP DB-I box section "disc brake only" rim black, VR20V057 SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front w		, ,	BAGES	11.00
manual for Delta tx (English) manual for Delta tx (English) manual for PVELOTECHNIK trikes (English) manual for HP VELOTECHNIK trikes (English) manual for HP VELOTECHNIK two wheelers (English) manual for Gekko fxs (English) manual for Gekko fxs (English) manual for Gekko fxs (English) manual for Hands-On-Cycle (French) manual for Delta tx (French) manual for Delta tx (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK two wheelers (French) manual for Gekko fxs (French) manual for MP VELOTECHNIK two wheelers (French) manual for Gekko fxs (French) manual for Gekko fxs (French) manual for HP VELOTECHNIK two wheelers (French) 20" front wheel for trike with HP DB-I box section "disc brake only" rim, VR20V055 SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike with SON xs-m dynohub right HP DB-I box section "disc brake only" rim black, VR20V057 SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front w		manual for the de October (Fortish)	DAUTALIKE	4.00
manual for HP VELOTECHNIK trikes (English) manual for HP VELOTECHNIK two wheelers (English) manual for Hands-On-Cycle (French) manual for Delta tx (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK two wheelers (French) manual for HP VELOTECHNIK two wheelers (French) manual for Gekko fxs (French) manual for Gekko fxs (French) manual for Gekko fxs (French) manual for HP VELOTECHNIK two wheelers (French) manual for HP VELOTECHNIK 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00				
manual for HP VELOTECHNIK two wheelers (English) manual for Gekko fxs (English) manual for Hands-On-Cycle (French) manual for Hands-On-Cycle (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK two wheelers (French) manual for HP VELOTECHNIK two wheelers (French) manual for Gekko fxs (French) manual for HP VELOTECHNIK two wheelers trice with HP D8-I box section "disc brake only" rim, SON delvx viscously vis		/		
manual for Gekko fxs (English) manual for Hands-On-Cycle (French) manual for Delta tx (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK two wheelers (French) manual for Gekko fxs (French) document bag for manuals with HP Logo TADOA5 complete wheels 20" ISO 406 from 11/2017 20" front wheel for disc-brake with HP DB-I box section "disc brake only" rim, HP x-light disc brake hub, VR20V052 SCHWALBE Marathon Racer tire 20" front wheel with SON delux disc dynohub HP DB-I box section "disc brake only" rim, SON delux VR20V053 20" dynohub with centerlock, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel with SHUTTER PRECISION SD-8 disc dynohub HP DB-I box section "disc brake only" rim, SHUTTER PRECISION SD-8 dynohub HP DB-I box section "disc brake VR20V054 only" rim, SHUTTER PRECISION SD-8 dynohub HP DB-I box section "disc brake only" rim, SHUTTER PRECISION SD-8 dynohub HP DB-I box section "disc brake only" rim, SHUTTER PRECISION SD-8 dynohub HP DB-I box section "disc brake only" rim, SHUTTER PRECISION SD-8 dynohub HP DB-I box section "disc brake only" rim, SHUTTER PRECISION SD-8 dynohub HP DB-I box section "disc brake only" rim, SHUTTER PRECISION SD-8 dynohub HP DB-I box section "disc brake only" rim, SHUTTER PRECISION SD-8 dynohub HP DB-I box section "disc brake only" rim, SHUTTER PRECISION SD-8 dynohub HP DB-I box section "disc brake only" rim, SHUTTER PRECISION SD-8 dynohub HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side hub, HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike left HP one-side hub, HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike left HP one-side hub, HP DB-I b		, ,		
manual for Hands-On-Cycle (French) manual for Delta tx (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK two wheelers (French) manual for HP VELOTECHNIK two wheelers (French) manual for HP VELOTECHNIK two wheelers (French) manual for Gekko fxs (French) document bag for manuals with HP Logo TADOA5 COMPlete wheels 20" ISO 406 from I I / 2017 20" front wheel for disc-brake with HP DB-1 box section "disc brake only" rim, HP x-light disc brake hub, SCHWALBE Marathon Racer tire 20" front wheel with SON delux disc dynohub HP DB-1 box section "disc brake only" rim, SON delux VR20V053 20" dynohub with centerlock, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel with SHUTTER PRECISION SD-8 disc dynohub HP DB-1 box section "disc brake only" rim, SHUTTER PRECISION SD-8 dynohub for disc brake, IS2000 6-hole, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel for trike with SON xs-m dynohub left HP DB-1 box section "disc brake only" rim, VR20V055 SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side hub, HP DB-1 box section "disc brake only" rim black, VR20V057 199.00 SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side hub, HP DB-1 box section "disc brake only" rim black, VR20V057 199.00 SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-1 box section "disc brake only" rim black, VR20V058 239.00 SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-1 box section "disc brake only" rim black, VR20V058 239.00 SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-1 box section "disc brake only" rim black, VR20V058 239.00 SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-1 box section "disc brake only" rim black, VR20V058 239.0		· • ·		
manual for Delta tx (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK two wheelers (French) manual for HP VELOTECHNIK two wheelers (French) manual for Gekko fxs (French) document bag for manuals with HP Logo Complete wheels 20" ISO 406 from 1 I/2017 20" front wheel for disc-brake with HP DB-1 box section "disc brake only" rim, HP x-light disc brake hub, SCHWALBE Marathon Racer tire 20" front wheel with SON delux disc dynohub HP DB-1 box section "disc brake only" rim, SON delux 20" dynohub with centerlock, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel with SHUTTER PRECISION SD-8 disc dynohub HP DB-1 box section "disc brake only" rim, SHUTTER PRECISION SD-8 dynohub for disc brake, IS2000 6-hole, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel for trike with SON xs-m dynohub left HP DB-1 box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike with SON xs-m dynohub right HP DB-1 box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike with SON xs-m dynohub right HP DB-1 box section "disc brake only" rim black, VR20V057 SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side hub, HP DB-1 box section "disc brake only" rim black, VR20V058 239.00 SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-1 box section "disc brake only" rim black, VR20V058 VR20V058 CHWALBE Tryker tire, incl. mounting parts		, - -	RAHTAUKF	
manual for HP VELOTECHNIK trikes (French) manual for HP VELOTECHNIK two wheelers (French) manual for HP VELOTECHNIK two wheelers (French) manual for Gekko fxs (French) document bag for manuals with HP Logo TADOA5 15.00 complete wheels 20" ISO 406 from 11/2017 20" front wheel for disc-brake with HP DB-I box section "disc brake only" rim, HP x-light disc brake hub, VR20V052 SCHWALBE Marathon Racer tire 20" front wheel with SON delux disc dynohub HP DB-I box section "disc brake only" rim, SON delux VR20V053 20" dynohub with centerlock, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel with SHUTTER PRECISION SD-8 disc dynohub HP DB-I box section "disc brake VR20V054 20" front wheel with SHUTTER PRECISION SD-8 disc dynohub HP DB-I box section "disc brake VR20V054 20" front wheel front light 20" front wheel front light 20" front wheel for trike with SON xs-m dynohub fer HP DB-I box section "disc brake only" rim, VR20V055 SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike with SON xs-m dynohub right HP DB-I box section "disc brake only" rim, VR20V056 SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side hub, HP DB-I box section "disc brake only" rim black, VR20V057 SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black, VR20V058 SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black, VR20V058 SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike with HP DB-I box section "disc brake only" rim black, VR20V058 SCHWALBE Tryker tire, incl. mounting parts		, ,		
manual for HP VELOTECHNIK two wheelers (French) manual for Gekko fxs (French) document bag for manuals with HP Logo TADOA5 15.00 complete wheels 20" ISO 406 from 11/2017 20" front wheel for disc-brake with HP DB-I box section "disc brake only" rim, HP x-light disc brake hub, VR20V052 SCHWALBE Marathon Racer tire 20" front wheel with SON delux disc dynohub HP DB-I box section "disc brake only" rim, SON delux VR20V053 20" dynohub with centerlock, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel with SHUTTER PRECISION SD-8 disc dynohub HP DB-I box section "disc brake only" rim, SHUTTER PRECISION SD-8 dynohub for disc brake, IS2000 6-hole, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel for trike with SON xs-m dynohub left HP DB-I box section "disc brake only" rim, VR20V055 20" front wheel for trike with SON xs-m dynohub right HP DB-I box section "disc brake only" rim, VR20V056 SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike with SON xs-m dynohub right HP DB-I box section "disc brake only" rim, VR20V056 SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike left HP one-side hub, HP DB-I box section "disc brake only" rim black, VR20V057 SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black, VR20V058 SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black, VR20V058 239.00 SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black, VR20V058 239.00 SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim, HP x-light disc hub, HR20V001		,		
manual for Gekko fxs (French) document bag for manuals with HP Logo TADOA5 15.00 complete wheels 20" ISO 406 from 11/2017 20" front wheel for disc-brake with HP DB-1 box section "disc brake only" rim, HP x-light disc brake hub, SCHWALBE Marathon Racer tire 20" front wheel with SON delux disc dynohub HP DB-1 box section "disc brake only" rim, SON delux 20" dynohub with centerlock, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel with SHUTTER PRECISION SD-8 disc dynohub HP DB-1 box section "disc brake only" rim, SHUTTER PRECISION SD-8 dynohub for disc brake, IS2000 6-hole, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel for trike with SON xs-m dynohub left HP DB-1 box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike with SON xs-m dynohub right HP DB-1 box section "disc brake only" rim, VR20V056 SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side hub, HP DB-1 box section "disc brake only" rim black, VR20V057 I99.00 SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-1 box section "disc brake only" rim black, VR20V058 239.00 SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-1 box section "disc brake only" rim black, VR20V058 CHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-1 box section "disc brake only" rim black, VR20V058 CHWALBE Tryker tire, incl. mounting parts CHWALBE Tryker tire			BAHP2RADF	
complete wheels 20" ISO 406 from 11/2017 20" front wheel for disc-brake with HP DB-I box section "disc brake only" rim, HP x-light disc brake hub, SCHWALBE Marathon Racer tire 20" front wheel with SON delux disc dynohub HP DB-I box section "disc brake only" rim, SON delux VR20V053 20" dynohub with centerlock, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel with SHUTTER PRECISION SD-8 disc dynohub HP DB-I box section "disc brake only" rim, SHUTTER PRECISION SD-8 dynohub for disc brake, IS2000 6-hole, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel for trike with SON xs-m dynohub left HP DB-I box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike with SON xs-m dynohub right HP DB-I box section "disc brake only" rim, VR20V056 SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side hub, HP DB-I box section "disc brake only" rim black, VR20V057 I99.00 SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black, VR20V058 239.00 SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black, VR20V058 239.00 SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black, VR20V058 239.00 SCHWALBE Tryker tire, incl. mounting parts		` '	BAGESF	11.00
20" front wheel for disc-brake with HP DB-I box section "disc brake only" rim, HP x-light disc brake hub, SCHWALBE Marathon Racer tire 20" front wheel with SON delux disc dynohub HP DB-I box section "disc brake only" rim, SON delux 20" dynohub with centerlock, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel with SHUTTER PRECISION SD-8 disc dynohub HP DB-I box section "disc brake only" rim, SHUTTER PRECISION SD-8 dynohub for disc brake, IS2000 6-hole, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel for trike with SON xs-m dynohub left HP DB-I box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike with SON xs-m dynohub right HP DB-I box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side hub, HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim, HP x-light disc hub, HR20V001 189.00		document bag for manuals with HP Logo	TADOA5	15.00
SCHWALBE Marathon Racer tire 20" front wheel with SON delux disc dynohub HP DB-1 box section "disc brake only" rim, SON delux 20" dynohub with centerlock, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel with SHUTTER PRECISION SD-8 disc dynohub HP DB-1 box section "disc brake only" rim, SHUTTER PRECISION SD-8 dynohub for disc brake, IS2000 6-hole, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel for trike with SON xs-m dynohub left HP DB-1 box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike with SON xs-m dynohub right HP DB-1 box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side hub, HP DB-1 box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike left HP one-side hub, HP DB-1 box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-1 box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for disc brake with HP DB-1 box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" rear wheel for disc brake with HP DB-1 box section "disc brake only" rim, HP x-light disc hub, HR20V001 189.00		complete wheels 20" ISO 406 from 11/2017		
SCHWALBE Marathon Racer tire 20" front wheel with SON delux disc dynohub HP DB-1 box section "disc brake only" rim, SON delux 20" dynohub with centerlock, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel with SHUTTER PRECISION SD-8 disc dynohub HP DB-1 box section "disc brake only" rim, SHUTTER PRECISION SD-8 dynohub for disc brake, IS2000 6-hole, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel for trike with SON xs-m dynohub left HP DB-1 box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike with SON xs-m dynohub right HP DB-1 box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side hub, HP DB-1 box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-1 box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-1 box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" rear wheel for disc brake with HP DB-1 box section "disc brake only" rim, HP x-light disc hub, HR20V001 189.00		20" front wheel for disc-brake with HP DB-I box section "disc brake only" rim, HP x-light disc brake hub,	VR20V052	219.00
20" dynohub with centerlock, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel with SHUTTER PRECISION SD-8 disc dynohub HP DB-I box section "disc brake only" rim, SHUTTER PRECISION SD-8 dynohub for disc brake, IS2000 6-hole, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel for trike with SON xs-m dynohub left HP DB-I box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike with SON xs-m dynohub right HP DB-I box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side hub, HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" rear wheel for disc brake with HP DB-I box section "disc brake only" rim, HP x-light disc hub, HR20V001 189.00	_	SCHWALBE Marathon Racer tire	\/ B 201/255	
20" front wheel with SHUTTER PRECISION SD-8 disc dynohub HP DB-1 box section "disc brake only" rim, SHUTTER PRECISION SD-8 dynohub for disc brake, IS2000 6-hole, black, SCHWALBE Marathon Racer tire, without front light 20" front wheel for trike with SON xs-m dynohub left HP DB-1 box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike with SON xs-m dynohub right HP DB-1 box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side hub, HP DB-1 box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-1 box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-1 box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" rear wheel for disc brake with HP DB-1 box section "disc brake only" rim, HP x-light disc hub, HR20V001 189.00	\$	•	VR20V053	419.00
Racer tire, without front light 20" front wheel for trike with SON xs-m dynohub left HP DB-I box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike with SON xs-m dynohub right HP DB-I box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side hub, HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 189.00 189.00		20" front wheel with SHUTTER PRECISION SD-8 disc dynohub HP DB-I box section "disc brake	VR20V054	265.00
 20" front wheel for trike with SON xs-m dynohub left HP DB-I box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike with SON xs-m dynohub right HP DB-I box section "disc brake only" rim, VR20V056 SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side hub, HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black, VR20V058 SCHWALBE Tryker tire, incl. mounting parts 239.00 SCHWALBE Tryker tire, incl. mounting parts WR20V058 HR20V001 189.00 		·		
 20" front wheel for trike with SON xs-m dynohub right HP DB-I box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side hub, HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black, VR20V058 239.00 SCHWALBE Tryker tire, incl. mounting parts 20" rear wheel for disc brake with HP DB-I box section "disc brake only" rim, HP x-light disc hub, HR20V001 189.00 	\$		VR20V055	499.00
SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side hub, HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" rear wheel for disc brake with HP DB-I box section "disc brake only" rim, HP x-light disc hub, HR20V001 189.00	s	· · · · · · · · · · · · · · · · · · ·	VR20V056	569.00
SCHWALBE Tryker tire, incl. mounting parts 20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts 20" rear wheel for disc brake with HP DB-I box section "disc brake only" rim, HP x-light disc hub, HR20V001 189.00			VR20V057	199.00
SCHWALBE Tryker tire, incl. mounting parts 20" rear wheel for disc brake with HP DB-I box section "disc brake only" rim, HP x-light disc hub, HR20V001 189.00		SCHWALBE Tryker tire, incl. mounting parts		
		-	VR20V058	239.00
			HR20V001	189.00



		VCLB	CCITIAN
NEW % \$	indicates an item that is new in specification indicates an item that is discountable indicates an item that is new in price	ordercode	sugg. retail
\$	20" rear wheel Tripleshift with HP DB-I box section "disc brake only" rim, SCHWALBE Marathon Racer	HR20V002	259.00
	tire, STURMEY ARCHER Tripleshift 3 speed internal geared hub, with shift accessories 20" rear wheel SHIMANO Nexus 8 Premium with HP DB-I box section "disc brake only" rim, SCHWALBE Tryker tire, SHIMANO Nexus 8 Premium 8 speed internal geared hub, without shift accessories	HR20V003	189.00
	tire equipment and rims 20" ISO 406		'
	· ·		1
	tire 20" SCHWALBE Marathon Racer 40-406, black, with reflex strip 330g/0,72lbs, max. 6bar/87psi,	DES20MR	45.00
	tire 20" SCHWALBE Tryker 40-406, designed for trikes, black, with reflex strip 334g/0,74, max.	DES20TR	36.90
	tire 20" SCHWALBE Marathon Plus 47-406, black, with reflex strip, 725g / 1,6lbs, wire bead, max. 5bar/	DES20MP	50.00
	tire 20" SCHWALBE Smart Sam 60-406, black, 590g/1,3lbs, clincher tyres, optimal off-road grip, tire 20" SCHWALBE Kojak 35-406, black, 285g / 0,62lbs, wire bead, max. 6,5 bar / 94psi, SpeedGrip	DES20SS DES20KJ	28.90 39.00
\$	rim 20" ALEX DA-16 32 holes, box section, light weight aero design, silver anodized, machined sidewalls, 406x16C, 22mm/0,87" width, 392g/0,86lbs	FEAL2032DG	20.00
\$	rim 20" ALEX DA-16 36 holes, box section, light weight aero design, silver anodized, machined sidewalls, 406x16C, 22mm/0,87" width, 392g/0,86lbs	FEAL2036DG	19.90
5	rim 20" HP AM-I 32 holes, box section, light weight aero design, black anodized, 406x19C, 25mm/0,98"	FE2032SIA1	49.00
-	rim 20" HP DB-1 32 holes, disc brake only, box section, light weight aero design, black anodized, 406x24C,	FE2032SID1	38.90
	30mm/1,18" width, 362g/0,80lbs		
	rim 20" HP DB-I 36 holes, disc brake only, box section, light weight aero design, black anodized, 406x24C, 30mm/I,18" width, 359g/0,97lbs	FE2036SID1	49.00
	rim 20" HP AN for GEN 36 holes, black anodized, 406x19C, 25mm/0,98" width, 340g/0,75lbs	FE2036SIN1	12.90
	inner tube 20" SCHWALBE No. 6 28/40-406 Presta valve, 96g/0,21lbs	SLS20	7.50
	inner tube 20" SCHWALBE No. 7 47/57-406 Presta valve, 145g/0,32lbs	SLS20SV7	9.90
	Spokes: Only available for rear wheel motors. For other spare spokes, please contact your wholesaler.		
	complete wheels 26" ISO 559 from 11/2017		
	26" rear wheel for disc brake with HP DB-I box section "disc brake only" rim, HP x-light disc hub, SCHWALBE Marathon Racer tire	HR26V002	190.00
	26" rear wheel Tripleshift with HP DB-1 box section "disc brake only" rim, SCHWALBE Marathon Racer tire, STURMEY ARCHER Tripleshift 3 speed internal geared hub, with shift accessories	HR26V003	259.00
	26" rear wheel SHIMANO Nexus 8 Premium with HP DB-I box section "disc brake only" rim,	HR26V004	385.00
	SCHWALBE Marathon Racer tire, SHIMANO Nexus 8 Premium 8 speed internal geared hub, without shift		
	tire equipment and rims 26" ISO 559		
	tire equipment and rims 26 15O 559		
	tire 26" SCHWALBE Marathon Racer 40-559, black, with reflex strip, 464g/1,02lbs, wire bead, max.	DES26MR	45.00
	tire 26" SCHWALBE Marathon Plus 47-559, black, with reflex strip, 995g/2, 19lbs, wire bead, max.	DES26MP	43.90
	tire 26" SCHWALBE Smart Sam 54-559, black, 660g/1,46lbs, clincher tyres, optimal off-road grip,	DES26SS	27.90
	tire 26" SCHWALBE Kojak 35-559, black, 395g/0,87lbs, wire bead, max. 6,5bar/94psi, SpeedGrip	DES26KJ	41.90
\$	rim 26" ALEX DA-16 32 holes, box section, light aero design, silver anodized, machined sidewalls,	FEAL2632DG	19.90
\$	559×16C, 22mm/0,87" width, 511g/1,12lbs rim 26" ALEX DA-16 36 holes, box section, light aero design, silver anodized, machined sidewalls,	FEAL2636DG	34.90
\$	559x16C, 22mm/0,87" width, 511g/1,12lbs rim 26" HP-AMI 32 holes, box section, aero design, black anodized, 559x19C, 25mm/0,98" width,	FE2632SIA1	39.90
\$	520g/1, Ilbs rim 26" HP-AMI 36 holes, box section, aero design, black anodized, 559x19C, 22mm/0,87" width,	FE2636SIA1	20.00
	520g/1,1lbs rim 26" HP DB-1 32 holes, disc brake only, box section, light weight aero design, black anodized, 559x24C,	FE2632SID1	39.90
	30mm/1,18" width, 502g/1,1lbs rim 26" HP DB-1 36 holes, disc brake only, box section, light weight aero design, black anodized, 559x24C,	FE2636SID1	49.00
	30mm/1,18" width, 498g/1,1lbs rim 26" HP-AN for GEN 32 holes, black anodized, 559x19C, 25mm/0,98" width, 470g/1,0lbs	FE2632SIN1	12.90
	inner tube 26" SCHWALBE Nr. 12a 25/40-559 Presta valve, 120g/0,26	SLS26	7.50
	inner tube 26" SCHWALBE Nr. 13 40/62-559 Presta valve, 190g/0,42	SLS26SV13	9.90
	Spokes: Only available for rear wheel motors. For other spare spokes, please contact your wholesaler.		

NEW	indicates an item that is new in specification		sugg.
%	indicates an item that is discountable	ordercode	retail
5	indicates an item that is new in price		
	hub and drive shaft accessories		
	bearing for HP VELOTECHNIK trike hubs (one-side hub) 12x28x8mm	D1096	5.90
	hub sealing for HP VELOTECHNIK trike hubs (one-side hub)	NAZUDSOS	4.90
	dust cap for HP VELOTECHNIK trike hubs (one-side hub), outside	NAZUAK	9.00
	countersunk screw for dust cap (one-side hub), outside	D1080	0.40
	locking piece for HP VELOTECHNIK trike hubs (one-side hub)	NAZUAKS	9.00
	cylinder head screw for locking piece (one-side hub), for fastening the hub in the wheel carrier, inside	D2020	0.90
	pressure spring Spring between hub and locking piece (one-sided hub), inside	NAZUFE8_11	0.50
	dust cap for SON delux disc mount	NAZUADK	10.00
	locking piece for one-side dynohub SON xs-m	NAZUES	14.90
	one side hub axle pre assembled, incl. spring and screw	NAZUAOSM	49.90
	free hub for HP VELOTECHNIK rear wheel hub 8, 9, 10 and 11 speed, splined shaft	NAZUFL1	39.90
	centerlock adapter for SON delux disc dynohub for mounting of IS 2000 6-hole brake discs to centerlock hubs	NAZUCLA	24.90
	bearing for Delta tx rear axle shaft 35x47x7mm	D3KL35X47	4.90
\$	bearing cover outside Delta tx Outer bearing cover for Delta tx rear hub	NAZULD	7.90
	end screw Delta tx for fastening the rear wheels to the rear axle shaft on the Delta tx	NAZUAS22	9.90
	foam ring Delta tx Friction ring for the use of ENVIOLO in the Delta tx	FGZUBOSFS	5.00
	cover cap for drive bell Delta tx Plastic cover, black	NAZUAK3	6.90
	rear axle shaft Delta tx single shaft WITHOUT accessories	AHWE	129.00
\$	delta tx rear axle circlip for the bearings on the rear axle	D1189	1.00
	hub one side for trikes 36 holes, incl. bearings, spacer, cap and axle	NAV32OSS1	119.00
\$	delta tx hub shell complete, incl. bearing and spacer	NAZUNDK	79.00
	light systems		
		DVNAGODOOD	1
	dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release	DYN32SP8SB	139.00
	dynohub SON xs-m for trikes, 20", one-side hub, for disc brake, 36 holes	DYN36OS DYNOSKITIX	369.00
	dynohub SON xs-m retrofit kit IQ-X front wheel right, rim HP AM-1 black, SCHWALBE Tryker,	DINOSKIIX	719.00
	SCHMIDTS ORIGINAL NABENDYNAMO xs-m dynohub one-side mounting, front light B&M IQ-X, 100 Lux, plug and cable for retrofitting (no rear light)		
	headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, with rear light connector	SEBUMIQXD	169.00
	headlight B&M IQ-X battery 140 Lux, 7,5 W, sensor, parking and daytime light, without switch	SEBUMIQXA2	139.00
	headlight B&M IQ Eyro 30 Lux, with integrated rechargable Li-lon Battery, charging via USB	SEBUMEY	65.00
	headlight B&M IQ-X S-Pedelec for S-Pedelec from 2018, headlights Busch & Mueller	SEBUMIQXE	189.00
	headlight B&M IQ-XS friendly for e-drive 80 Lux, sensor, parking and daytime running light, without	SEBUMIQXSA	95.00
	headlight mounting ring B&M IQ-X Plastic retaining ring for mounting the B&M IQ-X headlight	SEZUHAX	5.90
	headlight mounting long stainless steel, silver	SWHAU	4.50
	headlight mounting short stainless steel, black	SWHAU2	4.50
\$	headlight holder Delta tx Light and cable holder for xxx, on stem, plastic, black	VBZULHD	39.00
	rear light B&M toplight Flat S plus braketec, with brake light, for dynohub lighting systems only	RLBUTLEFSB	32.90
	rear light B&M toplight Flat S senso, battery rear light with sensor, AA batteries included	RLBUTLFSB	27.90
	rear light B&M 2C Taillight Busch und Müller 2C DC 5-15 V	RLBUTL2CE	14.50
	rear light B&M toplight line for Scorpion fs 26 S-Pedelec	RLBUTTLE2	59.90
	rear light mount with flag holder, for BodyLink seat	RLZUHL	49.00
	rear light mount for ErgoMesh seat	RLZUHEMK	26.90
	connector for light cable inside the front boom, 4 pin, crimpable contacts	S4RSSET	13.90
	light cable with DC-connector for rear light connection to the seat, for hub dynamo	LISTDC5	8.00
	light wire extension for Streamer, from 12/2014	LIZUSTV2	32.00
	LED license plate light for Scorpion fs 26 S-Pedelec	RLKTRILED	19.90
	position light for Scorpion fs 26 S-Pedelec (without mounting hardware)	RLTRILED	39.00
	position light bracket S-Pedelec for mounting RLTRILED to Scorpion fs 26 S-Pedelec front boom	SEHAPL	29.90
	reflector S-Pedelec for S-Pedelec from 2018, reflector 306/2 KG-I yellow	REBUSFE2	5.20



sugg.

ordercode indicates an item that is discountable retail indicates an item that is new in price indicator lights BLSET03 indicator WingBling retrofit kit 12V for 12V supply voltage, at HP VELOTECHNIK: all S-Pedelecs. 2 pairs 629.00 of indicator lights with mounting on luggage carrier and front boom, switch for mounting on handlebar end or handlebar end shift lever, wiring harness, without voltage transformer. Suitable for electronic drive systems with 12V DC output voltage or for trikes with an external voltage source 11,1...13,8V DC. Not suitable for 12V dynamo lighting systems. indicator WingBling retrofit kit HIGO STEPS E5000 / EP8 / E6100 for HP VELOTECHNIK Pedelecs **BLSET06** 539.00 with Shimano STEPS drive E5000 or EP8, 2 pairs of turn signals with mounting under the rear light and on the front boom, switch for mounting at the handlebar end or handlebar end shift lever, The turn signal system is connected to the existing wiring harness by plug. BL SET08 indicator WingBling retrofit set HIGO GSD from 12/2018 and NEODRIVES Z20 for HP 629.00 VELOTECHNIK Pedelecs with GoSwissDrive from 12/2018 onwards, 2 pairs of indicator lights with mounting under the rear light and on the front boom, switch for mounting on the handlebar end or handlebar end shift lever, The indicator system is connected to the existing wiring harness by plug. **BLHAHHK** 210.00 rear indicator mount HIGO ready wired with plug, incl. 2 flasher lights "Spark", for mounting on rear rack or seat **BLHASTVHK** indicator mount front for STEPS HIGO wiring harness ready wired with plug, for mounting on the 169.00 STEPS boom, incl. 2 turn signals "Spark" lights **BLHAVHK** 219.00 front turn signal holder for HIGO wiring harness ready wired with plug, for mounting on boom, incl. 2 indicator lights "Spark", BLLIDETV front turn signal holder for Delta tx ready wired with plug, for mounting on Delta tx, incl. 2 indicator 169.00 lights "Spark", **BLHADHK** rear indicator holder Delta tx Rear indicator holder, pre-wired with plug, incl. 2 indicator lights "Spark", 210.00 **BLBSHK** switch for Indicator light HIGO Complete switch with housing and sticker, ready wired with plug, 225.00 mounting position must be specified when ordering. KUSLS5X3 0.01 Silicone hose for connecting the "Spark" indicator light to the indicator holder, per cm (approx. 3 cm required for one "Spark" indicator light) BLLISPK indicator Light "Spark" ready wired with plug for mounting on WingBling indicator mount, 12V LED, M8-44.90 thread mount, one piece Indicator light "Spark" Delta tx rear ready-made for WingBling bracket on Delta tx rear, I2V, LED, E-**BLLISPK2** 39.00 approved, M8 thread, I piece mudguards SBVR20S8S front fender set HP Trikefender 20" / 60mm/2,3" width with 11/8" supports for Scorpion from 265.00 03/2012, Scorpion fx from 04/2011, Scorpion 2, Scorpion fx 2 and Gekko fxs and Gekko fx 20 / GEN / fx 26 SBVR20S3S front fender set HP Trikefender 20" / 60mm/2,3" width with 1" supports for Scorpion before 03/2012 315.00 and Scorpion fx before 04/2011 SBVR20FSS front fender set HP Trikefender 20" / 60mm/2,3" width for Scorpion fs 20 /fs 26 /fs 26 S-Pedelec and 265.00 Scorpion plus 20 /plus 26, incl. mudguard holders, for models before 2012 a pair of mudguard clips mudguard set Delta tx rear complete rear mudguard set for Delta tx, SKS mudguards 69mm/2,71" wide, SBHR20DET 200.00 with splash flaps and reflective sticker, incl. mounting plates and fixing material. SBVR20S3L HP Trikefender left 60mm/2,6" black, left front, without support and edge protection 95.00 SBVR20S3R HP Trikefender right 60mm/2,3" black, right front, without support and edge protection 79.90 SBHR2069LR NEW SKS mudguard rear wheel 20' Delta tx left SKS mudguard, 69mm/2,7" wide, incl. mud flaps and holes 29.90 NEW SKS mudguard rear wheel 20' Delta tx right SKS mudguard, 69mm/2,7" wide, incl. mud flaps and holes SBHR2069RR 25.90 SBVR2069S1 **SKS mudguard front wheel 20" Delta tx** SKS mudguard, 69mm/2,7" wide, incl. splash flaps, front edge 35.50 protectors and mounting material front fender SKS 20" / 53mm/2,1" width with spoiler, I stainless steel U-stay, black, for GHF, SMGTe, SBVR2053S1 28.90 rear mudguard SKS 20" / 53mm/2,1" width spoiler, 2 stainless steel U-stays, black, all 20" rear wheels SBHR2053S1 29.00 SBHR2653S1 26.90 rear mudguard SKS 26" / 53mm/2,1" width with spoiler, 2 stainless steel U-stays, black, for all 26" trikes except SFN, SFE rear mudguard SKS 26" / 53mm/2,1" width without spoiler, 2 stainless steel U-stays, black, for all 26" SBHR2653S2 32.00 trikes except SFN, SFE SBHR2653S3 rear mudguard SKS 26" / 53mm/2,1" width with spoiler, 2 stainless steel U-stays, black, for SMGTe, 33.90

indicates an item that is new in specification

\$	indicates an item that is new in specification indicates an item that is discountable indicates an item that is new in price	ordercode	sugg. retail
\$	rear mudguard Scorpion fs 26 Enduro SKS MUD-X to mount at seat, with mounting sheet and clamps, black	SBKOSSSFN	55.0
	Mudguard holder		
	support I" left for HP trikefender on Scorpion before 03/2012 and Scorpion fx before 04/2011, one-piece	SBZUHASCL	44.9
	support I" right for HP trikefender on Scorpion before 03/2012 and Scorpion fx before 04/2011, one-piece	SBZUHASCR	55.0
	support I 1/8" left for HP trikefender on Gekko fxs /fx 20/fx 26, Scorpion 2 / fx 2 / GEN / Scorpion from	SBZUHAS8L	44.9
	03/2012 and Scorpion fx from 04/2011, one-piece support I 1/8" right for HP trikefender on Gekko fxs / fx 20 / GEN / fx 26, Scorpion 2 /fx 2, Scorpion from	SBZUHAS8R	55.0
	03/2012 and Scorpion fx from 04/2011, one-piece support left for HP Trikefender on Scorpion fs 20 /fs 26 /plus 20 /plus 26	SBZUHAFSL	44.
	support right for HP Trikefender on Scorpion is 20 /fs 26 /plus 20 /plus 26	SBZUHAFSR	55.
		SBZUSESFS	12.
	fender support clamp for mounting of fender support on Scorpion fs 20 knuckles before 11/2012 rear mudguard holder rear left Delta tx mounting plate for mudguard rear left, black anodised, without bracket	SBZUHADH	48.
	rear mudguard holder rear right Delta tx mounting plate for rear right mudguard, black anodised, without bracket	SBZUHADH2	39.
	mudguard accessories:		ı
	clamp to mount mudguards on SPINNER Grind suspension fork without eyelets at the dropout, per piece	SBZUSCCA8	4.
	clamp to mount mudguards on MEKS suspension fork without eyelets at the dropout, per piece	SBSCEMEC	3.
	edge guard 8.5×5 mm, black, PVC with adhesive layer, to protect edges of fenders or Streamer edges, per metre (ca. 3 m needed for one Streamer, ca. 1.2 m for fender set)	KUKTEG5S	6.
	mounting parts Trikefender All small parts for attaching trike fenders to all tricycles	SBZUKTTF	6
	spacer 10 mm high, OD 20 mm, ID 6 mm, plastic, between mudguard and frame	Z10051	0
	spoiler for mudguards SKS Pro advanced splash guard, flexible, SBZUST is required for mounting	SBZUSP50	3
	fixing plugs for mudguard spoiler SKS Pro to fix the spoiler to the mudguard HP mudguard P-Clip for mounting the U-stays to the fender, M5	SBZUST SBZUCLR	0
	BodyLink seat		
	BodyLink seat complete with standard brackets, EVA foam padding	SIHPBL2KS	1
	BodyLink seat complete for smaller cyclists with long brackets, EVA foam padding. The long brackets	OIIII BEEING	579.
	bring the seat up to 4cm/1,6" forward.	SIHPBL2KKS	579 649
			649
	bring the seat up to 4cm/1,6" forward.	SIHPBL2KKS	649 219
	bring the seat up to 4cm/1,6" forward. BodyLink seat upper half without padding and hardware, with Velcro	SIHPBL2KKS SIHPBLOK	219 249
	bring the seat up to 4cm/1,6" forward. BodyLink seat upper half without padding and hardware, with Velcro BodyLink seat lower half without padding and hardware, with Velcro, new form from 01/2010	SIHPBL2KKS SIHPBLOK SIHPBLU2K	219 249 109
	bring the seat up to 4cm/1,6" forward. BodyLink seat upper half without padding and hardware, with Velcro BodyLink seat lower half without padding and hardware, with Velcro, new form from 01/2010 seat cushion Airflow for BodyLink seat, new form from 01/2010	SIHPBL2KKS SIHPBLOK SIHPBLU2K SAAFBL2	
	bring the seat up to 4cm/1,6" forward. BodyLink seat upper half without padding and hardware, with Velcro BodyLink seat lower half without padding and hardware, with Velcro, new form from 01/2010 seat cushion Airflow for BodyLink seat, new form from 01/2010 seat cushion EVA foam padding 14mm/0,5", with Velcro, from 01/2010	SIHPBL2KKS SIHPBLOK SIHPBLU2K SAAFBL2	219 249 109
	bring the seat up to 4cm/1,6" forward. BodyLink seat upper half without padding and hardware, with Velcro BodyLink seat lower half without padding and hardware, with Velcro, new form from 01/2010 seat cushion Airflow for BodyLink seat, new form from 01/2010 seat cushion EVA foam padding 14mm/0,5", with Velcro, from 01/2010 BodyLink seat accessories SeatWings Carbon hip support, better lateral support in fast bends, flexible, padded for the BodyLink seat	SIHPBL2KKS SIHPBLOK SIHPBLU2K SAAFBL2 SASHBL2	649 219 249 109 65
r	bring the seat up to 4cm/1,6" forward. BodyLink seat upper half without padding and hardware, with Velcro BodyLink seat lower half without padding and hardware, with Velcro, new form from 01/2010 seat cushion Airflow for BodyLink seat, new form from 01/2010 seat cushion EVA foam padding 14mm/0,5", with Velcro, from 01/2010 BodyLink seat accessories SeatWings Carbon hip support, better lateral support in fast bends, flexible, padded for the BodyLink seat with new shape from approx. 01/2010 (recessed screw mount on the lower seat shell)	SIHPBL2KKS SIHPBLOK SIHPBLU2K SAAFBL2 SASHBL2 SIZUBL2WI	649 219 249 109 65 319
	bring the seat up to 4cm/1,6" forward. BodyLink seat upper half without padding and hardware, with Velcro BodyLink seat lower half without padding and hardware, with Velcro, new form from 01/2010 seat cushion Airflow for BodyLink seat, new form from 01/2010 seat cushion EVA foam padding 14mm/0,5", with Velcro, from 01/2010 BodyLink seat accessories SeatWings Carbon hip support, better lateral support in fast bends, flexible, padded for the BodyLink seat with new shape from approx. 01/2010 (recessed screw mount on the lower seat shell) adjustable end stops for positioning the backrest 0° – 4° from middle position	SIHPBL2KKS SIHPBLOK SIHPBLU2K SAAFBL2 SASHBL2 SIZUBL2WI SIZUAPKO	649 219 249 109 65 319 16
	bring the seat up to 4cm/1,6" forward. BodyLink seat upper half without padding and hardware, with Velcro BodyLink seat lower half without padding and hardware, with Velcro, new form from 01/2010 seat cushion Airflow for BodyLink seat, new form from 01/2010 seat cushion EVA foam padding 14mm/0,5", with Velcro, from 01/2010 BodyLink seat accessories SeatWings Carbon hip support, better lateral support in fast bends, flexible, padded for the BodyLink seat with new shape from approx. 01/2010 (recessed screw mount on the lower seat shell) adjustable end stops for positioning the backrest 0°– 4° from middle position headrest for BodyLink seat flexible, cushioned, adjustable in height and angle	SIHPBL2KKS SIHPBLOK SIHPBLU2K SAAFBL2 SASHBL2 SIZUBL2WI SIZUAPKO SIHPKSV	649 219 249 109 65 319 16 149 24
	bring the seat up to 4cm/1,6" forward. BodyLink seat upper half without padding and hardware, with Velcro BodyLink seat lower half without padding and hardware, with Velcro, new form from 01/2010 seat cushion Airflow for BodyLink seat, new form from 01/2010 seat cushion EVA foam padding 14mm/0,5", with Velcro, from 01/2010 BodyLink seat accessories SeatWings Carbon hip support, better lateral support in fast bends, flexible, padded for the BodyLink seat with new shape from approx. 01/2010 (recessed screw mount on the lower seat shell) adjustable end stops for positioning the backrest 0°- 4° from middle position headrest for BodyLink seat flexible, cushioned, adjustable in height and angle cushion for adjustable headrest SIHPKSV, mesh material	SIHPBL2KKS SIHPBLOK SIHPBLU2K SAAFBL2 SASHBL2 SIZUBL2WI SIZUAPKO SIHPKSV SIHPKSVPK	649 219 249 109 65 319 16 149 24 35
	bring the seat up to 4cm/1,6" forward. BodyLink seat upper half without padding and hardware, with Velcro BodyLink seat lower half without padding and hardware, with Velcro, new form from 01/2010 seat cushion Airflow for BodyLink seat, new form from 01/2010 seat cushion EVA foam padding 14mm/0,5", with Velcro, from 01/2010 BodyLink seat accessories SeatWings Carbon hip support, better lateral support in fast bends, flexible, padded for the BodyLink seat with new shape from approx. 01/2010 (recessed screw mount on the lower seat shell) adjustable end stops for positioning the backrest 0°– 4° from middle position headrest for BodyLink seat flexible, cushioned, adjustable in height and angle cushion for adjustable headrest SIHPKSV, mesh material cushion for fixed headrest, mesh material	SIHPBL2KKS SIHPBLOK SIHPBLU2K SAAFBL2 SASHBL2 SIZUBL2WI SIZUAPKO SIHPKSV SIHPKSVPK SIMKSP	649 219 249 109 65 319 16 149 24 35
	bring the seat up to 4cm/1,6" forward. BodyLink seat upper half without padding and hardware, with Velcro BodyLink seat lower half without padding and hardware, with Velcro, new form from 01/2010 seat cushion Airflow for BodyLink seat, new form from 01/2010 seat cushion EVA foam padding 14mm/0,5", with Velcro, from 01/2010 BodyLink seat accessories SeatWings Carbon hip support, better lateral support in fast bends, flexible, padded for the BodyLink seat with new shape from approx. 01/2010 (recessed screw mount on the lower seat shell) adjustable end stops for positioning the backrest 0°– 4° from middle position headrest for BodyLink seat flexible, cushioned, adjustable in height and angle cushion for adjustable headrest SIHPKSV, mesh material cushion for fixed headrest, mesh material seat brackets "long" brings the BodyLink seat 4 cm forward, for smaller riders, retrofit kit, from 01/2010	SIHPBL2KKS SIHPBLOK SIHPBLU2K SAAFBL2 SASHBL2 SIZUBL2WI SIZUAPKO SIHPKSV SIHPKSVPK SIMKSP SIB2LSET	649 219 249 109 65 319 16 149 24 35 69 29
	bring the seat up to 4cm/1,6" forward. BodyLink seat upper half without padding and hardware, with Velcro BodyLink seat lower half without padding and hardware, with Velcro, new form from 01/2010 seat cushion Airflow for BodyLink seat, new form from 01/2010 seat cushion EVA foam padding 14mm/0,5", with Velcro, from 01/2010 BodyLink seat accessories SeatWings Carbon hip support, better lateral support in fast bends, flexible, padded for the BodyLink seat with new shape from approx. 01/2010 (recessed screw mount on the lower seat shell) adjustable end stops for positioning the backrest 0°– 4° from middle position headrest for BodyLink seat flexible, cushioned, adjustable in height and angle cushion for adjustable headrest SIHPKSV, mesh material cushion for fixed headrest, mesh material seat brackets "long" brings the BodyLink seat 4 cm forward, for smaller riders, retrofit kit, from 01/2010 bracket for upper seat connection for BodyLink seat	SIHPBL2KKS SIHPBLOK SIHPBLU2K SAAFBL2 SASHBL2 SIZUBL2WI SIZUAPKO SIHPKSV SIHPKSVPK SIMKSP SIB2LSET SIBLBAO	649 219 249 109 65 319 16 149 24 35 69 29 24
	bring the seat up to 4cm/1,6" forward. BodyLink seat upper half without padding and hardware, with Velcro BodyLink seat lower half without padding and hardware, with Velcro, new form from 01/2010 seat cushion Airflow for BodyLink seat, new form from 01/2010 BodyLink seat accessories SeatWings Carbon hip support, better lateral support in fast bends, flexible, padded for the BodyLink seat with new shape from approx. 01/2010 (recessed screw mount on the lower seat shell) adjustable end stops for positioning the backrest 0° – 4° from middle position headrest for BodyLink seat flexible, cushioned, adjustable in height and angle cushion for adjustable headrest SIHPKSV, mesh material cushion for fixed headrest, mesh material seat brackets "long" brings the BodyLink seat 4 cm forward, for smaller riders, retrofit kit, from 01/2010 bracket for upper seat connection for BodyLink seat bracket for middle seat connection for BodyLink seat	SIHPBL2KKS SIHPBLOK SIHPBLU2K SAAFBL2 SASHBL2 SIZUBL2WI SIZUAPKO SIHPKSV SIHPKSVPK SIMKSP SIB2LSET SIBLBAO SIBLBAM	649 219 249 109 65 319 16 149 24 35 69 29 24 29
	bring the seat up to 4cm/1,6" forward. BodyLink seat upper half without padding and hardware, with Velcro BodyLink seat lower half without padding and hardware, with Velcro, new form from 01/2010 seat cushion Airflow for BodyLink seat, new form from 01/2010 BodyLink seat accessories SeatWings Carbon hip support, better lateral support in fast bends, flexible, padded for the BodyLink seat with new shape from approx. 01/2010 (recessed screw mount on the lower seat shell) adjustable end stops for positioning the backrest 0° – 4° from middle position headrest for BodyLink seat flexible, cushioned, adjustable in height and angle cushion for adjustable headrest SIHPKSV, mesh material cushion for fixed headrest, mesh material seat brackets "long" brings the BodyLink seat 4 cm forward, for smaller riders, retrofit kit, from 01/2010 bracket for upper seat connection for BodyLink seat bracket for lower seat connection for BodyLink seat bracket for lower seat connection for BodyLink seat from 01/2010	SIHPBL2KKS SIHPBLOK SIHPBLU2K SAAFBL2 SASHBL2 SIZUBL2WI SIZUAPKO SIHPKSV SIHPKSVPK SIMKSP SIBLSET SIBLBAO SIBLBAM SIBLB2U	649 219 249 109 65 319 16 149 24 35 69 29 24 29 24
	bring the seat up to 4cm/1,6" forward. BodyLink seat upper half without padding and hardware, with Velcro BodyLink seat lower half without padding and hardware, with Velcro, new form from 01/2010 seat cushion Airflow for BodyLink seat, new form from 01/2010 seat cushion EVA foam padding 14mm/0,5", with Velcro, from 01/2010 BodyLink seat accessories SeatWings Carbon hip support, better lateral support in fast bends, flexible, padded for the BodyLink seat with new shape from approx. 01/2010 (recessed screw mount on the lower seat shell) adjustable end stops for positioning the backrest 0°- 4° from middle position headrest for BodyLink seat flexible, cushioned, adjustable in height and angle cushion for adjustable headrest SIHPKSV, mesh material cushion for fixed headrest, mesh material seat brackets "long" brings the BodyLink seat 4 cm forward, for smaller riders, retrofit kit, from 01/2010 bracket for upper seat connection for BodyLink seat bracket for lower seat connection for BodyLink seat from 01/2010 bracket for lower seat connection for BodyLink seat before 01/2010	SIHPBL2KKS SIHPBLOK SIHPBLU2K SAAFBL2 SASHBL2 SIZUBL2WI SIZUAPKO SIHPKSV SIHPKSVPK SIMKSP SIB2LSET SIBLBAO SIBLBAM SIBLBAU	649 219 249 109 65 319 16 149 24 35 69 29 24 29 24 32
ş	bring the seat up to 4cm/1,6" forward. BodyLink seat upper half without padding and hardware, with Velcro BodyLink seat lower half without padding and hardware, with Velcro, new form from 01/2010 seat cushion Airflow for BodyLink seat, new form from 01/2010 seat cushion EVA foam padding 14mm/0,5", with Velcro, from 01/2010 BodyLink seat accessories SeatWings Carbon hip support, better lateral support in fast bends, flexible, padded for the BodyLink seat with new shape from approx. 01/2010 (recessed screw mount on the lower seat shell) adjustable end stops for positioning the backrest 0°- 4° from middle position headrest for BodyLink seat flexible, cushioned, adjustable in height and angle cushion for adjustable headrest SIHPKSV, mesh material cushion for fixed headrest, mesh material seat brackets "long" brings the BodyLink seat 4 cm forward, for smaller riders, retrofit kit, from 01/2010 bracket for upper seat connection for BodyLink seat bracket for lower seat connection for BodyLink seat from 01/2010 bracket for lower seat connection for BodyLink seat before 01/2010 bracket "long" for upper seat connection for BodyLink seat put 4cm/1,6" forward, for small riders	SIHPBL2KKS SIHPBLOK SIHPBLU2K SAAFBL2 SASHBL2 SIZUBL2WI SIZUAPKO SIHPKSV SIHPKSVPK SIMKSP SIB2LSET SIBLBAO SIBLBAM SIBLBAU SIBLBAU	649 219 249 109 65



	ordercode	
ErgoMesh Premium seat		
ErgoMesh Premium seat Back and seat independently adjustable, complete with seat cover, Orthoflex insert, prepared for Add-on bags, backrest height 63cm/24,8", seat surface depth 24cm/9,4", seat surface	SIKONX2	
width 41cm/16", backrest adjustment angle 14°, seat surface adjustment angle 11 ErgoMesh Premium HS seat 11cm/4,3" higher seat position than the ErgoMesh Premium, 14cm/5,5"	SIKONXH2	
higher seat position than the BodyLink seat ErgoMesh Premium XL seat 5cm/2" wider and each 3cm/1,2" longer seat and backrest than ErgoMesh	SIKONXL2	
Premium seat ErgoMesh Premium HS XL seat 5cm/2" wider and each 3cm/1,2" longer seat and backrest and 11cm/1,3" higher seat position than ErgoMesh Premium seat, 14cm/5,5" higher seat position than BodyLink seat	SIKONXHL2	
Caution: ErgoMesh (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE).		
seat angle adapter set GEN/GEL/GEF, ErgoMesh Premium Adapter to adjust the backrest in 9° more	SIZUBV	
upright position, with quick release seat mesh ErgoMesh Premium for ErgoMesh Premium seat and ErgoMesh Premium HS seat, with Onthellow publics set preserved for Add as bore.	SIZUBZEP	
Orthoflex cushion set, prepared for Add-on bags seat mesh ErgoMesh Premium wide for ErgoMesh Premium XL seat and ErgoMesh Premium HS XL seat, with Orthoflex cushion set, prepared for Add-on bags	SIZUBZEPL	
ErgoMesh seat		
ErgoMesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags ErgoMesh HS seat 2022	SIKONE2 SIKONEPS2	
ErgoMesh seat, with seat cover, Orthoflex inserts, prepared for add-on bags ErgoMesh XL seat 2022 5cm/2" wider with 3cm/1,2" longer seat and backrest than the standard ErgoMesh seat, with seat cover, Orthoflex inserts, prepared for add-on bags	SIKONEL2	
ErgoMesh HS XL seat 2022 5cm/2" wider with 3cm/1,2" longer seat and backrest, 11cm/4,3" higher position than the standard ErgoMesh seat, 14cm/5,5" higher position than the BodyLink seat, width 43cm/17", 5° greater backrest adjustment range compared to ErgoMesh XL seat, with seat cover, Orthoflex inserts, prepared for add-on bags	SIKONELP2	
Caution: ErgoMesh (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE).		
Caution: ErgoMesh (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE). seat mesh ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket	SIZUBZNE	
seat mesh ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket seat mesh ErgoMesh wide (discontinued item) for ErgoMesh XL seats, with zip-pocket	SIZUBZNE SIZUBZNEL	
seat mesh ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket		
seat mesh ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket seat mesh ErgoMesh wide (discontinued item) for ErgoMesh XL seats, with zip-pocket seat mesh ErgoMesh 2022 for ErgoMesh seat and ErgoMesh HS seat with small parts bag, Orthoflex	SIZUBZNEL	
seat mesh ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket seat mesh ErgoMesh wide (discontinued item) for ErgoMesh XL seats, with zip-pocket seat mesh ErgoMesh 2022 for ErgoMesh seat and ErgoMesh HS seat with small parts bag, Orthoflex inserts, attachment points for Add-on bags seat mesh ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, attachment	SIZUBZNEL SIZUBZNE2	
seat mesh ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket seat mesh ErgoMesh wide (discontinued item) for ErgoMesh XL seats, with zip-pocket seat mesh ErgoMesh 2022 for ErgoMesh seat and ErgoMesh HS seat with small parts bag, Orthoflex inserts, attachment points for Add-on bags seat mesh ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, attachment points for Add-on bags	SIZUBZNEL SIZUBZNE2	
seat mesh ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket seat mesh ErgoMesh wide (discontinued item) for ErgoMesh XL seats, with zip-pocket seat mesh ErgoMesh 2022 for ErgoMesh seat and ErgoMesh HS seat with small parts bag, Orthoflex inserts, attachment points for Add-on bags seat mesh ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, attachment points for Add-on bags seat for Gekko, Gekko fx 20, Gekko fx 26 and Gekko fxs seat mesh Gekko 2022 for Gekko 26, Gekko fx 20 and Gekko fx 26, reinforced in the folding area, attachment points for Add-on bags seat mesh OrthoFlex fxs reinforced in the folding area, without cushion set, only for Gekko fxs seat pad for Gekko seat for Gekko 26, Gekko fx 20 and Gekko fx 26, additional comfortably upholstered	SIZUBZNEL SIZUBZNE2 SIZUBZNEL2	
seat mesh ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket seat mesh ErgoMesh wide (discontinued item) for ErgoMesh XL seats, with zip-pocket seat mesh ErgoMesh 2022 for ErgoMesh seat and ErgoMesh HS seat with small parts bag, Orthoflex inserts, attachment points for Add-on bags seat mesh ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, attachment points for Add-on bags seat for Gekko, Gekko fx 20, Gekko fx 26 and Gekko fxs seat mesh Gekko 2022 for Gekko 26, Gekko fx 20 and Gekko fx 26, reinforced in the folding area, attachment points for Add-on bags seat mesh OrthoFlex fxs reinforced in the folding area, without cushion set, only for Gekko fxs	SIZUBZNEL SIZUBZNE2 SIZUBZNEL2 SIZUBZNEG2 SIZUBZNES	1
seat mesh ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket seat mesh ErgoMesh wide (discontinued item) for ErgoMesh XL seats, with zip-pocket seat mesh ErgoMesh 2022 for ErgoMesh seat and ErgoMesh HS seat with small parts bag, Orthoflex inserts, attachment points for Add-on bags seat mesh ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, attachment points for Add-on bags seat for Gekko, Gekko fx 20, Gekko fx 26 and Gekko fxs seat mesh Gekko 2022 for Gekko 26, Gekko fx 20 and Gekko fx 26, reinforced in the folding area, attachment points for Add-on bags seat mesh OrthoFlex fxs reinforced in the folding area, without cushion set, only for Gekko fxs seat pad for Gekko seat for Gekko 26, Gekko fx 20 and Gekko fx 26, additional comfortably upholstered seat pad to attach to the normal seat, fastened with buckles, airy, non-absorbent filling material cushion set for OrthoFlex mesh seat for customized cushion seatbelt retrofit kit usable as lap belt or 4- or 5-point belt roller 76mm/3" skater style, for Gekko fx 20 (from 11/2014), Gekko fx 26 and Gekko fxs, black, to roll a folded trike	SIZUBZNEL SIZUBZNEL2 SIZUBZNEL2 SIZUBZNEG2 SIZUBZNES SIKIGEF SIZUBZPOS SIZUBZPOS SIZUGUS KURO76X8	1
seat mesh ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket seat mesh ErgoMesh wide (discontinued item) for ErgoMesh XL seats, with zip-pocket seat mesh ErgoMesh 2022 for ErgoMesh seat and ErgoMesh HS seat with small parts bag, Orthoflex inserts, attachment points for Add-on bags seat mesh ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, attachment points for Add-on bags seat for Gekko, Gekko fx 20, Gekko fx 26 and Gekko fxs seat mesh Gekko 2022 for Gekko 26, Gekko fx 20 and Gekko fx 26, reinforced in the folding area, attachment points for Add-on bags seat mesh OrthoFlex fxs reinforced in the folding area, without cushion set, only for Gekko fxs seat pad for Gekko seat for Gekko 26, Gekko fx 20 and Gekko fx 26, additional comfortably upholstered seat pad to attach to the normal seat, fastened with buckles, airy, non-absorbent filling material cushion set for OrthoFlex mesh seat for customized cushion seatbelt retrofit kit usable as lap belt or 4- or 5-point belt roller 76mm/3" skater style, for Gekko fx 20 (from 11/2014), Gekko fx 26 and Gekko fxs, black, to roll a	SIZUBZNEL SIZUBZNEL2 SIZUBZNEL2 SIZUBZNEG2 SIZUBZNES SIKIGEF SIZUBZPOS SIZUBZPOS	1
seat mesh ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket seat mesh ErgoMesh wide (discontinued item) for ErgoMesh XL seats, with zip-pocket seat mesh ErgoMesh 2022 for ErgoMesh seat and ErgoMesh HS seat with small parts bag, Orthoflex inserts, attachment points for Add-on bags seat mesh ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, attachment points for Add-on bags seat for Gekko, Gekko fx 20, Gekko fx 26 and Gekko fxs seat mesh Gekko 2022 for Gekko 26, Gekko fx 20 and Gekko fx 26, reinforced in the folding area, attachment points for Add-on bags seat mesh OrthoFlex fxs reinforced in the folding area, without cushion set, only for Gekko fxs seat pad for Gekko seat for Gekko 26, Gekko fx 20 and Gekko fx 26, additional comfortably upholstered seat pad to attach to the normal seat, fastened with buckles, airy, non-absorbent filling material cushion set for OrthoFlex mesh seat for customized cushion seatbelt retrofit kit usable as lap belt or 4- or 5-point belt roller 76mm/3" skater style, for Gekko fx 20 (from 11/2014), Gekko fx 26 and Gekko fxs, black, to roll a folded trike side cover for roller 76mm/3", black, aluminium, 1 pc. retrofit kit for roller 76mm/3" one pair of rollers and covers, spacers and screws, for retrofitting the	SIZUBZNEL SIZUBZNEL2 SIZUBZNEL2 SIZUBZNEG2 SIZUBZNES SIKIGEF SIZUBZPOS SIZUBZPOS SIZUGUS KURO76X8 ZUROAB	
seat mesh ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket seat mesh ErgoMesh wide (discontinued item) for ErgoMesh XL seats, with zip-pocket seat mesh ErgoMesh 2022 for ErgoMesh seat and ErgoMesh HS seat with small parts bag, Orthoflex inserts, attachment points for Add-on bags seat mesh ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, attachment points for Add-on bags seat for Gekko, Gekko fx 20, Gekko fx 26 and Gekko fxs seat mesh Gekko 2022 for Gekko 26, Gekko fx 20 and Gekko fx 26, reinforced in the folding area, attachment points for Add-on bags seat mesh OrthoFlex fxs reinforced in the folding area, without cushion set, only for Gekko fxs seat pad for Gekko seat for Gekko 26, Gekko fx 20 and Gekko fx 26, additional comfortably upholstered seat pad to attach to the normal seat, fastened with buckles, airy, non-absorbent filling material cushion set for OrthoFlex mesh seat for customized cushion seatbelt retrofit kit usable as lap belt or 4- or 5-point belt roller 76mm/3" skater style, for Gekko fx 20 (from 11/2014), Gekko fx 26 and Gekko fxs, black, to roll a folded trike side cover for roller 76mm/3", black, aluminium, 1 pc. retrofit kit for roller 76mm/3" one pair of rollers and covers, spacers and screws, for retrofitting the larger 76 mm rollers to Gekko fx 20 seats before 12/2014	SIZUBZNEL SIZUBZNEL2 SIZUBZNEL2 SIZUBZNEG2 SIZUBZNES SIKIGEF SIZUBZPOS SIZUBZPOS SIZUGUS KURO76X8 ZUROAB	1

NEW	indicates an item that is new in specification		
% \$	indicates an item that is new in specification indicates an item that is discountable indicates an item that is new in price	ordercode	sugg. retail
	adjustable end stops for positioning the backrest 0° – 4° from middle position	SIZUAPKO	16.90
	seat angle adapter set GEN/GEL/GEF, ErgoMesh Premium Adapter to adjust the backrest in 9° more	SIZUBV	119.00
	upright position, with quick release quick release for seat angle adapter longer quick release for seat angle adapter (SIZUBV), black	SSM5X125	11.90
	cushion for ErgoMesh and ErgoMesh HS seat	SIZUNEKI	22.00
	cushion for ErgoMesh XL and ErgoMesh HS XL seat	SIZUNELKI	14.90
	Orthoflex cushion set for ErgoMesh seats for ErgoMesh seats for customized cushion, one completet set	SIZUBZPOPS	14.90
	seat plate ErgoMesh Premium for mounting on the backrest	SIBLEP	24.90
\$	seat adapter Delta tx necessary for mounting HP VELOTECHNIK seats on the frame of the Delta tx	SIADDET	279.00
	seat for Spirit		
	mesh seat complete with seat mesh, seat cushion, sliding blocks, quick releases, without seat rail	SIHPSRTKO	489.00
	seat cushion	SIKIWAF	69.90
	seat mesh with reflective strips and seat bag	Z80024	89.00
	sliding block for seat rail, hard anodized	Z80022	11.90
	quick release and seat mount bushes		
	quick release skewer for Gekko upper seat connection M5 × 112, black, with chamfer	SSM5X112G	13.90
	quick release skewer for Gerko upper seat connection M5 x 112, blue lever, basic specification for Gekko fxs	SSM5X112B	14.00
	quick release 86 blue with foot for lower seat adjustment for Gekko fxs	SSM6X150SB	19.90
	•	SSM5X88K	24.00
	quick release skewer for lower seat connection M5 x 88	SSM5X122K	
	quick release skewer for middle seat connection M5 x 122	SSM5X122K	16.90
	quick release skewer for middle seat connection for GHF M5 x 122 with folding buffer	SSM5X122GK SSM5X112	26.00
	quick release skewer for upper seat connection M5 x 112, black, replaces M6 x 115	SSM5X112 SSM5X112K	11.90
	quick release skewer for upper seat connection M5 \times 112, with folding buffer, basic specification for SFL, SFN and SFE (Only until 02/2020)	SSWIJATIZK	35.00
	bushing lower seat connection with large outside diameter, black anodized	SIBUU	9.00
	bushing middle seat connection black anodized	SIBUR	6.90
	bushing upper seat connection collar 2 mm thick and long hole, grey, hard anodized	Z14075	5.00
	bushing upper seat connection collar 4 mm thick, round hole, from 01/2011, black anodized	SIBUO	4.50
	upper seat connection bushing for Gekko 26, Gekko fx S, Gekko fx 20 and Gekko fx 26	SIBUOG	4.90
	bushing spacer stainless steel, for upper seat connection quick release lever	D3BUS8_6	2.00
	waterbottle sets		
\$	waterbottle set for BodyLink seat with bottles, bottle cages and bottle cage adapter, for Grasshopper /fx,	TFSETGHP	68.90
	Streetmachine Gte and Scorpion / 2 without electric assist, mounted on frame	TECETOOE	
5	waterbottle set for BodyLink seat with bottles, bottle cages and bottle cage adapter, mounting on seat	TESETSCE	79.00
\$	waterbottle set ErgoMesh seat and Gekkos with bottles, bottle cages and bottle cage adapter, for Grasshopper /fx, Streetmachine Gte, Speedmachine, Gekko fxs /fx 20 /26 / fx 26, Scorpion /2 /fx /fs 20 /fs 26	TFSETEM	68.90
	/plus 20 /plus 26 /fs 26 S-Pedelec bottle cage adapter SCX / SFL Adapter plate for mounting water bottle holders on the BodyLink seat, anodised black	TFHASCX	35.00
	bags and transport covers		
	Microbag for BodyLink seat (not for Scorpion fs 26 and Scorpion fs 26 S-Pedelec), detachable, also as hip bag, I litre volume, with reflective strips	TABLMB	49.00
	Add-on bags for mesh seat for all mesh seats from 2022 except GES, I pair of bags for mesh seats, mounts to the backrest, I bag water repellent, I bag ventilated, capacity approx. I.4 liters per bag, can only	TAEPPA	62.90
5	transport cover GHF with carrying strap, for folded Grasshopper fx	TASHGHF	99.90
	transport cover Ripstop nylon, for all foldable HP VELOTECHNIK trikes	TASHSCF	95.00
	rain cover for all HP VELOTECHNIK seats, ripstop nylon fabric, blue. Best protection against rain and dirt. Store the rain cover in your Microbag or in the zip-pocket of the ErgoMesh seat.	SIZURS	19.90
	locks		
NEW	AXA frame lock Retrofit set AXA Imenso large for Delta tx, including frame adapter	SCRAXVDS	57.90
	AXA frame lock Retrofit set AXA Victory for all models of the Scorpion family, incl. frame adapter	SCRAXVSS	73.00
	AXA frame lock Retrofit set AXA Victory for all models of the Gekko family, incl. frame adapter plate	SCRAXVGS	62.90

p.10



		VELD	IELHNIK
NEW %	indicates an item that is new in specification indicates an item that is discountable	ordercode	sugg.
5	indicates an item that is new in price		retail
	lock chain Axa Victory length 100cm	SCEAX100	29.90
	lock chain AXA Imenso large for Delta tx, lenght 100cm	SCEAXU100	35.00
	forks 20" ISO 406		
	SPINNER Grind2 disc for disc brake, steel coil spring/MCU elastomers, 45mm/1,8" travel, external pre-	FG1AGR2SD	239.00
	load adjuster, IS2000 disc brake bracket, I" steel steerer, length 245mm/9,6", for A-head headsets, non-		257.00
	threaded, 1860g/4,1lbs		
	CONCEPT fork with steerer suspension, steel coil spring, 50mm/2" travel, external damping adjuster,	FGCS2SPM2	479.00
	Cantilever brakets and IS2000 disc brake bracket, aluminium, 40mm/1,6" steerer, can not be shortened,		
	1050g/2,3lbs, for Speedmachine only, fork comes without spring, please order spring separately		
	rigid fork aluminium, 40mm/1,57" aluminium steerer, silver, fits Speedmachine only	FG8A2SPMSI	359.00
	front suspension parts and accessories		
	springs for forks		
	spring hard coil spring for SPINNER Grind2, single piece	FGZUGRFH	12.90
	spring hard coil spring for SPINNER Grind AL, single piece	FGZUGRAFH	15.90
	spring for CONCEPT headset-suspension system, SPM, (from 11/2005), red, medium	FGZUCSFM	12.90
	spring for CONCEPT headset-suspension system, SPM, (from 11/2005), yellow, hard	FGZUCSFH	15.00
	accessories for spring forks		
	upper bearing for CONCEPT fork 39,8x52x7 mm for Speedmachine frames before serial no.	Z70031	31.90
	lower bearing for CONCEPT fork 40x52x7 mm for Speedmachine frames, also upper bearing for	Z7003	15.00
	hook wrench for adjusting CONCEPT suspension forks, 45-50 mm / 1,77-1,97", two pieces needed	WZHS50	22.90
	adapter for indirect steering for SPINNER forks with 1"steel steerer, will be inserted from the bottom	LTADGR1	75.00
	into the steerer, for Grasshopper /fx		
	front suspension Scorpion fs 20/fs 26 /fs 26 Enduro /fs 26 S-Pedelec /plus 20 /plus 26		
	spring standard, coil spring for front suspension struts, up to 90 kg / 198 lbs, red	FGZUFESFS1	15.90
	spring hard, coil spring for front suspension struts, above 90 kg / 198 lbs, yellow	FGZUFESFS2	12.90
	MCU elastomer spring for front suspension struts, 12mm/0,47", for Scorpion fs 20 /plus 20	FGZUELSFS1	3.50
	MCU elastomer spring for front suspension struts, 13,5mm/0,53" for Scorpion fs 26 /plus 26 /fs 26 S-	FGZUELSFS2	2.90
	spacer for front suspension struts, instead of MCU elastomer spring, for suspension adjustment	FGZUESSFS1	1.20
	shock boot for front suspension struts, black	FGZUFBSFS	7.90
	shock boot for front suspension struts, blue	FGZUFBFSBL	10.00
	anti-roll bar for SFS, SFL, SFN, SFE standard, up to 90 kg/198 lbs, blue(until 10/2018 white), w/o bracket	FGZUSTM	49.90
	anti-roll bar for SFS, SFL, SFN, SFE hard, above 90 kg / 198 lbs, grey, w/o bracket	FGZUSTHM	59.00
	anti-roll bar for SPS, SPL standard, up to 90 kg / 198 lbs, blue (until 10/2018 white), w/o bracket	FGZUSTPSM	49.90
	anti-roll bar for SPS, SPL hard, above 90 kg / 198 lbs, grey, w/o bracket	FGZUSTPHM	59.00
	Bushing anti-roll bar two bundles, black	FGZUSTBU	3.90
NEW	stabilizer bracket with bushing	FGZUSTHB LTDLSFS	22.50
	rubber strut bearing for Scorpion fs suspension struts support disc rubber strut bearing support disc of rubber strut bearing for Scoprion fs suspension struts	FGZUSTSFS	12.90 4.00
	spring preload adjusting disc Spring preload adjusting disc for Scorpion is struts	FGZUPASFS	12.00
	upper Cover for strut mount upper cover made of foam rubber for the support bearing on Scoprion fs	KUGUASO	2.00
	lower Cover for strut mount lower cover made of foam rubber for the support bearing on Scoprion is	KUGUASU	2.50
	damper stripe soft Soft damping strip, 1.6 mm, for Scoprion fs suspension struts	FGZUDSSFS1	2.90
	damper stripe hard Hard damping strip, 1.7mm, for Scorpion fs suspension strut	FGZUDSSFS2	3.50
		D3LAAX0619	6.90
	delta tx rear axle circlip for the bearings on the rear axle	D1189	1.00
	rear shocks		
	rear shock DNM DV-22 without spring, black length 150mm/5,9", eyelet width 24mm/0,94" and	FELMM22	59.90
	34mm/I,3", travel 27mm/I,06 fits any SRT from II/2004, GHF, SMGTe, SPM, SCO, SCO2, SCF, SCF2, SFS, SFL, SFN, SFE, SPL, SPS		
	rear shock ROCKSHOX Monarch RL lightweight air suspension shock (215g/0,47lbs), adjustable rebound	FLELRSMO	299.00
	damping, lockout, incl. spacer bushings, length 152mm/6", eyelet width 24mm/0,94" and 34mm/1,3", travel		
	30mm/1,18" fits any SRT from 11/2004, GHF, SMGTe, SPM, SCO, SCO2, SCF, SCF2, SFS, SFL, SFN, SFE, SPS,		
	bolt set diameter = 8 mm, 32 and 41 mm threaded sleeves and screws	Z5015	10.00
	spring travel reducer clip for shock DNM DV-22 to attach to the piston rod, thickness 5 mm	FECL	1.29
		•	1

EW % \$	indicates an item that is new in specification indicates an item that is discountable indicates an item that is new in price	ordercode	sugg reta
	spring for DNM DV-22, 350 lbs/inch, length ca. 83 mm, black	Z5010	15
	spring for DNM DV-22, 450 lbs/inch, length ca. 83 mm, black	Z5011	19
	spring for DNM DV-22, 550 lbs/inch, length ca. 83 mm, black	Z5012	15
	spring for DNM DV-22, 650 lbs/inch, length ca. 83 mm, black	Z50121	19
	spring for DNM DV-22, 850 lbs/inch, length ca. 83 mm, black	Z50122	15
v	spring for DNM DV-22, 1000 lbs/inch, length ca. 83 mm, black	Z50124	19
	spring for DNM DV-22, 450 lbs/inch, length ca. 83 mm, blue	Z5011B	15
		Z5011B	19
	spring for DNM DV-22, 550 lbs/inch, length ca. 83 mm, blue	Z50121B	
	spring for DNM DV-22, 650 lbs/inch, length ca. 83 mm, blue		15
	spring for DNM DV-22, spring rate 850 lbs/inch, approx. 83 mm long, blue	Z50122B	19
	spring for DNM DV-22, spring rate 1100 lbs/inch, approx. 83 mm long, blue	Z50123B	13
	spring for DNM DV-22, spring rate 1500 lbs/inch, approx. 83 mm long, blue	Z50125B	19
	chains		
	chain KMC 8 speed per metre (approx. 4 m needed for HP VELOTECHNIK bikes)	KE8FKMCRB	14
	chain KMC 10 speed per metre (approx. 4 m needed for HP VELOTECHNIK bikes)	KE10FKMC	2.
	chain KMC II speed per metre (approx. 4 m needed for HP VELOTECHNIK bikes)	KE11FKMC	3
	,		l I
	chain connecting link 8 speed for KMC chains, silver	KEZUCOKMC8	
	chain connecting link 10 speed for KMC chains, titan-coloured	KEZUCKMC10	
	chain connecting link II speed for KMC chains	KEZUCKMC11	
	idlers and accessories		
	idler complete set, fits all models except SMGt	KLRSPM	3
	idler complete set for SMGt steel frames	KLRSMGT	3
	o-ring for idler silencing, wear part, 2 pcs. neccessary	Z70071	
	rubber layer for idler on SMGt steel frames	Z1508	
	chain catch hook aluminium, to mount between frame and idler, protects the idler and prevents chain jump	Z7009	
	chain catch hook GES, GEF, GEL aluminium, to mount between frame and idler, protects the idler and prevents chain jump	KFGEF	
	idler bolt DIN912 M8x80 12.9 high strength, zinc plated, for GHP, GHF, SPM before 11/2005	D1036	
	idler bolt DIN6912 M8x60A2, stainless, for GTE, SMP from 10/2005, SCO, SCF, SCF2, SFS, SFL, SFN, SFE	D1064	
	idler bolt DIN6912 M8x70A2, stainless, for GEN, GEK, GES, GEF, GEL, SPS, SPL	D1114	
	cap nut for idler DIN917 M8x45A2, stainless, for GHP, GHF, SPM before 11/2005	D1028	
	•		
	spacer between idler and frame, ID 8,5 mm, OD 12 mm, length 12 mm, for GHP, GHF	Z5001	
	chain protection tubes and accessories		
	chaintube set Delta tx flanged edges, incl. rubber support	KSRDETS	4
	upper chaintube SPM, GTE, SMGT, GHP, SCO, GEK flanged edges, with mounting springs	KSRSPMO	2
	upper chaintube GHF flanged edges, foldable, with mounting springs	KSRGHFO	3
	upper chaintube GEF, GES flanged edges, with mounting springs	KSRGEFO	2
	upper chaintube GEL flanged edges, with mounting springs	KSRGELO	3
	upper chaintube SCO2, GEN flanged edges, with mounting springs	KSRSCBO	2
	upper chaintube SCF, SCF2, SFS flanged edges, foldable, with mounting springs	KSRSCFO	3
	upper chaintube SFL, SFN, SFE flanged edges, foldable, with mounting springs	KSRSFLO	2
	upper chaintube SPS flanged edges, foldable, with mounting springs	KSRSPSO	3
	upper chaintube SPL flanged edges, foldable, with mounting springs	KSRSPLO	2
	lower chaintube GTE, SMGT, GHP flanged edges, incl. rubber support	KSRGTU	1
	lower chaintube SPM, SCO flanged edges, incl. rubber support	KSRGTU2	2
	lower chaintube GHF flanged edges, incl. rubber support	KSRGHFU	Ī
	lower chaintube GFF, GES flanged edges, incl. rubber support	KSRGEFU	2
		KSRGELU	1
	lower chaintube GEL flanged edges, incl. rubber support	KSRSCBU	
	lower chaintube SCO2 flanged edges, incl. rubber support		2
	lower chaintube SCF, SCF2 flanged edges, incl. rubber support	KSRSCFU	2
	lower chaintube SFS, SFL, SFN, SFE flanged edges, foldable, incl. rubber support	KSRSFSU	2
	lower chaintube SFS, SFL, SFN, SFE flanged edges, foldable, incl. rubber support lower chaintube SPS flanged edges, foldable, incl. rubber support lower chaintube SPL flanged edges, foldable, incl. rubber support	KSRSFSU KSRSPSU KSRSPLU	2



NEW	indicates an item that is new in specification	ordercode	sugg.
% S	indicates an item that is discountable indicates an item that is new in price	ordercode	retail
•	lower chaintube GEN flanged edges, incl. rubber support	KSRGENU	17.90
	chain tube SRT upper or lower, flanged edges, per piece	KSRSRT	17.90
	chain tube set SRT containing holder	KSRSRTSET	52.00
	chaintube mounting strap for guiding the chain	KSRHSSRT	6.00
	chaintube mounting spring front for upper chaintube, without rubber sleeve (KSMTGUT)	KSMTFDV	5.90
	chaintube mounting spring rear for upper chaintube, without rubber sleeve (KSMTGUT)	KSMTFDH	7.50
	rubber sleeve for chaintube mounting spring for fixing the spring on the chaintube	KSMTGUT	2.00
	PUR-tube 150 mm/5,9", black, chaintube connection in the folding area	KUSLP01	3.90
	chaintube holder incl. rubber sleeve and bracket	RSK	5.50
	mounting sheet for chaintube holder	Z2006	7.90
	mounting for chain tube bracket on SRT	Z7006	5.90
	telescope set chain protection tube for length adjustment of the chain protection tube	KSRTK	35.00
	cranksets, chainrings, freewheel sprocket		
	crankset single 32 teeth, two chainring protection discs aluminium, 115mm/4,5", black	KBG1F32115	89.00
	crankset single 32 teeth, two chainring protection discs aluminium, 135mm/5,3", black	KBG1F32135	69.90
	crankset single 39 teeth, two chainring protection discs aluminium, 170mm/6,7", black	KBGKTRE39	89.00
	crankset single 39 teeth, two chainring protection discs aluminium, 155mm/6,1", black	KBGKTRE39K	79.90
	crankset single 46 teeth, two chainring protection discs aluminium, 170mm/6,7", black	KBGDORF	89.00
	crankset single 46 teeth, two chainring protection discs aluminium, 155mm/6,1", black	KBGKTR46	79.90
	crankset single 52 teeth, two chainring protection discs aluminium, 170mm/6,7", black	KBGSRTRF	99.00
	crankset single 52 teeth, two chainring protection discs aluminium, 155mm/6,1", black	KBGKTR52	89.90
	crankset triple 52-42-30 teeth, 155mm/6,1", black	KBGKTR3F	109.00
	crankset triple 52-42-30 teeth, 170mm/6,7", black	KBG3F53S	79.90
	crankset triple 60-52-40 teeth with integrated chain protection ring, 170mm/6,7", black	KBG3F654	240.00
	crankset triple 60-52-40 teeth with integrated chain protection ring, 155mm/6,1", black	KBGK3F654	239.00
	chainring 60 teeth with integrated chain protecting disc, black	KBCH60Z	99.90
	chainring E6100 / E8000 / EP8 / EP801CRG 38 teeth Chainring STEPS 38T completely assembled	KBBLS838K	145.00
	chainring E6100 / E8000 / EP8 / EP801CRG 50 teeth Chainring STEPS 50T completely assembled	KBBLS850K	109.00
	chainring 38 teeth BAFANG completely mounted	KBBF38	62.00
	chainring disc light for 50-52 teeth chainring, 52 g, threads on chainring must be drilled by customer, incl. screws and washers, black	KBZUKR52SE	69.00
	bottom bracket for all models except Spirit	ILSR113SQ	19.90
	chainguard chainring protection, maximum 54 teeth, mounted at the bottom bracket, aluminium, black	RMSKO	52.00
	front parking support protection for crash guard and position light of the S-Pedelec when the trike is folded (recommended for 26" trikes without chainring disc)	RMAF	24.90
	freewheel sprocket Delta tx left left-hand thread, 16 teeth	ZK1FL16L	22.90
	freewheel sprocket Delta tx right right-hand thread, 16 teeth	ZK1FL16R	27.50
	front boom quick adjust		
\$	front boom quick adjust with quick release levers, for chain length compensation when front boom is adjusted, incl. length adjustable upper chain protection tube, for all models except Speedmachine, Spirit and	RTZUSV	249.00
5	Gekko fxs front boom quickadjust without chain length compensation quick release for the bottom bracket	RTZUSVO	49.90
-	front boom quick adjust for Gekko fxs with quick release levers, for chain length compensation when	RTZUSVGES	249.00
7	front boom is adjusted, incl. length adjustable upper chain protection tube		247.00
\$	front boom quick adjust STEPS E5000 / E6100 / E8000 / EP8 / EP801CRG with quick release levers, for chain length compensation when front boom is adjusted, incl. length adjustable upper chain protection	RTZUSVS8	219.00
	chain idler for frame quick adjustment 42X6 complete including bearing and O-ring	KLKO42X6E	12.90
	O-RING quick frame adjustment for chain idler for frame quick adjustment	D3GUOR22	0.65
	quiet manie aujustinieros. enam rater for mante quiet aujustinent		0.03

IEW % \$	indicates an item that is new in specification indicates an item that is discountable indicates an item that is new in price	ordercode	sugg. retail
	PINION		
	PINION retrofit set 20" PINION C1.12 gearbox with 46T chainwheel, chainwheeldiscs, 170mm/6,7" cranks, black anodized front boom, twist shifter w/long grip, HP chaintensioner, 28T rear chainring, spacerset	TGSET20	2,540.00
	for cassettehubs, w/o rear wheel, not compatibel with internal gear hubs due to high torque PINION retrofit set 26" PINION C1.12 gearbox with 46T chainwheel, chainwheeldiscs, 170mm/6,7"	TGSET26	1,990.00
	cranks, black anodized front boom, twist shifter w/long grip, HP chaintensioner, 36T rear chainring, spacerset for cassettehubs, w/o rear wheel, not compatibel with internal gear hubs due to high torque		
	chainring disc set for PINION for 46 teeth chainring, 2 discs for in-and outside, threads on chainring must be drilled by customer, incl. screws and washers, black anodized	KBZUKR46SE	59.90
	chainring 46 teeth 4 arm, 104mm BCD, for PINION	KBTR46Z	26.50
	rear chainring 28 teeth for cassette hubs, aluminium 7075, black	ZK1PI28	49.90
	rear chainring 36 teeth for cassette hubs, aluminium 7075, black	ZK1PI36	66.30
	PINION crank arms 170mm/6,7" for PINION gearbox, length 170 mm, price per pair	KBKUPI170	159.00
	PINION crank arms 155mm/4,5" for PINION gearbox, length 155 mm, price per pair	KBKUPI155	340.00
	spacer for rear chainring for 8/9/10-speed cassette hubs, aluminium, black, 2 pieces required per hub	ZKZUSPPI	6.90
	lockring for spacer set aluminium, black	ZKZUVR	9.20
	PINION shifter, long version for HP VELOTECHNIK	SH12PIL	219.00
	gear system, Cable routing		
	POUL OFF shiften long vention for UP VELOTECUNIV	SH14RFSHL	179.00
	ROHLOFF shifter, long version for HP VELOTECHNIK	SH3SALE	177.00
	bar end shifter STURMEY ARCHER for Tripleshift internal gear hub	SH10MSLE	
	bar end shift lever MICROSHIFT 10 speed for 10-speed Shimano MTB rear derailleurs bar end shift lever MICROSHIFT 3 speed for 3-speed front derailleurs	SH3MSLE	57.90 85.00
	chaintensioner HP, long version big capacity and 14T pulleys, ball bearings, 95mm/3,7" long, necessary for PINION, ROHLOFF or STEPS on SPS/SPL	SWKSHP	129.00
	front derailleur MICROSHIFT 439B silver, clamping diameter 31.8 / 28.6 mm	UWMSR438B	36.90
	cable guide 5 mm, to be fixed with bolt	Z1105	0.40
	cable guiding sleeve for 8mm holes	Z1108	0.20
	derailleur cable protection bellow and sealing for front derailleur cable	SZSRNC	1.00
	cable stop for shifting cable, screw on attachement, with adjustment screw	SZZA	5.90
	cable guide pipe 130° for shifting cable in front boom	BZR130	2.90
5	cable fastening Delta tx Magnetic cable attachment	ZUMASET	14.90
	brakes		
	brake Riderever Cargo-D coupled left left side, coupled hydraulic brake for two wheels, 3 finger lever, 2 pistons, with pads, non-mirrored	BRSBRVDGL	289.00
	brake Riderever Cargo-D coupled right right side, coupled hydraulic brake for 2 wheels, 3 finger lever, 2 pistons, with pads, non-mirrored	BRSBRVDGR	329.00
	brake lever DualControl right, for two brake cables, with parking brake function, (right or left side for under seat steering, when mounted on right side the locking knob faces the rider)	BHVBDR	36.00
	brake lever with locking knob, right lever (mounted on left side with under seat steering)	BHVBPMLR	15.90
	brake lever with locking knob, left lever (mounted on right side with under seat steering)	BHVBPMLL	20.00
	double brake lever adapter set to mount a second brake lever on a parallel running handlebar piece, for one-hand operation	LEZUDBK	32.90
s	parking brake for trikes retrofit kit with lever, V- brake, brake cable, cantilever sockets	BRPBS	54.90
	rarking brake lever Thumb switch for actuating the parking brake	SH3DS1	14.00
			l I
	hook and loop strap to use standard brake levers as parking brake	KUKLBRST	3.20
	brakeadapter "Copilot" for second cable brake lever actuation (i.e. companion bar)	BZADB	39.90
	brake cable seal SnakeSeal for 2 brake cables, retrofit kit	BZSSKO	29.00
_	brake pad TEKTRO S20.11 fits Auriga / Auriga Twin disc brakes, I pair with spring, green Organic Compound, low noise, for one piece caliper	BRBTEAU	15.90
	brake pad TEKTRO E10.11 fits Auriga / Auriga Twin disc brakes, 1 pair with spring, Organic Compound, low noise, for 2-piece bolted brake caliper	BRBTEAU3	27.00
	"XT-Dächle" brakelever cover neopren, black, fits SHIMANO and TEKTRO brakelevers, I pair	BHZUDA	13.90
e-14/	Tektro 160 mm brake disc for S-Pedelecs	BRSBBSTE2	20.00

p.14



۶ ۲	indicates an item that is discountable indicates an item that is new in price	ordercode	ret
	handlebars for two wheelers		
ı	mportant: All handlebars and stems are to be used with recumbent bikes/trikes only, not for upright		
	nandlebar for under seat steering SMGTe, 60cm/23,6" wide, straight ends, steel, chrome finish, for stock on the straight ends of the st	LEULGTERFS	29
h	nandlebar for under seat steering SMGTe, 65cm/25,6" wide, straight ends, steel, chrome finish, required or ErgoMesh seats	LEULGTERF	37
	nandlebar for under seat steering GHF, SPM, 55cm/21,6" wide, straight ends, aluminium	LEHPGHP	49
h	andlebar for above seat steering SPM, SMGTe, GHF, tiller, 60cm/23,6" wide, aluminium, black	LEHUSPM	2
h	nandlebar for above seat steering SPM, GHF, Aerobar, 60cm/23,6" wide, aluminium, black	LEOLSPMAE2	3
	stems for two wheelers		
u	under seat steering retrofit kit Grasshopper fx SPINNER handlebar, stem, fork adapter, track rod,	LEGHFULKIT	29
u	under seat steering retrofit kit Speedmachine handlebar, stem, fork adapter, track rod, bolts	LESPMULKIT	38
	handlebar retrofit kits for two wheelers		
s	tem for under seat steering A-Head	VBHPGTEAH1	5
S	tem for under seat steering A-Head	VBHPGTAH1	3
	tem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish	VBKOULGHF	23
	olding stem for above seat steering GHF, SMGTe, I" A-Head clamp, Glideflex-sprocket stem part from ERRACYCLE, telescopically adjustable height, aluminium, black	OLVBGHP	26
s	tem for above seat steering SRT, telescopically adjustable height, clamps to 1 1/8" steerer, aluminium,	VBHPSRTK	9
	tem for Aerobar GHF, adjustable length, w/ quick release, removable, aluminium, black	VBKOOLGHF	26
	tem for Aerobar comfort and ability accessories	VBHPSPM2	26
	tem for tillerbar olding stem hinge for above seat steering I" A-Head clamp, I" stem riser, TERRACYCLE Glideflex	VBHPSPM Z2005	16
h	inge, for 1" stem extension Z20051		
	olding stem hinge for above seat steering Spirit, 1/8" A-Head clamp, 1 1/8" stem riser, TERRACYCLE	Z8004	16
	uick release skewer for under seat steering stem Grasshopper fx and Speedmachine (VBKOULGHF)	SSM6X56L	
r	od end M6 for push rod with indirect steering, maintenance free (for SPM, GHF with under seat steering)	LGKKA6D2	'
	handlebars for tricycles		
	mportant: All handlebars and stems are to be used with recumbent bikes/trikes only, not for upright nandlebar Delta tx Aluminum	LEOLDET	2
-	nandlebar for under seat steering for all Scorpions and Gekko fxs two-piece design for width-	LEULSCO2T	4
	djustable stem, aluminium, black		
h	nandlebar "long" for under seat steering for all Scorpions and Gekko fxs two-piece design for width-djustable stem, aluminium, black, required for ErgoMesh HS and ErgoMesh HS XL seat	LEULSCO2TL	4
h	andlebar for under seat steering Gekko 26, Gekko fx 20, Gekko fx 26 aluminium, black	LEULGEF	4
	connection tube Gekko fxs for handlebar, to mount two-piece handlebars for under seat steering LEULSCO2T or LEULSCO2TL)	VBZULR	2
c	companion bar retrofit kit for active steering and braking, adapter "copilot" enables operation of the rear '/-Brake, removable, not compatible with standing-up aid	LEBGSET	38
c	lamp w/ two bolts, left for mounting of two-piece handlebar	LTKS30BLS	
	lamp w/ two bolts, right for mounting of two-piece handlebar	LTKS30BRS	
	lamp w/ two bolts, full width quick release lever, left for mounting the left long handlebar on the	LTKS30BSLS	
	corpion fs 26 /fs 26 Enduro /fs 26 S-Pedelec /plus 20, the long right handlebar on the Gekko fxs as well as		
S	he right standard handlebar on the Gekko fxs and the left handlebar on the plus 20/ plus 26, for folding the		
	andlebar during the folding process	. =	
t h		LTKS30BSRS	2
t h	lamp w/ two bolts, full width quick release lever, right for mounting the long right handlebar on the		
ti h	corpion plus 20 /plus 26, as well as the left handlebar on the Gekko fxs, for folding the handlebar during the		
ti h c S		SSZUBL2	
ti h c S	corpion plus 20 /plus 26, as well as the left handlebar on the Gekko fxs, for folding the handlebar during the olding process	SSZUBL2	
ti h c S fe	corpion plus 20 /plus 26, as well as the left handlebar on the Gekko fxs, for folding the handlebar during the olding process nset sheetmetal for double quick release stainless steel stems for tricycles		2
ti h	corpion plus 20 /plus 26, as well as the left handlebar on the Gekko fxs, for folding the handlebar during the olding process nset sheetmetal for double quick release stainless steel	SSZUBL2 VBROMNDET VBROMHDET	3 4

	indicates an item that is new in specification indicates an item that is discountable indicates an item that is new in price	ordercode	sugg. retail
w.	stem Delta tx standard complete for users between 1.60 - 1.95m/63"-76", for all users with a low seat	VBKOSMDET	259.0
	-	VBKOLMDET	
	stem Delta tx long complete for users over 1.90m/74,8"		219.0
	stem Delta tx short quick releasecomplete for users under 1.65m/64,9" with high seat, with quick release for easier adjustment	VBKOKSDET	259.0
	stem Delta tx standard quick releasecomplete for users between 1.60 - 1.95m/63"-76", for all users	VBKOSSDET	219.0
١	with a low seat, with quick release for easier adjustment		
	stem Delta tx long quick release complete for users over 1.90m/74,8", with quick release for easier	VBKOLSDET	259.0
	Idjustment Idjustment Idjustment State Sta	VBGFSET	229.0
-	combined with a long stem		
_	Quick release retrofit kit Clamp and lamp holder with quick release, for convenient stem length	VBSSDETSET	79.0
ā	djustment on the Delta tx		
ı	neadset Adjuster adjustable spacer for adjusting the headset clearance on wheels without A-head cap	STSZUHA	30.0
•	steering damper Elastomer body steering damper for mounting between fork and frame on the Delta tx	LTLDEL	19.9
•	stem Scorpion /2 for two-piece handlebar, ASG, w/o clamps (steering rods before 11/2012 must be	VBSCOAL	99.0
	shortened 3 mm) stem Scorpion fx /fx 2 front axle for two-piece handlebar, ASG, w/o clamps (steering rods before 11/2012	VBSCOALG	129.0
	nust be shortened 3 mm), rubber folding buffer	FEGGGALG	129.0
	stem Scorpion fs 20 for two-piece handlebar, ASG, w/o clamps, from 10/2012, rubber folding buffer, for	VBSF2ALG	99.0
	vehicles before 09/2012 please also order new track rods (LTSSSF2K)		
	stem for Scorpion fs 26 /fs 26 Enduro /fs 26 S-Pedelec	VBSF2AL	129.0
	stem lower part for Scorpion plus 20 /plus 26 black	VBROUTSPS	99.0
	stem upper part for Scorpion plus 20 /plus 26 black, w/o clamps	VBKOOTSPS	69.9
	stem lower part Gekko 26, Gekko fx 20, Gekko fx 26 aluminium, black	VBROUTGEF	54.9
	stem upper part Gekko 26, Gekko fx 20, Gekko fx 26 aluminium, black	VBK08AGEF	29.9
	stem lower part Gekko fxs black	VBROUTGES	54.9
	stem upper part Gekko fxs black	VBK08AGES	29.9
			27.7
	tie rods for tricycles		ı
	tie rod SCO, SCO2, SCF and SFS from 10/2012 and SCF2 for steering, with rod ends and rubber	LTSSSC2K	32.9
	cover		
	cover tie rod SCO. SCF and SFS before 10/2012 for steering, with rod ends and rubber cover	LTSSSCOK	39.0
1	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover	LTSSSCOK LTSSSF2K	
1	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover		32.9
1	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover tie rod GES, SPS, SPL for steering, with rod ends and rubber cover	LTSSSF2K	32.9 39.0
1 1	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover tie rod GES, SPS, SPL for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover	LTSSSF2K LTSSSPSK LTSSGEFK	32.9 39.0 29.9
1 1 1	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover tie rod GES, SPS, SPL for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tod end M6 for tie rods with all HP VELOTECHNIK trikes, maintenance free	LTSSSF2K LTSSSPSK LTSSGEFK Z20034	32.9 39.0 29.9
1 1 1	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover tie rod GES, SPS, SPL for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tod end M6 for tie rods with all HP VELOTECHNIK trikes, maintenance free rubber cover for rod end (I socket head screw D1023, 2 washers D1011, 2 spacers D3BUS86 and one nut	LTSSSF2K LTSSSPSK LTSSGEFK Z20034 D3GUKA	32.9 39.0 29.9 8.9
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover tie rod GES, SPS, SPL for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tod end M6 for tie rods with all HP VELOTECHNIK trikes, maintenance free	LTSSSF2K LTSSSPSK LTSSGEFK Z20034	32.9 39.0 29.9 8.9 4.9
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover tie rod GES, SPS, SPL for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tod end M6 for tie rods with all HP VELOTECHNIK trikes, maintenance free rubber cover for rod end (I socket head screw D1023, 2 washers D1011, 2 spacers D3BUS86 and one nut steering damper adjustable, for GEL, GES, GEF, GEN, SCO, SCO2 and SCF2 incl. mounting material, for smooth drivability when using E-drive STEPS	LTSSSF2K LTSSSPSK LTSSGEFK Z20034 D3GUKA	32.9 39.0 29.9 8.9
11 11 11 11 11 11 11 11 11 11 11 11 11	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover tie rod GES, SPS, SPL for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tod end M6 for tie rods with all HP VELOTECHNIK trikes, maintenance free trubber cover for rod end (I socket head screw D1023, 2 washers D1011, 2 spacers D3BUS86 and one nut steering damper adjustable, for GEL, GES, GEF, GEN, SCO, SCO2 and SCF2 incl. mounting material, for smooth drivability when using E-drive STEPS headset	LTSSSF2K LTSSSPSK LTSSGEFK Z20034 D3GUKA LTLDK	32.9 39.0 29.9 8.9 4.9
11 11 11 11 11 11 11 11 11 11 11 11 11	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover tie rod GES, SPS, SPL for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tie rod GEF, GEL for steering, with rod ends and rubber cover tod end M6 for tie rods with all HP VELOTECHNIK trikes, maintenance free rubber cover for rod end (I socket head screw D1023, 2 washers D1011, 2 spacers D3BUS86 and one nut steering damper adjustable, for GEL, GES, GEF, GEN, SCO, SCO2 and SCF2 incl. mounting material, for smooth drivability when using E-drive STEPS headset stem bearing for under seat steering GHF, SPM, Scorpion, Scorpion fx, Scorpion fs 20 /fs 26	LTSSSF2K LTSSSPSK LTSSGEFK Z20034 D3GUKA LTLDK	32.9 39.0 29.9 8.9 4.1 135.0
	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover tie rod GES, SPS, SPL for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tod end M6 for tie rods with all HP VELOTECHNIK trikes, maintenance free rubber cover for rod end (I socket head screw D1023, 2 washers D1011, 2 spacers D3BUS86 and one nut steering damper adjustable, for GEL, GES, GEF, GEN, SCO, SCO2 and SCF2 incl. mounting material, for smooth drivability when using E-drive STEPS headset tem bearing for under seat steering GHF, SPM, Scorpion, Scorpion fx, Scorpion fs 20 /fs 26 headset I" A-head semi-integrated for Grasshopper /fx and Streetmachine Gte forks, for Scorpion before	LTSSSF2K LTSSSPSK LTSSGEFK Z20034 D3GUKA LTLDK	32.9 39.0 29.0 8.0 4.1 135.0
11 11 11 11 11 11 11 11 11 11 11 11 11	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover tie rod GES, SPS, SPL for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tod end M6 for tie rods with all HP VELOTECHNIK trikes, maintenance free rubber cover for rod end (I socket head screw D1023, 2 washers D1011, 2 spacers D3BUS86 and one nut steering damper adjustable, for GEL, GES, GEF, GEN, SCO, SCO2 and SCF2 incl. mounting material, for smooth drivability when using E-drive STEPS headset steem bearing for under seat steering GHF, SPM, Scorpion, Scorpion fx, Scorpion fs 20 /fs 26 headset I" A-head semi-integrated for Grasshopper /fx and Streetmachine Gte forks, for Scorpion before 03/2012 and Scorpion fx before 05/2011 knuckles	LTSSSF2K LTSSSPSK LTSSGEFK Z20034 D3GUKA LTLDK	32.9 39.0 29.9 8.9 4.9 135.0
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover tie rod GES, SPS, SPL for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover trod end M6 for tie rods with all HP VELOTECHNIK trikes, maintenance free trubber cover for rod end (I socket head screw D1023, 2 washers D1011, 2 spacers D3BUS86 and one nut steering damper adjustable, for GEL, GES, GEF, GEN, SCO, SCO2 and SCF2 incl. mounting material, for smooth drivability when using E-drive STEPS Theadset Steem bearing for under seat steering GHF, SPM, Scorpion, Scorpion fx, Scorpion fs 20 /fs 26 meadset I" A-head semi-integrated for Grasshopper /fx and Streetmachine Gte forks, for Scorpion before 03/2012 and Scorpion fx before 05/2011 knuckles The steep of the steering GHF, SPM, Scorpion from 03/2012, Scorpion fx from 04/2011, Scorpion fx meadset I 1/8" A-head semi-integrated for Scorpion from 03/2012, Scorpion fx from 04/2011, Scorpion fx	LTSSSF2K LTSSSPSK LTSSGEFK Z20034 D3GUKA LTLDK Z20033 STSNEIAH1	32.9 39.0 29.9 8.9 4.9 135.0
	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover tie rod GES, SPS, SPL for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tod end M6 for tie rods with all HP VELOTECHNIK trikes, maintenance free rubber cover for rod end (I socket head screw D1023, 2 washers D1011, 2 spacers D3BUS86 and one nut steering damper adjustable, for GEL, GES, GEF, GEN, SCO, SCO2 and SCF2 incl. mounting material, for smooth drivability when using E-drive STEPS headset steem bearing for under seat steering GHF, SPM, Scorpion, Scorpion fx, Scorpion fs 20 /fs 26 headset I" A-head semi-integrated for Grasshopper /fx and Streetmachine Gte forks, for Scorpion before 03/2012 and Scorpion fx before 05/2011 knuckles	LTSSSF2K LTSSSPSK LTSSGEFK Z20034 D3GUKA LTLDK Z20033 STSNEIAH1	39.0 32.9 39.0 29.9 8.9 4.9 135.0
	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover tie rod GES, SPS, SPL for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tod end M6 for tie rods with all HP VELOTECHNIK trikes, maintenance free rubber cover for rod end (I socket head screw D1023, 2 washers D1011, 2 spacers D3BUS86 and one nut steering damper adjustable, for GEL, GES, GEF, GEN, SCO, SCO2 and SCF2 incl. mounting material, for smooth drivability when using E-drive STEPS headset steem bearing for under seat steering GHF, SPM, Scorpion, Scorpion fx, Scorpion fs 20 /fs 26 headset I" A-head semi-integrated for Grasshopper /fx and Streetmachine Gte forks, for Scorpion before 03/2012 and Scorpion fx before 05/2011 knuckles headset I 1/8" A-head semi-integrated for Scorpion from 03/2012, Scorpion fx from 04/2011, Scorpion fx and Gekko /fx 20 /fx 26 knuckles, for Gekko 26 /fx 20 /fx 26, Scorpion plus 20 /plus 26 stem, Gekko /fx 20	LTSSSF2K LTSSSPSK LTSSGEFK Z20034 D3GUKA LTLDK Z20033 STSNEIAH1	32.9 39.0 29.9 8.9 4.1 135.0
	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover tie rod GES, SPS, SPL for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tod end M6 for tie rods with all HP VELOTECHNIK trikes, maintenance free trubber cover for rod end (1 socket head screw D1023, 2 washers D1011, 2 spacers D3BUS86 and one nut steering damper adjustable, for GEL, GES, GEF, GEN, SCO, SCO2 and SCF2 incl. mounting material, for smooth drivability when using E-drive STEPS headset steem bearing for under seat steering GHF, SPM, Scorpion, Scorpion fx, Scorpion fs 20 /fs 26 headset 1" A-head semi-integrated for Grasshopper /fx and Streetmachine Gte forks, for Scorpion before 03/2012 and Scorpion fx before 05/2011 knuckles headset 1 1/8" A-head semi-integrated for Scorpion from 03/2012, Scorpion fx from 04/2011, Scorpion fx and Gekko /fx 20 /fx 26 knuckles, for Gekko 26 /fx 20 /fx 26, Scorpion plus 20 /plus 26 stem, Gekko /fx 20 and for Spirit fork (SRT) grips, barends	LTSSSF2K LTSSSPSK LTSSGEFK Z20034 D3GUKA LTLDK Z20033 STSNEIAH1	32. 39. 29. 8. 4. 135. 5. 59.
	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover tie rod GES, SPS, SPL for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tod end M6 for tie rods with all HP VELOTECHNIK trikes, maintenance free trubber cover for rod end (I socket head screw D1023, 2 washers D1011, 2 spacers D3BUS86 and one nut steering damper adjustable, for GEL, GES, GEF, GEN, SCO, SCO2 and SCF2 incl. mounting material, for smooth drivability when using E-drive STEPS headset steem bearing for under seat steering GHF, SPM, Scorpion, Scorpion fx, Scorpion fs 20 /fs 26 headset 1" A-head semi-integrated for Grasshopper /fx and Streetmachine Gte forks, for Scorpion before 03/2012 and Scorpion fx before 05/2011 knuckles headset 1 1/8" A-head semi-integrated for Scorpion from 03/2012, Scorpion fx from 04/2011, Scorpion fx and Gekko /fx 20 /fx 26 knuckles, for Gekko 26 /fx 20 /fx 26, Scorpion plus 20 /plus 26 stem, Gekko /fx 20 and for Spirit fork (SRT) grips, barends handlebar grip foam, hexagonally, pc.	LTSSSF2K LTSSSPSK LTSSGEFK Z20034 D3GUKA LTLDK Z20033 STSNEIAH1 STSNEIAH18	32.0 39.0 29.0 8.0 4.0 135.0 19.0
	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover tie rod GES, SPS, SPL for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tod end M6 for tie rods with all HP VELOTECHNIK trikes, maintenance free trubber cover for rod end (I socket head screw D1023, 2 washers D1011, 2 spacers D3BUS86 and one nut steering damper adjustable, for GEL, GES, GEF, GEN, SCO, SCO2 and SCF2 incl. mounting material, for smooth drivability when using E-drive STEPS headset steem bearing for under seat steering GHF, SPM, Scorpion, Scorpion fx, Scorpion fs 20 /fs 26 headset I" A-head semi-integrated for Grasshopper /fx and Streetmachine Gte forks, for Scorpion before 03/2012 and Scorpion fx before 05/2011 knuckles headset I 1/8" A-head semi-integrated for Scorpion from 03/2012, Scorpion fx from 04/2011, Scorpion fx and Gekko /fx 20 /fx 26 knuckles, for Gekko 26 /fx 20 /fx 26, Scorpion plus 20 /plus 26 stem, Gekko /fx 20 and for Spirit fork (SRT) grips, barends handlebar grip foam, hexagonally, pc. handlebar grips blue, pair	LTSSSF2K LTSSSPSK LTSSGEFK Z20034 D3GUKA LTLDK Z20033 STSNEIAH1 STSNEIAH18	32.9 39.0 29.9 8.9 4.9 135.0 19.9
	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover tie rod GES, SPS, SPL for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover to dend M6 for tie rods with all HP VELOTECHNIK trikes, maintenance free rubber cover for rod end (1 socket head screw D1023, 2 washers D1011, 2 spacers D3BUS86 and one nut steering damper adjustable, for GEL, GES, GEF, GEN, SCO, SCO2 and SCF2 incl. mounting material, for smooth drivability when using E-drive STEPS headset steem bearing for under seat steering GHF, SPM, Scorpion, Scorpion fx, Scorpion fs 20 /fs 26 meadset 1" A-head semi-integrated for Grasshopper /fx and Streetmachine Gte forks, for Scorpion before 03/2012 and Scorpion fx before 05/2011 knuckles meadset 1 1/8" A-head semi-integrated for Scorpion from 03/2012, Scorpion fx from 04/2011, Scorpion fx 20 and Gekko /fx 20 /fx 26 knuckles, for Gekko 26 /fx 20 /fx 26, Scorpion plus 20 /plus 26 stem, Gekko /fx 20 and for Spirit fork (SRT) grips, barends mandlebar grip foam, hexagonally, pc. mandlebar grip foam, hexagonally, pc. mandlebar grip HERRMANS Maxi Grip 50 mm/2", pc.	LTSSSF2K LTSSSPSK LTSSGEFK Z20034 D3GUKA LTLDK Z20033 STSNEIAH1 STSNEIAH18	32.9 39.0 29.9 8.9 4.9 135.0 19.9
	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover tie rod GES, SPS, SPL for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover tod end M6 for tie rods with all HP VELOTECHNIK trikes, maintenance free trubber cover for rod end (I socket head screw D1023, 2 washers D1011, 2 spacers D3BUS86 and one nut steering damper adjustable, for GEL, GES, GEF, GEN, SCO, SCO2 and SCF2 incl. mounting material, for smooth drivability when using E-drive STEPS headset steem bearing for under seat steering GHF, SPM, Scorpion, Scorpion fx, Scorpion fs 20 /fs 26 headset I" A-head semi-integrated for Grasshopper /fx and Streetmachine Gte forks, for Scorpion before 03/2012 and Scorpion fx before 05/2011 knuckles headset I 1/8" A-head semi-integrated for Scorpion from 03/2012, Scorpion fx from 04/2011, Scorpion fx and Gekko /fx 20 /fx 26 knuckles, for Gekko 26 /fx 20 /fx 26, Scorpion plus 20 /plus 26 stem, Gekko /fx 20 and for Spirit fork (SRT) grips, barends handlebar grip foam, hexagonally, pc. handlebar grips blue, pair	LTSSSF2K LTSSSPSK LTSSGEFK Z20034 D3GUKA LTLDK Z20033 STSNEIAH1 STSNEIAH18 LEGR GRRFBL GRHEMW5	32.9 39.0 29.9 8.9 4.9 135.0


p.16



			DIEL	-HIVIK
NEW % \$	indicates an item that is new in specification indicates an item that is discountable indicates an item that is new in price	ordercode		sugg. retail
	barend with slotted clamp 80mm/3,14", to mount accessories on the handlebar, pc. barend with slotted clamp 120mm/4,72", to mount accessories on the handlebar, pc.	LEHABA Z1205		18.00 13.90
	mirrors			
s	rear mirror B&M Cyclestar E extra large field of view, forDelta tx, left rear mirror Mirrycle mounting at end of handlebar, for handlebars w/o barend shifters rear mirror Mirrycle with barend mounting by HP VELOTECHNIK, also as computer mount rear mirror B&M E extra large field of view, for Scorpion fs 20 /fs 26 /fs 26 Enduro /fs 26 S-Pedelec, left	RSPBCSE RSPMM RSPMMBH RSPBEK		32.90 25.00 57.90 89.00
\$ \$ \$	rear mirror B&M E extra large field of view, for Scorpion fs 20 /fs 26 /fs 26 Enduro /fs 26 S-Pedelec, right rear mirror B&M E extra large field of view, for Scorpion plus 20 /plus 26, with barend mounting, left rear mirror B&M E extra large field of view, for Scorpion plus 20 /plus 26, with barend mounting, right rear mirror B&M E extra large field of view, for all HP VELOTECHNIK trikes without front suspension, left	RSPBEKR RSPBEPLK RSPBEPRK RSPBESK		76.90 89.00 76.90 89.00
\$	rear mirror B&M E extra large field of view, for all HP VELOTECHNIK trikes without front suspension, right	RSPBESKR		76.90
	trailer hitches, for all other Trikes please use the "E" trailer hitch from V	/EBER		
NEW	trailer hitch WEBER for Delta tx trailer hitch WEBER for Scorpion fs 20	ZUADDET ZUAD		199.00
	horns, bells, computer mount, universal holder			
	air horn AIRZOUND XL with plastic compressed air bottle 500 ml, 75cm/29,5" hose. The horn mounts to the handlebar, the air bottle is put into the bottle cage or attached with Velcro. Can be refilled via Schrader valve up to 5,5bar/79,7psi, one charge lasts for ca. 90 horn signals, adjustable volume about 30-115 dB, weight only 120g/0,26lbs, handlebar brackets 25,4 and 31,8 mm. May not be permitted for use on public roads! Please observe the traffic regulations prevailing in your country.	HUAZ5		39.00
	handlebar bracket for AIRZOUND 3/4/XL Retrofit bracket for handlebar mounting, Ø 22.2, white or red, please specify when ordering	from 10 pieces HUAZ3ZUHA	20.68	9.90
	horn B&M S-Pedelec for Scorpion fs 26 S-Pedelec from 2018 and Speedmachine S-Pedelec, Horn Busch+Mueller, switch for brake lever clamp, cable 30cm/11,8", connection 110cm/43,3" bell Pling! handlebar mount, small and black	HUBUM KLSWE		79.90 3.50
\$	bike flag HP VELOTECHNIK double sided print, on reflective material, for HP VELOTECHNIK rear racks and mesh seats with flag mount	WIHP		29.00
	computer mount also for lights or GPS-device sensor mount for trikes for all HP trikes, addition to computer mount to attach sensor to the knuckle computer and sensor mount set for all HP trikes	CHSM CHSH CHSMSET		15.00 14.90 29.00
\$	universal holder T-Bar for accessories such as mobile phone holder / GPS devices or bell, mounting on the	СНИНТВ		49.00
\$	handlebar end (for gearshifts with twist shifters), tube holder Ø 22.2mm, only for USS, max load universal holder TopView for accessories such as mobile phone holder / GPS devices or bell, mounting on a barend shifter, tube holder Ø 22.2 mm, for USS only, max. load 400gram/0,9lbs	СНИНТУ		44.90
	Streamer			
\$	Streamer complete set universal transparent front fairing, 1.5 mm thick, with adjustable retainers for frame tube incl. front light support. Can be rolled up for a few days for transport. Compatible with all HP VELOTECHNIK trikes, Streetmachine Gt / Gte, Grasshopper / fx, most SWB recumbents and trikes. Not recommended for Speedmachine. To ensure a complete forward view over the front fairing, the bottom	STHPKO		619.00
\$	Streamer complete set same as above, with hole for front light	STHPLKO		699.00
	Streamer fairing single, with Velcro and edge tape, without mounting hardware Streamer fairing with hole single, with Velcro and edge tape, without mounting hardware	STHPFOKO STHPFOLKO		350.00 289.00

NEW	indicates an item that is new in specification		sugg.
%	indicates an item that is discountable	ordercode	
\$	indicates an item that is new in price		retail

Streamer spare parts



hook and loop tape 16mm/063" hook side extra strong, self-adhesive, for front support, per metre	Z3017	4.50
hook and loop tape 25mm/0,98" loop side extra strong, self-adhesive, for fairing, per metre (approx.	Z3018	3.80
edge guard 8,5 x 5 mm, black, PVC with adhesive layer, to protect edges of fenders or Streamer edges, per	KUKTEG5S	6.00
metre (ca. 3 m needed for one Streamer, ca. 1,2 m for fender set)		
edge protection tape black plastic, with adhesive layer, for front light hole, per centimetre	KUKTEG	0.40
reflex tape 3M, 25mm/0,98" width, self adhesive, per metre	Z30065	8.00
sticker "Streamer"	Z3006	4.00
Streamer retainer single part, front Quickmount bracket, to be mounted under bottom bracket shell, without hose clamp	Z3023	59.90
Streamer retainer single part, front support with bail	Z3026	65.00
Streamer retainer single part, rear fixture to be mounted on the frame, without hose clamp	Z3024	59.90
Streamer retainer single part, rear support with bail	Z3025	65.00
mounting clamp for front Quickmount bracket (requires 2 pieces) and rear fixture, stainless steel hose clamp, for tube diameters 50 – 80 mm (fits also square tube)	Z3011	10.00
quick release lever for Quickmount bracket, M6 x 50 mm	SSM6X50	4.50
front light mounting set for mounting the frontlight B&M IQ Fly inside Streamer	STHPRSWHS	24.00
front light holder for mounting a frontlight below the Streamer	STHPRSH	14.90
turn indicator adapter Streamer for attaching the "WingBling" indicator to a Streamer	STHPBH	22.00
Pedelec retrofit kit		
NEODDRIVES Z20RS 26" retrofit kit for HP trikes SCO2, SFL and SFN, NEODRIVES Z20RS 26" rear	HABKND5	2,550.00
wheel, up to 28mph (45km/h), tire SCHWALBE Marathon Plus, colour display with barend mounted remote		
control, battery rail and adapter, recumbent specific wire harness, charger 4 A		
Please give us the following information when ordering a retrofit kit: model, built year and desired display		
NEODRIVES Z20 retrofit kit for all HP trikes and bikes, NEODRIVES Z20 rear wheel up to 20 mph, tire	HABKNDUS	1,950.00
SCHWALBE Marathon Plus, touch display with barend mounted remote control, battery rail and adapter,		

pedelec battery retro fit kits NEODRIVES

recumbent specific wire harness, charger 4 A

2nd battery retrofit kit NEODRIVES Z20 battery rail, battery bracket, battery adapter set, wire extension for easy charging and switching between batteries, incl. mounting hardware (may restrict folding function), without battery

Please give us the following information when ordering a retrofit kit: model, built year and desired display

The battery must be ordered seperatly and is shipped from our US warehouse.

\$ suitable for Scorpion fs 26 /fs 26 Enduro mounted on left side, with wire extension	HABZAG2109	169.00
\$ suitable for Scorpion fs 20 /plus 20 /plus 26 mounted on left side, with wire extension	HABZAG2110	190.00
\$ suitable for Scorpion /2 /fx /fx 2 mounted on right side, with wire extension	HABZAG2111	169.00
wire extension set for NEODRIVES V2 2nd battery pack, for comfortable charging and switching	HAZUVAK	175.00

spare parts for HP VELOTECHNIK E-drive NEODRIVES Z20

\$ battery NEODRIVES Z20 36V, 576Wh, model V2	HAAKND36V2	999.00
NEODRIVES Z20 Display with touch function and USB connection	HABEND1DI	269.00

5



NEW % \$	indicates an item that is new in specification indicates an item that is discountable indicates an item that is new in price	ordercode	sugg. retail
*	NEODRIVES Z20 Display holder with handlebar remote control	HABEND1HA	110.00
	NEODRIVES Z20 Display Holder Mounting Set for attaching the display to the handlebar or tube,	HABEND1HAM	8.90
	suitable diplay clamping ring required NEODRIVES NODE Z20 Converter, connection between display and motor	HAZUNDNO	79.00
	NEODRIVES Z20 Display clamping ring for mounting the display holder mounting set on tubes with	HABEZUDN	4.90
	22.2 - 22.8 mm diameter		,0
	NEODRIVES Z20 Display clamping ring ASS for mounting the display holder mounting set on tubes with 25.4 mm diameter	HABEZUDNO	35.00
NEW	NEODRIVES Simply Remote Control unit Control unit for Neodrive systems from 07/2023 (no S-	HABEND4RM	269.00
NEW	NEODRIVES Câble adaptateur Câble de connexion pour le Simply Remote	HABEND4AK	41.50
NEW	display Sigma EOX View 1300 Sigma Eox View 1300 display, display unit for Neodrive Simply Remote from 07/2023	HABEND4DI	89.00
NEW	display holder Sigma Bracket for Sigma EOX View Display, Butler short	HABEND4HA	18.00
NEW	display clamping ring Sigma for mounting the Sigma display holder	HABEZUDNS	4.90
	rail for Neodrives Z20 battery for Neodrives battery V2	HAHSND1	40.00
	NEODRIVES Z20 wiring harness with connection to battery, NODE and HIGO wiring harness	HAKBND01	219.00
	NEODRIVES Charger V2 Charger for V2 battery, 4 A charging current, only 230V, for 110V please use	HALGND1	185.00
5	torque retainer for motor NEODRIVES Z20 IS2000 dropouts, stainless steel	HAZUDN	23.90
	NEODRIVES Z20 voltage transformer to connect to the wiring harness, is needed to use light and turn signals	HAZUSWND	79.00
	spoke black for Neodrives Motor 20", 2,0 mm, 86 mm long, suitable for HP DB-1 Wheel 20"	SP23086	0.10
	spoke black for Neodrives Motor 26", 2,0 mm, 176 mm long, suitable for HP DB-1 Rim 26"	SP23176S	0.99
	free hub for motor NEODRIVES Z20 for quick release axle	NAZUFL3	49.90
	spare parts for HP VELOTECHNIK E-drive NEODRIVES Z20RS		
5	battery NEODRIVES Z20RS V8 48 Volt, 651 Wh, with decor	HAAKND48V1	1,260.00
*	NEODRIVES Z20RS Display (S-Pedelec) with touch function and USB connection	HABEND2DI	315.00
	NEODRIVES Z20RS Display holder (S-Pedelec) with handlebar remote control	HABEND2HA	81.00
	NEODRIVES Z20RS cap for battery holder cable side for mounting on the battery holder, plastic,	HAAKKA1	39.00
	NEODRIVES Z20RS cap for battery holder lock side for mounting on the battery holder, plastic, black	HAAKKA2	59.90
	NEODRIVES Z20RS cap for battery top for mounting on battery, plastic, black	HAAKKA3	55.00
	NEODRIVES Charger V8 / Z20RS Charger for V8 battery, 4 A charging current	HALGND2	199.00
	battery adapter plate NEODRIVES Z20RS right for mounting the battery on the trike	HAADSFER	159.00
	battery adapter plate NEODRIVES Z20RS left for mounting the battery on the trike	HAADSFEL	84.90
	Wiring harness NEODRIVES Z20RS	HAKBND02	259.00
	battery lock for NEODRIVES Z20RS V8 battery	HAZUSLV8	27.90
\$	second battery retrofit kit NEODRIVES Z20RS for SFE falsche PL	HABZAG2112	290.00
	free hub for motor NEODRIVES Z20RS for screw axle	NAZUFL4	49.90
	pedelec retro fit kits SHIMANO STEPS		
NEW	SHIMANO STEPS battery for Shimano first generation (E5000, E6100, E8000, EP8), 418 Wh	HAAKS84	499.00
	SHIMANO STEPS battery for Shimano first generation (E5000, E6100, E8000, EP8), 630 Wh	HAAKS86	839.00
	SHIMANO STEPS 2 battery for Shimano second generation (EP801 CRG), 418 Wh	HAAKS814U	499.00
	SHIMANO STEPS 2 battery for Shimano second generation (EP801 CRG), 630 Wh	HAAKS816U	839.00
	STEPS battery mount for second battery to carry a second battery, with base plate, without cable harness, suitable battery adapter set must be ordered separately	HAAKHS86K	179.00
	battery adapter sheet STEPS E6000 black anodized	HAAKPLST	35.00
	battery adapter sheet STEPS E5000 / E6100 / E8000 / EP8 / EP801 CRG black anodized	HAAKPLS8	25.90
	mounting tube for barend STEPS T-bar for barend mounting, black anodized, with internal clamping	HABEMRSTK	42.00
	headlight bracket STEPS aluminium, black	SWHAST	12.90
\$	STEPS EP8 / EP801 CRG insert for boom for motor bridge front side, plastic, black	RTALS8ET2	16.00
	STEPS E8000 insert for boom for motor bridge front side, plastic, black	RTALS8ET	29.90
5	STEPS E5000 / E6100 insert for boom for motor bridge front side, plastic, black	RTALS5ET	16.00
	steering damper adjustable, for GEL, GES, GEF, GEN, SCO, SCO2 and SCF2 incl. mounting material, for	LTLDK	135.00
	smooth drivability when using E-drive STEPS STEPS Battery cable EP8 HIGO long for STEPS EP8 systems	HAKBSEP8	219.00
	STEPS Battery cable E6000 HIGO long for STEPS E6000 systems	HAKBSTBHL	169.00
	5. 2. 5 Datter, Capic 20000 Filed long for 31E13 Louve systems		107.00

NEW %	indicates an item that is new in specification indicates an item that is discountable	ordercode	sugg.
s	indicates an item that is discountable	oracroode	retail
	SHIMANO STEPS cranks		
NEW	STEPS crank arms 115 for SHIMANO STEPS E5000, length 115mm, pair price	KBKU115ST	67.00
	STEPS crank arms 135 for SHIMANO STEPS E5000, length 135mm, pair price	KBKU135ST	49.90
	STEPS crank arms 155 for SHIMANO STEPS E5000, length 155mm, pair price	KBKU155ST	67.00
	STEPS crank arms 170 for SHIMANO STEPS E5000, length 170mm, pair price	KBKU170\$5	34.90
	STEPS crank arms 140 for SHIMANO STEPS EP801 CRG, length 140mm, pair price	KBKU140E8	79.00
	STEPS crank arms 155 for SHIMANO STEPS EP801 CRG, length 155mm, pair price	KBKU155E81	49.90
	STEPS crank arms 170 for SHIMANO STEPS EP801 CRG, length 170mm, pair price	KBKU170E81	59.00
NEW	spare parts for E-drive Bafang		·
NFW	RAFANG battory for frame mounting 400Wh, replacement battory for Refere drive system	HAAKBF600	879.00
NEW	BAFANG battery for frame mounting 600Wh, replacement battery for Bafang drive system display BAFANG with mounting	HABEBFDI	99.0
NEW	battery retaining rail BAFANG for Bafang batteries, with connection cable for motor, display and Enviolo	HAHSBF1	115.00
NEW	BAFANG charger 49.2V 2A charger for Bafang battery	HALGBF1US	69.90
NEW	BAFANG throttle retrofit-kit Control unit and connection cable for retrofitting a push-off aid up to 6	HATHBFSET	65.00
NEW	spare parts for E-drive GO SWISSDRIVE		ı
	Note: GO SWISSDRIVE All GO SWISSDRIVE spare parts still in stock can be found on the sales list on		
	our website. Batteries for the GO SWISSDRIVE systems can be ordered directly from the battery		
	, , , , , , , , , , , , , , , , , , ,		
	manufacturer BMZ GmbH. For other spare parts, please contact YouMo GmbH.		
	spare parts for all HP VELOTECHNIK E-drives		
	battery adapter kit HP VELOTECHNIK left standard on Scorpion /fx /fx 2, for 2nd battery on Scorpion	HAASSCOL	179.00
	fs 20 /plus 20 /plus 26, aluminium, black battery adapter kit HP VELOTECHNIK right standard on Scorpion fs 20 /plus 20 /plus 26, for 2nd	HAASSCOR	149.00
	battery on Scorpion /fx /fx 2, aluminium, black battery adapter kit HP VELOTECHNIK left for 2nd battery on Scorpion 2 /fs 26 /fs 26 Enduro,	HAASSFLL	179.00
	aluminium, black battery adapter kit HP VELOTECHNIK right standard on Scorpion 2 /fs 26 /fs 26 Enduro, aluminium,	HAASSFLR	149.00
	black battery adapter kit HP VELOTECHNIK left standard on Gekko /fx 20 /fx 26, aluminium, black	HAASGEFL	179.00
	battery adapter kit HP VELOTECHNIK left standard on Gekko fxs, aluminium, black	HAASGESL	149.00
	cable conduit with zipper (zipper tube) practical, reusable sheathing for laying cables underneath the	HAZUKHZT	10.50
	vehicle, made of neoprene		
	front boom and accessories		
	front boom without derailleur tube:		
	front boom NT black anodized with scale on topside, w/o derailleur tube	RTALNTSE	219.00
	front boom NT custom colour (only RAL colours, no signal- or luminous colour), w/o derailleur tube	RTALNTSF	259.00
	carbon front boom KO front boom with derailleur tube for all HP VELOTECHNIK models, Speedmachine	RTALCFKO	399.00
	requires derailleur clamp RTALCFUWS and braze-on derailleur		
	front boom with derailleur tube:	DTAL 00005	1 === -
	front boom KO black anodized with scale on topside, with derailleur tube	RTALSCOSE	259.00
	front boom KO custom colour, (only RAL colours, no signal- or luminous colour)	RTALSCOSF	219.00
	front boom STEPS E5000 / E6100 / E8000 / EP8 / EP801CRG black anodized with scale on topside	RTALSHS8SW	519.00
	front boom STEPS E5000 / E6100 / E8000 / EP8 / EP801CRG custom colour, (only RAL colours, no signal- or luminous colour)	RTALSHS8SF	439.00
	front boom PINION black anodized with scale on topside	RTALPISW	519.00
	front boom PINION custom colour, (only RAL colours, no signal- or luminous colour)	RTALPISF	439.00
	carbon front boom NT w/o derailleur tube for all HP VELOTECHNIK models, saves 170g/0,37lbs of	RTALCFNT	519.00
	derailleur clamp for carbon front boom Speedmachine	RTALCFUWS	29.00
	bolt for front boom clamp DIN912 M8x35A2, stainless, for all models	D1053	0.80
	bushing for front boom 0.5mm, plastic, for trikes before 06/2011	RTZUEB05	8.00
	bushing for front boom / main tube clamping, 1.0 mm plastic, injection molded	Z700201	10.90
s	front boom bushing for anodized front boom for retrofitting, with adhesive backing	RTZUEBV2	13.00
4	is one boom busining for anounced if one boom for rea officing, with addressive backing		13.00



NFV indicates an item that is new in specification sugg. % ordercode indicates an item that is discountable retail indicates an item that is new in price accessories for folding frames **RTZUFXAF** plastic foot GEF, GEL for folding hinge 9.00 STEMGE folding support GEF, GEL for a secure stand of the folded bike, variably adjustable 34.90 D3PU20P24 folding buffer rubber, cone-shaped, M6, for GEF, GEL 5.90 VBZUSCFSG stem protetion buffer SCF, SCF2, SFS rubber, protects the stem on folded trike. Important: When 4.90 replacing the plastic protection sheet on models before 10/2012 please order 2x bolts D2024. RTZUFXSB locking sheet GEF stainless steel 9.90 locking sheet GES stainless steel RTZUFXSE 19.00 locking sheet GEL stainless steel **RTZUFXSC** 19.90 folding end stop SPS, SPL **RTZUFXSD** 19.00 **RTZUFXVB** reinforcement sheet SPS, SPL, SFL for main frame 10.90 RTZUFXFSRP folding secure strap SPS, SPL with Velcro and eyelet 6.00 **RTZUFXFSR** folding secure strap GHF, SCF, SFS plastic, black 5.90 **RTZUFXFS** folding lock buckle GHF, SCF 5.99 RTZUFXFSRK folding secure strap SFL with Velcro and eyelet 5.90 rear racks **LRHPDET** 159.00 WEW bag holder backrest for Delta tx, attaches to the seat, for one bicycle bag, maximum load 12kg/26,46lbs **GTKODET** WEW carrier Delta tx complete luggage carrier suitable for insertion into the frame of the Delta tx. For 289.00 retrofitting, the rear light must be converted. All parts for the conversion are included. Order basket www basket Delta tx fine-mesh metal basket with folding handle, black, fits Delta tx luggage carrier **GTKBDET** 39.90 **GTKSDEK** MEW anti-tip wheels Delta tx recomended for tall riders, high seats, with bagholders, always with Shimano 109.00 **GTHPGHF** rear rack Grasshopper fx 12 mm aluminium tube 6061 T4, heat treated, black powdercoated, with flag 259.00 holder, max, load 25 kg / 55 lbs **GTHPGHP** 189.00 rear rack Grasshopper 10 mm aluminium tube 6061 T4, heat treated, black powdercoated, with flag holder, max, load 25 kg / 55 lbs **GTHPSMGT** 259.00 rear rack Streetmachine 12 mm aluminium tube 6061 T4, heat treated, black powdercoated, with flag holder, max. load 25 kg / 55 lbs GTKOSPM2 fear rack Speedmachine 12 mm aluminium tube 6061 T4, heat treated, black powdercoated, with flag 189.00 holder, max, load 25 kg / 55 lbs **GTKOGEF** rear rack Gekko fx 20, Gekko fxs 10 mm tube, black powdercoating, max. load 25 kg / 55 lbs 99.00 **GTKOGEL** rear rack Gekko fx 26, Gekko 26 10 mm tube, black powdercoating, max. load 25 kg / 55 lbs 89.90 **GTKOSCO** 329.00 rear rack Scorpion, Scorpion fs 20 12 mm / 10 mm aluminium tube 6061 T4, additional lower tubes for optimized center of gravity for bags, black powdercoating, max. load 25 kg / 55 lbs, flag mount rear rack Scorpion fx 2 12 mm / 18 mm aluminium tube 6061 T4, additional lower tubes for optimized GTKOSCF 289.00 center of gravity for bags, black powdercoating, max. load 25 kg / 55 lbs, flag mount **GTKOSFX** 329.00 rear rack Scorpion fx 12 mm / 18 mm aluminium tube 6061 T4, additional lower 10 mm tubes for optimized center of gravity for bags, black powdercoating, max. load 25 kg / 55 lbs, flag mount **GTKOSFL** 229.00 rear rack Scorpion 2, Scorpion fs 26, fs 26 Enduro 14 mm aluminium tube 6061 T4, black powdercoated, flag tube, without platform, max. load 25 kg / 55 lbs **GTKOSPS** 329.00 rear rack Scorpion plus 20 12 mm / 18 mm aluminium tube 6061 T4, additional lower tubes for optimized center of gravity for bags, black powdercoating, max. load 25 kg / 55 lbs, flag mount GTKOSPI Fear rack Scorpion plus 26 14 mm aluminium tube 6061 T4, black powdercoated, flag tube, without 229.00 platform, max. load 25 kg / 55 lbs (not suitable for Moonbiker side bags) **GTKOTL** fop load rack additional luggage carrier above the rear wheel, only for Scorpion SFL, SFN, SFE and SPL, 189.00 maximum payload 10 kg / 22 lbs, not suitable for luggage bags, normal rear rack required for fastening D1031 bolt for rear end axle with rear rack or lowrider DIN7984 M8x45A2, stainless, for all models without 3.00 D2005 bolt for rear end axle without rear rack or lowrider ISO7380 M8x25A2, stainless, for GHP, GHF, SMGTe, 1.10 SPM, SCO, SFS

Side Bag Mount Ergomesh Holder for handlebar bags, only for Ergomesh seats, is attached to the seat

Side Bag Mount Gekko for GEN, GEL and GEF, mount for handlebar bags, attached to the frame, maximum load 5 kg / 11 lbs, left and right, with Gekko fx models: limited folding function, bike can no longer

Side Bag Mount holder tube Ergomesh left angled holding tube for mounting onto the clamp

frame, maximum load 5 kg / 11 lbs, left and right, only for trikes

be pulled on casters

_			
n		Z	
М	0		

179.00

159.00

21.90

LESHEM

LESHGE

LESHHREL

VEW % \$	indicates an item that is new in specification indicates an item that is discountable indicates an item that is new in price	ordercode	sugg. retail
	Side Bag Mount holder tube Ergomesh right angled holding tube for mounting onto the clamp clamping sleeve Side Bag Mount for Ergomesh Premium Adapter sleeve to attach the Side Bag mount	LESHHRER LESHDH2	19.90
	to the ErgoMesh Premium seat Side Bag Mount Holder Tube Gekko right or left angled holding tube for mounting onto the clamp	LESHHRGR	18.90
	lowriders		'
\$	lowrider rack Grasshopper fx under seat mounting for panniers, 10 mm aluminium tube 6061 T4, heat	LRHPGHFSET	139.00
\$	treated, black powdercoated, max. load 25 kg / 55 lbs lowrider rack Grasshopper under seat mounting for panniers, 10 mm aluminium tube 6061 T4, heat	LRHPGHPSET	179.00
\$	treated, black powdercoated, max. load 25 kg / 55 lbs lowrider rack Streetmachine under seat mounting for panniers, 12 mm aluminium tube 6061 T4, heat treated, black powdercoated, max. load 25 kg / 55 lbs, with integrated mounting plate for kickstand e.g.	LRHPGTSET	139.0
5	PLETSCHER Esge (STESSTSW) lowrider rack Speedmachine under seat mounting for panniers, 10 mm aluminium tube 6061 T4, heat	LRKOSPM2	179.0
\$	treated, black powdercoated, with flag holder, max. load 25 kg / 55 lbs lowrider rack Scorpion fx /fx 2 /plus 20 /plus 26 10 mm aluminium tube 6061 T4, heat treated, black	LRHPSCFSET	139.0
	powdercoated, max. load 25 kg / 55 lbs (rear rack needed for attachement)		
	stands	0711705	ı
	kickstand HEBIE for GHP before 12/2011 for frames with PLETSCHER-mounting plate (before 12/2011)	STHE325 STESSTSW	17.9
	kickstand PLETSCHER Esge SMGT, SMGTe, SRT before 12/2011 mounted under the lowrider rack, kickstand PLETSCHER Esge Comp Zoom SPM center mounting, black, aluminium, adjustable	STEMZO	19.9
	kickstand PLETSCHER Esge Comp Zoom SMGT, SMGTe, GHF from 11/2011, SRT from 11/2011 mounted at the rear swingarm, adjustable, black	STESHBGT	32.0
EW	vertical parking stand Delta tx pedestals mounted on seat and rack for space-saving parking position of the Delta tx. We recommend fitting anti-tip wheels.	STEDAFKO	95.0
	touch-up paint applicators		"
	touch-up paint applicator beige metallic SPS, SPL similar to saharasilver	LASS	15.0
	touch-up paint applicator blue GEF, GEL similar to deep blue	LADP	11.9
	touch-up paint applicator blue grey SRT, SCF2, SFS similar to blue shade grey	LAHBG	15.0
	touch-up paint applicator grey SFL, SFE	LAGR	11.9
	touch-up paint applicator green GHF similar to magic green	LAMGR	15.0
	touch-up paint applicator melon yellow SRT RAL 1028	LAHGE1028	11.9
	touch-up paint applicator blue SCO2 similar to peeka blue	LAPB	15.0
	touch-up paint applicator red GES, GEF, GEL, SPS, SPL similar to magma red	LAMR	11.9
	touch-up paint applicator black SPS, SPL	LAHSW	15.0
	touch-up paint applicator darkblue GHF, SCO RAL 5004	LAMOBL5004	11.9
	touch-up paint applicator silver SMGTe, SPM similar to silver grey	LAMOSISPM	15.0
	touch-up paint applicator white SFL, SFE	LAWEI LAMOR	11.9
	touch-up paint applicator pure orange matt RAL 2004 touch-up paint applicator anthracite grey metallic matt	LAMAG	15.0 11.9
	protection adhesive films		'
	protective adhesive film 60x25 mm protection against abrasion by wires and cables, per piece	AKSFK	1.2
	protective adhesive film 60x50 mm protection against abrasion by wires and cables, per piece	AKSFG	2.0
	protective adhesive film for front boom quick adjust transparent, per piece	AKRTZUSV	0.5
	protective adhesive film for WEBER adapter mount transparent, per pc.	AKSFZUAD	2.0
	comfort and ability accessories		
	heel support pedals		
\$	pedal with heelstrap and foot clamp small left, easy entry and positive grip, adjustable length (22 – 28	PDRZFBKL	89.9
\$	cm (8,5" – 11")) pedal with heelstrap and foot clamp small right, easy entry and positive grip, adjustable length (22 – 28	PDRZFBKR	99.0
\$	cm (8,5" – 11")) pedal with heelstrap and foot clamp left, easy entry and positive grip, adjustable length (27 – 35 cm (10,5" – 13,8"))	PDRZFBLI	89.9
\$	pedal with heelstrap and foot clamp right, easy entry and positive grip, adjustable length (27 – 35 cm (10,5" – 13,8"))	PDRZFBRE	99.0



NEW %	indicates an item that is new in specification indicates an item that is discountable	ordercode	sugg.
\$	indicates an item that is new in price		retail
			1
	replacement heelstrap adjustable, black	PDRZFBEK	39.00
	reflector set for one pedal with heelstrap and foot clamp, left or right, pc.	PDZURSF	13.90
	ergonomic pedals		
5	ErgoPedal left adjustable position, adjustable length 27 – 34 cm (10,5" - 13,5"), easy entry straps	PDREL	159.00
\$	ErgoPedal right adjustable position, adjustable length 27 – 34 cm (10,5" - 13,5"), easy entry straps	PDRER	149.00
\$	ErgoPedal left small adjustable position, adjustable length 20 – 28 cm(8" - 11"), easy entry straps	PDREKL	159.00
5	ErgoPedal right small adjustable position, adjustable length 20 – 28 cm (8" - 11"), easy entry straps	PDREKR	149.00
\$	ErgoPedal with safety release left, adjustable position, adjustable length 20 - 28 cm (8" - 11"), joint-friendly	PDRZEKL	209.00
	freedom of movement +/-3 degrees, easy entry straps, higher safety due to adjustable release force		
\$	ErgoPedal with safety release right, adjustable position, adjustable length 2 20 - 28 cm (8" - 11"), joint-	PDRZEKR	209.00
	friendly freedom of movement +/-3 degrees, easy entry straps, higher safety due to adjustable release force		
\$	ErgoPedal with safety release left, adjustable position, adjustable length 27 – 34 cm (10,5" - 13,5"), joint-	PDRZEL	209.00
	friendly freedom of movement +/-3 degrees, easy entry straps, higher safety due to adjustable release force	PDRZER	200.00
\$	ErgoPedal with safety release right, adjustable position, adjustable length 27 – 34 cm (10,5" - 13,5"), joint-	PURZER	209.00
5	friendly freedom of movement +/-3 degrees, easy entry straps, higher safety due to adjustable release force ErgoPedal with calf brace left, adjustable position, adjustable length 20 - 28 cm (8" - 11"), easy entry	PDRZEKUL	349.00
•	straps, leg fixation adjustable in length and position		347.00
\$	ErgoPedal with calf brace right, adjustable position, adjustable length 20 - 28 cm (8" - 11"), easy entry	PDRZEKUR	329.00
	straps, leg fixation adjustable in length and position		
\$	ErgoPedal with calf brace left, adjustable position, adjustable length 27 – 34 cm (10,5" - 13,5"), easy entry	PDRZEUL	349.00
	straps, leg fixation adjustable in length and position		
\$	ErgoPedal with calf brace right, adjustable position, adjustable length 27 – 34 cm (10,5" - 13,5"), easy entry	PDRZEUR	329.00
	straps, leg fixation adjustable in length and position		
	calf brace for ErgoPedal for retrofitting ErgoPedal with safety release, with padding and strap	PDRZEUFL	169.00
	calf brace right for retrofitting ErgoPedal with safety release, with padding and strap	PDRZEUFR	199.00
	cushion for calf brace	PDRZEUFP	10.90
	strap for calf brace	PDRZEUFB	9.00
	strap for foot fixation, long, rear	PDRZHBL	7.90
	strap for foot fixation, short, front	PDRZHBK	10.50
	spring sheet long, for strap for foot fixation long, stainless steel	PDRZSBL	4.90
	spring sheet short, for strap for foot fixation short, stainless steel	PDRZSBK	5.90
	reflector set for one ErgoPedal with safety release or ErgoPedal with calf brace, left or right, pc.	PDZURSE	6.90
	malling aid manuses		
c	walking aid mounts walking aid mount for one walking aid, for all mesh seats, easy fixing and safety clip, suits clamping diameter	GHEM	99.50
*	20 – 30 mm (up to 2 walking aids mounts per bike)	O'ILIII	77.30
5	walking aid mount for one walking aid, for BodyLink seats, easy fixing and safety clip, (up to 2 walking aids	GHBL	89.90
	mounts per bike)		
			ų.
	handrests	LEHALIKO	1
,	handrest with retaining strap left, comfortable hand support mounted on handlebar, with breathable	LEHALIKO	119.00
5	cushion, support and hand retention on the handlebar handrest with retaining strap right, comfortable hand support mounted on handlebar, with breathable	LEHAREKO	109.00
*	cushion, support and hand retention on the handlebar		107.00
5	handrest left and right comfortable hand support mounted on handlebar, breathable cushion, combinable	LEHAPAKO	169.00
	with retaining strap (LEHAHB) and spring sheet (LEHASB)		
		LEHAPO	15.00
	cushion for handrest breathable, with Velcro, per pc.	LEHAHB	15.00 12.90
	retaining strap for handrest black, cushioned, with Velcro (w/o spring sheet LEHASB)	LEHASB	
	spring sheet for retaining strap stainless steel, lifts the retaining strap (LEHAHB) for easy entry	LL: IAQU	8.00
	pads		
	chest support belt for optimal upper body support on HP VELOTECHNIK recumbent trikes with mesh	SIZUPGOK	249.00
	seats. Easy handling due to simple ratchet belts. Size in a wide range adjustable.		
\$	chest support belt XL for upper body support on HP VELOTECHNIK recumbent trikes with mesh seats,	SIZUPGOGK	279.00
	recommended for XL seats and tall people	CITUDODY	
	pelvic support belt for optimal pelvis support on HP VELOTECHNIK recumbent trikes with mesh seats.	SIZUPGBK	249.00
	Easy handling due to simple ratchet belts. Size in a wide range adjustable.	SIZUPGRGK	279.00
	• • • • • • • • • • • • • • • • • • • •	J 05011	217.00
	pelvic support belt XL for pelvis support on HP VELOTECHNIK recumbent trikes with mesh seats, recommended for XL seats and tall people	SIZUPGBGK	

NEW %	indicates an item that is new in specification indicates an item that is discountable	ordercode	sugg.
\$	indicates an item that is new in price	ordercode	retail
	standing up aids You can order further spare parts from YouMo GmbH.		
\$	standing up aid 11/8" left side for HP VELOTECHNIK trikes without front suspension, 1 support with	LEAAHSETL	94.50
	grip for easy entry and standing up from trike, for mounting to the steerer tube		
\$	standing up aid 11/8" right side for HP VELOTECHNIK trikes without front suspension, 1 support with	LEAAHSETR	104.50
	grip for easy entry and standing up from trike, for mounting to the steerer tube		
\$	standing up aid left side for HP VELOTECHNIK trikes with front suspension I support with grip for easy	LEAAHSET2L	149.50
	entry and standing up from trike, for mounting to the main frame cross member		
\$	standing up aid right side for HP VELOTECHNIK trikes with front suspension 1 support with grip for easy	LEAAHSET2R	164.50
	entry and standing up from trike, for mounting to the main frame cross member		
\$	standing up aid I" left side for HP VELOTECHNIK trikes without front suspension, I support with grip	LEAAHSET1L	94.50
	for easy entry and standing up from trike, for mounting to the steerer tube		
\$	standing up aid I" right side for HP VELOTECHNIK trikes without front suspension, I support with grip	LEAAHSET1R	104.50
	for easy entry and standing up from trike, for mounting to the steerer tube		
	quick release clamp for standing up aid for quick assembly and disassembly of the standing up aid, inner	LTKS254SS	12.00
	diameter 25.4mm		12.00
	diameter 25, min		l l



notes

General Conditions of Trade of HP Velotechnik GmbH & Co. KG

I. Conclusion of contract/transfer of rights and obligations of the buyer

- (1) The Buyer's order for the goods shall be deemed to be a binding offer to enter into a contract. Unless otherwise stated in the order, the Seller shall be entitled to accept this contractual offer within two weeks of its receipt. Acceptance may be declared either in writing (e.g. by order confirmation) or by delivery of the goods to the Buyer. However, the seller is obliged to inform the buyer immediately if he does not accept the order.
- (2) Transfers of the buyer's rights and obligations under the purchase contract require the seller's consent in text form.

This does not apply to a monetary claim of the buyer against the seller. The prior consent of the Seller shall not be required for other claims of the Buyer against the Seller if the Seller has no interest worthy of protection in an exclusion of assignment or if the legitimate interests of the Buyer in the assignability of the right outweigh the interest of the Seller worthy of protection in an exclusion of assignment.

II. Prices / Payment

- (1) The prices quoted include packaging costs and the statutory valueadded tax; however, delivery and shipping costs are only included in the prices quoted if a separate agreement has been made in this respect.
- (2) If the Buyer is in default of payment, the Seller shall be entitled to charge interest at a rate of 5 percentage points above the base rate of the European Central Bank (ECB) from that time onwards. In this respect, the Seller reserves the right to prove higher damages.
- (3) The purchase price and the prices for ancillary services shall be due and payable within 8 days from the date of the invoice and delivery or acceptance of the goods. However, the seller shall be entitled at any time, also within the framework of an ongoing business relationship, to make a delivery in whole or in part only against advance payment. The seller shall declare a corresponding reservation at the latest with the order confirmation.
- (4) The buyer may only offset claims of the seller if the counterclaim of the buyer is undisputed or a legally binding title exists. This does not apply to counterclaims of the buyer arising from the same purchase contract. He may only assert a right of retention insofar as it is based on claims from the same contractual relationship.

III. Delivery and Delay in Delivery

- (1) Delivery dates and delivery periods which have not been expressly designated as binding shall be deemed to have been agreed without obligation. Binding delivery dates and delivery periods must be agreed in writing. Delivery periods shall commence upon conclusion of the contract.
- (2) The buyer may request the seller to deliver six weeks after a non-binding delivery date or a non-binding delivery period has been exceeded. The seller shall be in default upon receipt of the request. If the buyer is entitled to compensation for damage caused by delay, this shall be limited to a maximum of 5% of the agreed purchase price in the event of slight negligence on the part of the seller.
- (3) If the buyer also wishes to withdraw from the contract and/or claim damages in lieu of performance, he must set the seller a reasonable deadline for delivery after expiry of the relevant deadline in accordance with clause 2 of this section.

If the buyer has a claim for damages instead of performance, the claim shall be limited to a maximum of 25% of the agreed purchase price in the event of slight negligence. If the buyer is a legal entity under public law, a special fund under public law or an entrepreneur who is acting in the exercise of his commercial or independent professional activity when concluding the contract, claims for damages in lieu of performance are excluded in the event of slight negligence.

If, while the Seller is in default, delivery becomes impossible by chance, the Seller shall be liable with the limitations of liability agreed above. The seller shall not be liable if the damage would also have occurred in the event of timely delivery.

(4) If a binding delivery date or a binding delivery period is exceeded, the seller shall be in default as soon as the delivery date or the delivery period is exceeded. The rights of the buyer shall then be determined in accordance with clause 2, sentence 3 and clause 3 of this section.

- (5) The limitations and exclusions of liability in this section shall not apply to damage caused by a grossly negligent or intentional breach of obligations by the seller, its legal representative or its vicarious agent, or in the event of injury to life, limb or health.
- (6) Force majeure or operational disruptions occurring at the Seller's or its suppliers' premises which temporarily prevent the Seller, through no fault of its own, from delivering the object of purchase on the agreed date or within the agreed period shall change the dates and periods specified in clauses I to 4 of this section by the duration of the disruptions to performance caused by these circumstances. If such disruptions lead to a delay in performance of more than four months, both the buyer and the seller may withdraw from the contract. Other rights of withdrawal remain unaffected by this.
- (7) Changes in design or form, deviations in colour and changes in the scope of delivery on the part of the manufacturer shall remain reserved during the delivery period, provided that the changes or deviations are reasonable for the buyer, taking into account the interests of the seller. Insofar as the seller or the manufacturer uses signs or numbers to designate the order or the ordered object of purchase, no rights can be derived from this alone.

IV. Acceptance

- (1) The buyer shall be obliged to accept the object of purchase within 14 days of receipt of the notice of availability. In the event of non-acceptance, the seller may exercise his statutory rights.
- (2) If the seller claims damages, these shall amount to 10% of the purchase price. The amount of damages shall be higher or lower if the seller proves higher damages or the buyer proves that lower damages or no damages at all have been incurred.

V. Retention of Title

(1) The object of purchase shall remain the property of the seller until the claims to which the seller is entitled on the basis of the contract of sale have been settled.

If the buyer is a legal entity under public law, a special fund under public law or an entrepreneur who is acting in the exercise of his commercial or independent professional activity when concluding the contract, the retention of title shall also apply to claims of the seller against the buyer arising from the ongoing business relationship until settlement of claims due to the seller in connection with the purchase.

At the buyer's request, the seller shall be obliged to waive the reservation of title if the buyer has fulfilled all claims in connection with the object of purchase in an incontestable manner and adequate security exists for the remaining claims from the current business relationship.

- (2) If the buyer does not pay the due purchase price and prices for ancillary services or does not pay them in accordance with the contract, the seller may withdraw from the contract and/or, in the event of a culpable breach of duty by the buyer, claim damages instead of performance if he has unsuccessfully set the buyer a reasonable deadline for performance, unless the setting of a deadline is dispensable in accordance with the statutory provisions. If the seller is entitled to claim damages instead of performance and if he takes back the object of purchase, the seller and the buyer agree that the seller shall remunerate the usual sales value of the object of purchase at the time of taking back. At the request of the buyer, which can only be expressed immediately after the object of purchase has been taken back, a publicly appointed and sworn expert will determine the normal sales value at the buyer's discretion. The buyer shall bear the necessary costs of taking back and realising the object of purchase. The realisation costs shall amount to 5 % of the normal sales value without proof. They shall be set higher or lower if the seller proves higher costs or the buyer proves that lower costs or no costs at all were incurred.
- (3) As long as the retention of title exists, the buyer may neither dispose of the object of purchase nor contractually grant third parties use thereof.



VI. Liability for Defects in Quality and Title

(1) Claims of the buyer for material defects and defects of title shall become statute-barred in accordance with the statutory provisions two years after delivery of the object of purchase.

Notwithstanding this, a limitation period of one year shall apply if the buyer is a legal entity under public law, a special fund under public law or an entrepreneur who is acting in the exercise of his commercial or independent professional activity when concluding the contract.

- (2) The shortening of the statute of limitations in clause I, sentence 2 shall not apply to damage caused by a grossly negligent or intentional breach of obligations by the seller, his legal representative or his vicarious agent, or in the event of injury to life, limb or health.
- (3) If the Seller is liable under the statutory provisions for damage caused by slight negligence, the Seller's liability shall be limited:

Liability shall only exist in the event of a breach of material contractual obligations, such as those which the purchase contract specifically intends to impose on the seller according to its content and purpose or the fulfilment of which makes the proper performance of the purchase contract possible in the first place and on the observance of which the buyer regularly relies and may rely. This liability is limited to the typical damage foreseeable at the time of conclusion of the contract. The personal liability of the legal representatives, vicarious agents and employees of the seller for damage caused by them through slight negligence is excluded.

Clause 2 of this section shall apply accordingly to the aforementioned limitation of liability and the aforementioned exclusion of liability.

- (4) Irrespective of any fault on the part of the Seller, any liability on the part of the Seller in the event of fraudulent concealment of a defect, from the assumption of a guarantee or a procurement risk and in accordance with the Product Liability Act shall remain unaffected.
- (5) If a defect is to be remedied, the following shall apply:
- a) The buyer must assert claims for rectification of defects with the seller. In the case of verbal notification of claims, the buyer must be
- provided with a confirmation of receipt of the notification in text form. b) The seller may also choose to have the defect rectified by a specialist company to be named by him. This shall be named to the buyer by the seller. Any costs arising from this shall be borne by the seller. The buyer shall inform the seller immediately if the first rectification of the defect by the specialist company commissioned was unsuccessful.
- c) The buyer may assert claims for material defects based on the purchase contract for the parts installed to remedy the defect until the expiry of the limitation period of the object of purchase.
- d) Replaced parts shall become the property of the seller.
- (6) If the buyer is a consumer within the meaning of section 13 German Civil Code (BGB), the provisions of this section shall not apply to material defects and defects of title in goods with digital elements, but the statutory provisions shall apply to the digital elements.

VII. Liability for other claims

- (1) The statutory limitation periods shall apply to other claims of the buyer which are not regulated in section VI "Liability for defects in quality and defects of title".
- (2) Liability for delay in delivery is conclusively regulated in Section III "Delivery and Delay in Delivery". For other claims for damages against the seller, the provisions in section VI. "Liability for defects in quality and defects of title", sections 3 and 4 shall apply accordingly.
- (3) If the buyer is a consumer within the meaning of section 13 of the German Civil Code (BGB) and the subject matter of the contract also includes the provision of digital content or digital services, whereby the object of purchase can also fulfil its function without these digital products, the statutory provisions of sections 327 et seq. of the German Civil Code (BGB) shall apply to this digital content or digital services.

VIII. Place of Jurisdiction

- (1) The exclusive place of jurisdiction for all present and future claims arising from the business relationship with merchants, including claims arising from bills of exchange and cheques, shall be the Seller's registered office.
- (2) The same place of jurisdiction shall apply if the buyer does not have a general place of jurisdiction in Germany, moves his place of residence or habitual abode out of Germany after conclusion of the contract or his place of residence or habitual abode is not known at the time the action is brought. Otherwise, in the event of claims by

the Seller against the Buyer, the Buyer's place of residence shall be the place of jurisdiction.

IX. CRIF Clause

(1) For the purpose of credit assessment, CRIF GmbH, Leopoldstraße 244, 80807 München, Germany, will make available the address and creditworthiness data stored in its database relating to the buyer, including data determined on the basis of mathematical-statistical methods, provided that we have credibly demonstrated our legitimate interest

X. Notice pursuant to section 36 Consumer Dispute Settlement Act (VSBG)

(1) The Seller will not participate in any dispute resolution proceedings before a consumer arbitration board within the meaning of the VSBG and is not obliged to do so.

Version June 2022

HP Velotechnik GmbH & Co. KG, Kapellenstrasse 49, 65830 Kriftel, Germany





	×	Item	sugg. retail \$
Gr	as	shopper fx foldable recumbent 20"/20" (GHF)	
		Grasshopper fx basic model foldable, aerobar steering, STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic	4,990.00
		disc brakes	
		Grasshopper fx frameset foldable, with suspension, seat, Aerobar steering, chain guide setup	4,010.00
Gr		shopper fx options extra charge – drivetrain and brake options for complete bikes only	
		standard colour O Magic green O Blue shade grey	0.00
		single custom colour according to RAL-colour chart: (please specify)	229.00
•		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	319.00
frame	_	front boom with derailleur tube regardless of shifting option (not w/PINION)	0.00
frã		front boom carbon saves 170 g / 0,37 lbs of weight, not with PINION	239.00
		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00
		front boom quickadjust without chain compensation QR-levers	59.00
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	249.00
	_	ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.00
		BodyLink seat	199.00
		BodyLink seat with brackets for small riders (1.6" to the front)	199.00
at		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00
seat		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00
		headrest for mesh seats adjustable in height and angle, with quick release lever	189.00
		adjustable end stops allow exact positioning of the seat	19.00
		two adjustable end stops for ErgoMesh Premium seats only	38.00
	_	rain cover for seats, Ripstop nylon fabric, blue	25.00
		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag Microbag topbag for BodyLink seat, detachable as hip bag, 1 litre	79.00
		rear shock DNM DV-22 (basic specification)	49.00
on		O soft: 450 lbs/inch, up to 175lbs O standard: 650 lbs/inch, up to 220lbs O hard: 850 lbs/inch, up to 285lbs	0.00
ensi		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00
suspension	×	suspension fork SPINNER Grind 2 (basic specification)	0.00
sn		hard spring for suspension fork for loads over 220 lbs, pre-installed	35.00
ы		above seat steering (ASS) with Aerobar direct (basic specification)	0.00
eering		above seat steering with tiller steering (ASS) direct, tiller bar, TERRACYCLE folding stem	119.00
ste		under seat steering (USS) indirect, adjustable, not compatible with ErgoMesh XL seat or E-drive	159.00
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear	
		derailleur/twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 46 teeth	0.00
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	45.00
		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY	
		ARCHER barend shifters (USS), XT twist shifters (ASS), STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT	219.00
		cassette 11-36 teeth, crankset with 46 teeth chainring, double sided chainwheel disc	
		drivetrain SHIMANO XT30 30 speed, SHIMANO XT 10 speed rear derailleur / cassette, triple crankset, MICROSHIFT from derailleur MICROSHIFT barend shifters for undersent steering, twist shifter SHIMANO XT for above sent steering	359.00
drivetrain		front derailleur, MICROSHIFT barend shifters for underseat steering, twist shifter SHIMANO XT for above seat steering drivetrain PINION C1.12 12 speed front gear box, long twist shifter for USS, Stremaer not compatible	2,190.00
vetı	0 0	drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	2,190.00
dri	7	E-drive NEODRIVES Z20 and drivetrain SHIMANO XT30 only for ASS, up to 20 mph, hub motor, 30 speed, rear	2,170.00
		derailleur / triggershifter / cassette SHIMANO XT, triple chainring set, front derailleur MICROSHIFT, Li-lonen battery 576	3,470.00
		Wh, push assist	
		E-drive NEODRIVES Z20 with PINION C1.12 push assist only with ASS, up to 20 mph, 12 speed PINION C1.12 front	5,150.00
		gear box, Li-lonen 576 Wh, push assist, 4 A charger, not compatible with streamer	3,730.00
		short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7"	25.00
		tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35mm / 1,4" (SRAM/30 or	49.00
		PINION) disc brakes SHIMANO BR-MT200 hydraulic (basic specification)	0.00
brakes	ם כ	disc brakes AVID BB7 mechanical	79.00
bra		disc brakes SHIMANO XT hydraulic	359.00
]	The state of the s	337.00





	×	Item	sugg. retail \$
Gr	ass	shopper fx accessories extra charge	·
		light wire routing only twin wires routed through the frame for hub dynamo	119.00
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight	129.00
		lighting system SP SD-8 disc dynohub/IQ-X with front and rear parking lights, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake light	469.00
		lighting system SON disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO, LED headlight B&M IQ-X, daytime running light, up to 100 lux, rear light B&M Toplight Flat S plus with brake light	769.00
	\Box	B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M Toplight 2C DC	239.00
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	319.00
		rear rack 2 mm (0.47") tube, black powder coating, max. load 55 lbs / 25 kg	259.00
accessories		lowrider rack 10 mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg	179.00
SSO		mudguards SKS 20" with spoiler, rear 53mm / 2,1", black, stainless steel stays, mounted	159.00
cce		kickstand PLETSCHER Esge Comp Zoom mounted on the rear swingarm, black	59.00
В		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	129.00
		water bottle set HP VELOTECHNIK 2 x 0.6 l PE-bottle with HP print, with bottle cages, mounted	79.00
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	65.00
		rear mirror MIRRYCLE both sides barend mounting left and right	130.00
		flag HP VELOTECHNIK double-sided print, with reflective strip	29.00
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0,87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88lbs, unmounted	49.00
		transport cover with carrying strap, for Grasshopper fx	119.00
		air horn AIRZOUND XL about 30-115 dB	39.00
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION)	699.00

Suggested retail prices in US\$ including duties and shipping, excluding applicable sales tax. This form is valid for US customers only. Our general terms and conditions shall apply for all orders. Please contact your authorized HP VELOTECHNIK dealer for details and ordering.





	×	Item	sugg. retail \$				
St	Streetmachine Gte recumbent 20"/26" (SMGTe)						
		Streetmachine Gte basic model under seat steering, STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc	4,490.00				
		brakes Streetmachine Gte frameset with suspension, seat, handlebar, chain guide setup	3,510.00				
St		etmachine Gte nameset with suspension, seat, nanulebar, chain guide setup					
J	_	standard colour O Pearl orange O Silvergrey	0.00				
	_	single custom colour according to RAL-colour chart:	229.00				
		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	319.00				
me		front boom with derailleur tube regardless of shifting option (not w/PINION)	0.00				
frame		front boom carbon saves 170 g / 0,37 lbs of weight, not with PINION	239.00				
		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00				
		front boom quickadjust without chain compensation QR-levers	59.00				
	-	front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	249.00				
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00				
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh) ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	0.00 369.00				
	ם כ	ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	369.00				
		BodyLink seat	199.00				
		BodyLink seat with brackets for small riders (1.6" to the front)	199.00				
ıτ		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00				
seat		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00				
		headrest for mesh seats adjustable in height and angle, with quick release lever	189.00				
		adjustable end stops allow exact positioning of the seat	19.00				
		two adjustable end stops for ErgoMesh Premium seats only	38.00				
	\vdash	rain cover for seats, Ripstop nylon fabric, blue	25.00				
		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag	79.00				
		Microbag topbag for BodyLink seat, detachable as hip bag, 1 litre	49.00				
ou		rear shock DNM DV-22 (basic specification) O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 225 lbs O hard: 550 lbs/inch, up to 285 lbs	0.00				
ensi		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00				
suspension		suspension fork SPINNER Grind 2 (basic specification)	0.00				
SI		hard spring for suspension fork for loads over 220 lbs, pre-installed	35.00				
ы		under seat steering (USS) (basic specification) not compatible with ErgoMesh and ErgoMesh XL seat	0.00				
steering		extra wide under seat steering handlebar 65 cm / 26,6" width (instead of 60 cm / 23,6"), recommended for all ErgoMesh	0.00				
stee		and ErgoMesh Premium seats					
		above seat steering (ASS) adjustable in angle and length, with TERRACYCLE Glideflex folding stem	449.00				
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur / twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 39 teeth	0.00				
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	45.00				
	-	drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY	43.00				
		ARCHER barend shifters (USS), XT twist shifters (ASS), STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT	219.00				
		cassette 11-36 teeth, crankset with 39 teeth chainring, double sided chainwheel disc	-				
		drivetrain SHIMANO XT30 30 speed, SHIMANO XT 10 speed rear derailleur / cassette, triple crankset, MICROSHIFT front derailleur, MICROSHIFT barend shifters for underseat steering, twist shifter SHIMANO XT for above seat steering	279.00				
_		drivetrain PINION C1.12 12 speed front gear box, long twist shifter for USS, Stremaer not compatible	2,190.00				
drivetrain		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter for USS	2,190.00				
ive		E-drive NEODRIVES Z20 and drivetrain SHIMANO XT30 up to 20 mph, hub motor, 30 speed, rear derailleur /					
þ		cassette SHIMANO XT, USS barend shifter MICROSHIFT/ ASS XT Triggershifter, triple chainring set, front derailleur	3,470.00				
		MICROSHIFT, Li-Ionen battery 576 Wh, push assist, display position on USS: O above handlebar O side of handlebar					
		E-drive NEODRIVES Z20 with PINION C1.12 hub motor, 12 speed PINION C1.12 bottom bracket gearbox, push assist up to 20 mph., Li-Ionen 576 Wh, push assist, not compatible with streamer, display position: O above handlebar O	5,150.00				
		side of handlebar, not compatible with streamer	3,750.00				
		short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7"	25.00				
		chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options)	39.00				
		tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35mm / 1,4" (SRAM/30 or	49.00				
,-		PINION) disc brakes SHIMANO BR-MT200 hydraulic (basic specification)	0.00				
ıkes		disc brakes AVID BB7 mechanical	79.00				
brakes	0	disc brakes SHIMANO XT hydraulic	359.00				
	=	· 1 ···· ·	337.00				





[3	×	Item	sugg. retail \$
Stre	ee	tmachine Gte accessories extra charge	
	וב	light wire routing only twin wires routed through the frame for hub dynamo	119.00
] د	lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight	129.00
	11	lighting system SP SD-8 disc dynohub/IQ-X with front and rear parking lights, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake light	469.00
	11	lighting system SON disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO, LED headlight B&M IQ-X, daytime running light, up to 100 lux, rear light B&M Toplight Flat S plus with brake light	769.00
	11	B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M Toplight 2C DC	239.00
	וב	IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	319.00
	ב	rear rack 12 mm (0.47") tube, black powder coating, max. load 55 lbs / 25 kg	259.00
se]	lowrider rack 12 mm / 0,47" tube, black powder coating, max. load 55 lbs / 25 kg	179.00
oric	ב	mudguards SKS 20"/26" with spoiler, rear 53mm / 2,1", black, stainless steel stays, mounted	159.00
accessories	3	kickstand PLETSCHER Esge Comp Zoom mounted on the rear swingarm, black	59.00
acc	וב	kickstand PLETSCHER Esge mounted under the lowrider rack, black	39.00
	ב	clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	129.00
]	water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted	79.00
	ב	rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	65.00
	וב	rear mirror MIRRYCLE both sides barend mounting left and right	130.00
]	flag HP VELOTECHNIK double-sided print, with reflective strip	29.00
	ור	universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0,87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88lbs, unmounted	49.00
	ב	speedometer mount for computers, GPS-devices, or battery lights	15.00
	ב	Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION)	699.00
	3	air horn AIRZOUND XL about 30-115 dB	39.00

Suggested retail prices in US\$ including duties and shipping, excluding applicable sales tax. This form is valid for US customers only. Our general terms and conditions shall apply for all orders. Please contact your authorized HP VELOTECHNIK dealer for details and ordering.





	×	Item	sugg. retail \$				
Sp	Speedmachine S-Pedelec recumbent 20"/26" (SPE)						
		Speedmachine basic model Rigid fork, SHIMANO hydraulic disc brake, STURMEY ARCHER Tripleshift 24 speed	4,590.00				
		Speedmachine frameset with suspension, seat, handlebar, chain guide setup	3,610.00				
Sp	ee	dmachine options extra charge – drivetrain and brake options for complete bikes only					
_		standard colour O Silvergrey O Carmine red RAL3002	0.00				
		single custom colour according to RAL-colour chart: (please specify)	229.00				
a		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	319.00				
frame		front boom quickadjust without chain compensation QR-levers	59.00				
fr		front boom with derailleur tube regardless of shifting option (not w/PINION)	0.00				
		front boom carbon saves 170 g / 0,37 lbs of weight, not with PINION	239.00				
		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00				
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00				
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00				
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.00				
		BodyLink seat	199.00				
		BodyLink seat with brackets for small riders (1.6" to the front)	199.00				
١.,		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00				
seat		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00				
		headrest for mesh seats adjustable in height and angle, with quick release lever	189.00				
		adjustable end stops allow exact positioning of the seat	19.00				
		two adjustable end stops for ErgoMesh Premium seats only	38.00				
		rain cover for seats, Ripstop nylon fabric, blue	25.00				
		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00				
		Microbag topbag for BodyLink seat, detachable as hip bag, 1 litre	49.00				
		rear shock DNM DV-22 (basic specification)	0.00				
uo		O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 285lbs					
ensi		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00				
suspension		rigid fork (basic specification)	0.00				
S		suspension fork CONCEPT 2" suspension travel, steerer suspension system, adjustable	349.00				
_		hard spring for suspension fork for loads over 220 lbs, pre-installed	35.00				
steering		above seat steering (ASS) with Aerobar direct (basic specification)	0.00				
tee		above seat steering with tiller steering (ASS) non-foldable stem to the back	0.00				
s		under seat steering (USS) indirect, adjustable, not compatible with ErgoMesh XL seat or E-drive drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur	179.00				
		/ twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 39 teeth	0.00				
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	45.00				
	-	drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY	- 				
		ARCHER barend shifters (USS), XT twist shifters (ASS), STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT	219.00				
		cassette 11-36 teeth, crankset with 39 teeth chainring, double sided chainwheel disc					
		drivetrain SHIMANO XT30 30 speed, SHIMANO XT 10 speed rear derailleur / cassette, triple crankset, MICROSHIFT	279.00				
_		front derailleur, MICROSHIFT barend shifters for underseat steering, twist shifter SHIMANO XT for above seat steering					
raj		drivetrain PINION C1.12 12 speed front gear box, long twist shifter for USS, Stremaer not compatible	2,190.00				
drivetrain		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter for USS	2,190.00				
Þ		E-drive NEODRIVES Z20 and drivetrain SHIMANO XT30 only for ASS, up to 20 mph, hub motor, 30 speed, rear derailleur / triggershifter / cassette SHIMANO XT, triple chainring set, front derailleur MICROSHIFT, Li-lonen battery 576	3,470.00				
	_	Wh, push assist	3,470.00				
		E-drive NEODRIVES Z20 with PINION C1.12 push assist only with ASS, up to 20 mph, 12 speed PINION C1.12 front					
		gear box, Li-lonen 576 Wh, push assist, 4 A charger, not compatible with streamer	5,150.00				
		short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7"	25.00				
		chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options)	39.00				
	٥	tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35mm / 1,4" (SRAM/30 or PINION)	49.00				
s		disc brakes SHIMANO BR-MT200 hydraulic (basic specification)	0.00				
brakes		disc brakes AVID BB7 mechanical	79.00				
þr		disc brakes SHIMANO XT hydraulic	359.00				
	_						





	×	Item	sugg. retail \$
Sp	ee	dmachine accessories extra charge	
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight	129.00
	۵	lighting system SP SD-8 disc dynohub/IQ-X with front and rear parking lights, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake light	469.00
	۵	lighting system SON disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO, LED headlight B&M IQ-X, daytime running light, up to 100 lux, rear light B&M Toplight Flat S plus with brake light	769.00
	۵	B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M Toplight 2C DC	239.00
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	319.00
		rear rack 12 mm (0.47") tube, black powder coating, max. load 55 lbs / 25 kg	259.00
accessories		lowrider rack 10 mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg	179.00
SSO		mudguards SKS 20"/26" with spoiler, rear 53mm / 2,1", black, stainless steel stays, mounted	159.00
cce		kickstand PLETSCHER Esge Zoom mounted on the rear swingarm, black	49.00
æ		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	129.00
		water bottle set HP VELOTECHNIK 2×0.6 I PE-bottle with HP print, with bottle cages, mounted	79.00
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	65.00
		rear mirror MIRRYCLE both sides barend mounting left and right	130.00
		flag HP VELOTECHNIK double-sided print, with reflective strip	29.00
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0,87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88lbs, unmounted	49.00
		speedometer mount for computers, GPS-devices, or battery lights	15.00
		air horn AIRZOUND XL about 30-115 dB	39.00

Suggested retail prices in US\$ including duties and shipping, excluding applicable sales tax. This form is valid for US customers only. Our general terms and conditions shall apply for all orders. Please contact your authorized HP VELOTECHNIK dealer for details and ordering.





Dal	×	ltem		sugg. retail \$		
Dei	Delta tx splittable tricycle 20"/20" (DET)					
	×	Delta tx Pedelec basic model e-drive up to 20mph, BAFANG M300 motor, SRAM X4 8-speed derailleur, B&M IQ-XS lighting system, SHIMANO BR-MT200 braking system, 450 Wh battery pack., luggage carrier incl. basket		7,450.00		
	×	standard colour O Sparkling iron gray O Blue flash		0.00		
Del	lta	tx options extra charge				
		stem O short: recommended for body height < 165 cm / 5,5" O standard: 160 -195 cm / 5,3 - 6,5" O long: > 190 cm / 6,3"		0.00		
Steam		folding stem TERRACYCLE GlideFlex angle adjustable stem with folding mechanism for easy access		239.00		
Š		stem quickadjust QR-levers on the stem clamps		35.00		
		stem length fitting service: straight line distance upper edge of headtube clamp to middle of handlebarcm/inch		0.00		
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags		0.00		
		ErgoMesh HS meshseat (4.3" higher than EM seat)		0.00		
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)		0.00		
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)		0.00		
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags		369.00		
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)		369.00		
ايد		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)		369.00		
8		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)		369.00		
		seat angle adapter for ErgoMesh Premium seats to adjust the backrest in a more upright position		119.00		
Ιħ		headrest for mesh seats adjustable in height and angle, with quick release lever		189.00		
		adjustable end stops allow exact positioning of the seat		19.00		
		two adjustable end stops for ErgoMesh Premium seats only		38.00		
I -		rain cover for seats, Ripstop nylon fabric, blue		25.00		
		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		79.00		
u o		rear shock DNM DV-22 (basic specification)				
suspension	ш	O soft: 850 lbs/inch, up to 175 lbs O standard: 1100 lbs/inch, up to 220 lbs O hard: 1500 lbs/inch, up to 320 lbs		0.00		
dsns		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump		339.00		
		E-drive BAFANG M300 with SRAM X4 (basic configuration)up to 20 mph, with derailleur SRAM X4 8-speed, Li-lonen		0.00		
	٦	battery with 450 Wh, charger 2 A, throttle for starting aid up to 6 km/h		0.00		
		E-drive BAFANG M300 and ENVIOLO Automatiq up to 20 mph, with ENVIOLO Automatiq shifting, Li-lonen battery		1,290.00		
	_	with 450 Wh, charger 2 A, throttle for starting aid up to 6 km/h		1,270.00		
		E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh,		119.00		
		2 A charger, push assist 4 mph				
		E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-Ionen battery 418 Wh, 2 A charger, push assist 4 mph		469.00		
		E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A				
ain		charger, push assist 4 mph		1,050.00		
vetr	_	E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function, anti-tip wheels required		1,950.00		
		E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq		2,710.00		
	_	internal stepless shifting, Li-Ionen battery 418 Wh, 2 A charger, push assist 4 mph, anti-tip wheels required		2,710.00		
	٦	E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen		3 110 00		
		battery 418 Wh, push assist 4 mph, anti-tip wheels required		3,110.00		
		big battery pack BAFANG Li-Ionen, 600 Wh		189.00		
		big battery pack SHIMANO STEPS Li-Ionen battery, 630 Wh, fast charger with 4 A		449.00		
		short cranks 135 mm / 5,3"resp. 140 mm / 5,5" for STEPS E6100 and EP801 Cargo		25.00		
		disc brakes SHIMANO BR-MT200 (basic equipment) hydraulic, separately operated rear wheel brakes		0.00		
		RIDEREYER hydraulic disc brakes coupled, additional rear brake hydraulic, coupled rear brakes, additional				
		mechanical disc brake AVID BB7 at the rear with parking brake function, adjustable grip width, hydraulic brake lever: O left O		429.00		
ړ		right RIDEREVER hydraulic disc brakes coupled, additional front brake hydraulic, coupled rear brakes, additional				
brakes		mechanical disc brake AVID BB7 with parking brake function at the front, adjustable grip width, limited possibility to split the		429.00		
br		vehicle, hydraulic: brake lever is O left or O right				
		parking brake rear Mechanical on rear wheel, disc brake, detent lever on handlebar, not compatible with coupled brake with additional rear brake		119.00		
	ام	parking brake front Mechanical on front wheel, disc brake, detent lever on handlebar, trike splitting very limited, not		129.00		
L	J	compatible with coupled brake with additional brake at front, only recommended with additional rear brake		1 27.00		
		one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled disc brakes, AVID BB7 disc brake with parking brake function, position of disc brake with parking function: O front O rear, mounting of controls: O left O right		559.00		





	×	Item		sugg. retail \$
ac	ces	sories Surcharges, additional accessories on the "Comfort and rehab options" order for	m	
	×	tires SCHWALBE Super Moto-X 62 mm / 2,5" width, Greenguard		0.00
		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M Toplight 2C DC		239.00
		IQ-X lighting system only with STEPS drive systems, B&M IQ-X up to 150 lux, rear light B&M Toplight 2C DC		95.00
		indicator lights system WingBling only in conjunction with electric drive		739.00
		anti-tip wheels recomended for tall riders, high seats, with bagholders, always with Shimano STEPS EP801 Cargo		109.00
es		Vertical parking stand pedestals mounted on seat and rack for space-saving parking position of the Delta tx. We recommend fitting anti-tip wheels.		95.00
essorie		bag holder for one bicycle bag behind seatback, max. load 12 kg / 26 lbs		189.00
ess		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted		179.00
acc		Mudguards Delta tx SKS front and rear, 69 mm / 2,7" wide, with spoiler		219.00
		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		129.00
		water bottle set HP VELOTECHNIK 2 x 0.6 l PE-bottle with HP print, with bottle cages, mounted		79.00
		rear mirror B&M Cyclestar E mounted on the handlebar O left O right		49.00
		flag HP VELOTECHNIK double-sided print, with reflective strip		29.00
		trailer hitch WEBER for trailers with WEBER coupling, max. trailer load 40 kg / 88 lbs		219.00
		frame lock AXA Imenso with removable key, without chain, black		85.00
		chain for frame lock AXA length 100 cm / 39,4"		35.00





	×	Item				sugg. retail \$	
De	elta	a tx SE special edition trike 20" / 20" (KREDETV)					
	X	Delta tx Special Edition Pedelec - Drive BAFANG M300 bottom bracket motor with ENVIOLO Trekking Automatiq, stepless automatic gear hub, crank lenght 155 mm / 6,1", battery with 450 Wh, E-drive up to 16 mph - SHIMANO MT200 disc brakes, rear, individually braked - Lighting system B&M IQ-XS friendly, LED headlight 80 Lux, rear light B&M 2C DC - Luggage carrier with basket, basket with handle, up to 25 kg / 55 lbs load capacity - Headrest, quick-release fastening, adjustable in height and angle, removable pad - DNM steel spring damper with standard spring (1100 lbs/inch, up to 100 kg) - Parking brake on rear wheel, mechanical disc brake, locking lever on handlebars - tyres SCHWALBE Super Moto-X, 62 mm / 2,4" wide - Mudguards, SKS front and rear, 69 mm / 2,7" wide, with spoiler, single-sided rear suspension - Mirror left, B&M Cyclestar E - Pennant, with reflective foil - Rain cover, for all HP VELOTECHNIK seats, ripstop nylon, blue - Frame lock AXA Imenso with removable key, without chain, black				9,150.00	
Ų		standard colour O Sparkling iron gray O Blue flash				0.00	
De		t x SE selection seat	1	ı		0.00	
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags				0.00	
		ErgoMesh HS meshseat (4.3" higher than EM seat) ErgoMesh MI meshseat (2" wider backgost I.4" and seat 2" longer than Ergomesh)				0.00	
., l		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh) ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)				0.00	
seat		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags				0.00 369.00	
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)					
		ErgoMesh Premium HS meshseat (2 wider, backrest and seat 1.2 longer than Eri Fremium)				369.00 369.00	
De		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)				369.00	
	ш	elta tx SE accessories Surcharges, unmounted, additional special accessories on the "Comfort and rehab op					
		short stem recommended for body height < 5.5", middle part added		T CHAD OF	cions of	49.00	
		soft spring (850 lbs/inch up to 175 lbs) for rear suspension element, added				19.00	
		hard spring (1500 lbs/inch up to 320 lbs) for rear suspension element, added				19.00	
		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag				79.00	
		seat angle adapter for ErgoMesh Premium seats to adjust the backrest in a more upright position				119.00	
		adjustable end stops allow exact positioning of the seat				19.00	
es		two adjustable end stops for ErgoMesh Premium seats only				38.00	
sor		bag holder for one bicycle bag behind seatback, max. load 12 kg / 26 lbs				189.00	
accessories		anti-tip wheels recomended for tall riders, high seats, with bagholders				109.00	
ас		big battery pack BAFANG Li-lonen, 600 Wh				189.00	
		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted				179.00	
		Vertical parking stand pedestals mounted on seat and rack for space-saving parking position of the Delta tx. We recommend fitting anti-tip wheels.				95.00	
		water bottle set HP VELOTECHNIK 2×0.6 l PE-bottle with HP print, with bottle cages, mounted				79.00	
		trailer hitch WEBER for trailers with WEBER coupling, max. trailer load 40 kg / 88 lbs				219.00	
		chain for frame lock AXA length 100 cm / 39,4"			1	35.00	



notes





	×	Item	sugg. retail \$					
Ge	ekko fxs foldable recumbent trike for children and special ability use 20"/20" (GES)							
	×	Gekko fxs basic model SHIMANO Nexus Premium internal gear hub 8 speed, 135 mm / 5,3" 32 teeth crankset, AVID BB7 mechanical disc brakes, B&M EYRO lighting system, rear rack, mudguards Trikefender, pedals with heel strap and foot clamp, OrthoFlex seatmesh with individual upholstery, adjustable retention belt system	5,330.00					
Ge	ekk	o fxs options extra charge						
		standard colour Magma red	0.00					
		single custom colour according to RAL-colour chart: (please specify)	229.00					
		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00					
		front boom quickadjust compensates extra chain length when front boom is adjusted, with quick release levers, ca. 35 cm / 14" adjustment range, incl. adjustable length upper chain protection tube	249.00					
frame		long handlebars 2.4" higher grip position	25.00					
fra		headrest for mesh seats adjustable in height and angle, with quick release lever	189.00					
		pelvic support belt for pelvis support on HP VELOTECHNIK recumbent trikes with mesh seats, not mounted	279.00					
		chest support belt for upper body support on HP VELOTECHNIK recumbent trikes with mesh seats, not mounted	279.00					
		adjustable end stops allow exact positioning of the seat	19.00					
		rain cover for seats, Ripstop nylon fabric, blue	25.00					
		drivetrain SHIMANO Nexus 8 Premium 8 speed, internal gear hub with twist shifter (basic specification)	0.00					
		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, SHIMANO Deore XT rear derailleur, MICROSHIFT /						
		STURMEY ARCHER barend shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette 11-36 teeth,	239.00					
		crankset 5.3" crank length and 32 teeth chainring, double sided chainwheel disc						
		drivetrain ROHLOFF Speedhub/14 14 speed internal gear hub, black, long twist shifter	2,190.00					
in		E-drive SHIMANO STEPS E5000 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph, maximum assistance speed: O 9 mph O 16mph	2,640.00					
drivetrain								
lriv		E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen	5,250.00					
0		battery 418 Wh, push assist 4 mph, only with 6.1" crank E-drive NEODRIVES Z20 with MICROSHIFT10 up to 16mph, 10-speed shift MICROSHIFT XLE, Li-lonen battery 576						
	П	Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar; max. speed O 9 mph O	3,820.00					
	•	16 mph	3,020.00					
		big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A	449.00					
		shorter / longer cranks O 4.5" O 6.1" instead of 5.3"	25.00					
ı		tire exchange from SCHWALBE Tryker 40 mm / 1,6" to Marathon Plus 47 mm / 1,8"	49.00					
		disc brakes AVID BB7 mechanical, separate brake per front wheel, children levers (basic specification)	0.00					
brakes		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel	0.00					
		disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function, lever reach not adjustablefront brake lever: O left O right	199.00					
		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right	329.00					
		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable	269.00					
		parking brake SHIMANO rear wheel V-Brake with thumblever	65.00					
		one-hand operation for brakes and drivetrain includes coupled AVID BB7 front disc brake, AVID BB7 disc brake with	1 1 1					
		parking brake function rear, mounting the controls: O left O right	379.00					
		one-hand operation for brakes and drivetrain includes hydraulic coupled front brake, AVID BB7 disc brake with parking brake function rear, mounting the controls: O left O right	559.00					





	×	Item	sugg. retail \$					
ac	accessories Surcharges, additional accessories on the "Comfort and rehab options" order form							
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight	0.00					
		lighting system SON xs-m disc dynohub/IQ-X with front and rear parking lights, SCHMIDTS ORIGINAL						
		NABENDYNAMO hubdynamo, LED headlight B&M IQ-X, with daytime running lights, up to 100 Lux, rear light B&M Toplight	639.00					
		Flat S plus with brake light						
		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to	45.00					
		80 Lux, rear light B&M Toplight 2C DC						
		indicator lights system WingBling only in conjunction with electric drive	739.00					
	×	rear rack 10 mm (0.39") tube, black powder coating, max. load 55 lbs / 25 kg	0.00					
	×	mudguard set HP Trikefender front 60 mm / 2,4" width, rear SKS 53 mm / 2,1" with spoiler, black	0.00					
	П	pedals with heelstrap and foot clamp left and right, size range:	0.00					
		O 8,7" - 11" (basic specification) O 10,6" - 13,4"	0.00					
		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	0.00					
		ErgoPedal single sided other side pedal with heelstrap and foot clamp, mounting side of ErgoPedal: O left O right size:	45.00					
	_	O 7,9" - I I" O 10,6" - 13,4"	15.50					
		ErgoPedal left and right size: 0 7,9" - 11" 0 10,6" - 13,4"	109.00					
		ErgoPedal with safety release single sided incl. one SPD-pedal SHIMANO PD-A530, adjustable position, joint-friendly						
		freedom of movement +/- 3 degrees, other side pedal with heelstrap and foot clamp, mounting side of ErgoPedal with safety	115.00					
		release: O left O right size: O 7,9" - 11" O 10,6" - 13,4"						
		ErgoPedal with safety release left and right adjustable position, joint-friendly freedom of movement '+/- 3 degrees, size:	229.00					
		O 7,9" - I I " O 10,6" - 13,4"						
S		ErgoPedal with calf brace single sided other side pedal with heelstrap and foot clamp, mounting side of ErgoPedal: O left	289.00					
accessories	_	O right size: O 7,9" - 11" O 10,6" - 13,4"						
ess		ErgoPedal with calf brace left and right size: O 7,9" - O O,6" - 3,4"	580.00					
acc		handrest with retaining strap comfortable hand support mounted on handlebar	119.00					
		mounting side of handrest: O left O right						
		handrests left and right with one retaining strap with one retaining strap	219.00					
		mounting side of retaining strap: O left O right	140.00					
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	169.00					
		walking aid mount single sided easy fixing and safety clip, mounting side: O left O right	99.50					
		walking aid mounts left and right easy fixing and safety clip	199.00					
	П	standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side,	104.50					
		O left O right O pair	104.50					
		companion bar for active steering and braking, incl. brake for companion, not compatible with standing-up aid left, limited	430.00					
	J	folding functionality, installation on left hand side	439.00					
		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted	79.00					
		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	89.00					
		rear mirror B&M E both sides left and right knuckle mounting	178.00					
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	65.00					
		rear mirror MIRRYCLE both sides barend mounting left and right	130.00					
		flag HP VELOTECHNIK double-sided print, with reflective strip	29.00					
	_	universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø						
	Ц	0,87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88lbs, unmounted	49.00					
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	29.00					
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	99.00					





_		DTECHNIK				
	×	Item	sugg. retail \$			
G	Gekko fx 20 foldable recumbent trike 20"/20" (GEF)					
		Gekko fx 20 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes	4,230.00			
		Gekko fx 20 frameset with seat, handlebar, front hubs, chain guide setup	3,500.00			
or	tio	ons extra charge – drivetrain and brake options for complete bikes only				
Г	_	standard colour O Magma red O Deep blue	0.00			
		single custom colour according to RAL-colour chart: (please specify)	229.00			
	=	front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)	0.00			
	<u> </u>	front boom carbon saves 170 g / 0,37 lbs of weight, not with STEPS / PINION	239.00			
	H	length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00			
seat	-	front boom quickadjust without chain compensation QR-levers				
			59.00			
and		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	249.00			
frame		headrest for mesh seats adjustable in height and angle, with quick release lever	189.00			
fra		seat angle adapter to adjust the backrest in a more upright position, with quick release	119.00			
		Gekko seat pad additional comfortable and breathable upholstered seat pad to attach to the seat, fastening with buckles	189.00			
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	169.00			
		adjustable end stops allow exact positioning of the seat	19.00			
		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00			
		rain cover for seats, Ripstop nylon fabric, blue	25.00			
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear	0.00			
	-	derailleur/twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 46 teeth	0.00			
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	45.00			
		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur and barend shifter MICROSHIFT XLE, cassette	219.00			
	_	SHIMANO XT, STURMEY ARCHER 3-speed internal gear hub and bar end shifter, crankset with 46 teeth	217.00			
		drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 52-42-30, MICROSHIFT front derailleur, SRAM SL-500	429.00			
	_	barend shifters, SRAM cassette PG 1050 11–36	427.00			
		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	2,190.00			
		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	2,190.00			
		E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh,	2,290.00			
		2 A charger, push assist 4 mph	2,270.00			
		E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery	2,640.00			
_	-	418 Wh, 2 A charger, push assist 4 mph	2,040.00			
drivetrain		E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A	3,190.00			
Ve	_	charger, push assist 4 mph	3,170.00			
<u>p</u>	lo	E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq	4,850.00			
	_	internal stepless shifting, Li-Ionen battery 418 Wh, 2 A charger, push assist 4 mph	1,050.00			
		E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen	5,250.00			
	_	battery 418 Wh, push assist 4 mph	5,250.00			
	_	E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever				
1	┛	SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ionen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar	3,930.00			
		E-drive NEODRIVES Z20 with PINION C1.12 up to 16 mph, hub motor, 12 speed PINION C1.12 bottom bracket	 			
		gearbox, Li-lonen battery with 576 Wh, push assist forward and backwards, not compatible with streamer, 4 A charger,	5,550.00			
	_	display position: O above handlebar O side of handlebar	3,330.00			
		big battery pack SHIMANO STEPS Li-Ionen battery, 630 Wh, fast charger with 4 A	449.00			
	_	short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7"	25.00			
	H	tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30				
		or PINION)	49.00			
H		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	0.00			
	- -	disc brakes AVID BB7 mechanical, separate brake per front wheel	75.00			
1		disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function				
es		front brake lever: O left O right	199.00			
brakes		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake	- 			
۵		function, rear disc brake, front brake lever: O left O right	329.00			
		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable	269.00			
	H	parking brake SHIMANO rear wheel V-Brake with thumblever	65.00			
_		pro- 6 - a 7 - a - a - a - a - a - a - a - a -	03.00			





	×	Item		sugg. retail \$				
ac	accessories Surcharges, additional accessories on the "Comfort and rehab options" order form							
П		light wire routing only twin wires routed through the frame for hub dynamo		119.00				
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight		129.00				
		lighting system SON xs-m disc dynohub/IQ-X with front and rear parking lights, SCHMIDTS ORIGINAL						
		NABENDYNAMO hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat		769.00				
		S plus with brake light, in combination with e-drive no quick frame adjustment possible						
		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to		239.00				
		80 Lux, rear light B&M Toplight 2C DC						
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		319.00				
		indicator lights system WingBling only in conjunction with electric drive		739.00				
		rear rack 10 mm (0.39") tube, black powder coating, max. load 55 lbs / 25 kg		99.00				
		side bag mount mounting for handlebar bags, fixed to the frame, maximum load 5 kg / 11 lbs, left and right, incl. ring clamp,		179.00				
	,	unmounted, folding function limited, bike can no longer be pulled on wheels (bags not included)		177.00				
S		mudguard set HP Trikefender front 60 mm / 2,4" width, rear SKS 53 mm / 2,1" with spoiler, black		329.00				
orie		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		129.00				
accessories		water bottle set HP VELOTECHNIK 2 x 0.6 l PE-bottle with HP print, with bottle cages, mounted		79.00				
acc		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right		89.00				
		rear mirror B&M E both sides left and right knuckle mounting		178.00				
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right		65.00				
		rear mirror MIRRYCLE both sides barend mounting left and right		130.00				
1		flag HP VELOTECHNIK double-sided print, with reflective strip		29.00				
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø		40.00				
		0,87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88lbs, unmounted		49.00				
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel		29.00				
		air horn AIRZOUND XL about 30-115 dB		39.00				
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)	i i	699.00				
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	i i	99.00				
		frame lock AXA Victory with removable key, without chain, black	i i	99.00				
		chain for frame lock AXA length 100 cm / 39,4"		35.00				





	×	Item				sugg. retail \$		
Ge	Gekko fx 20 US VERSION foldable recumbent trike 20"/20" (GEF) / from US-warehouse, partly assembled							
	×	Gekko fx 20	"sport" model drivetrain SRAM X4 24 speed, SHIMANO BR-MT200 hydraulic disc brakes			2,790.00		
ор	tio	ns				-		
	×	standard col	our O Magma red O Deep blue			0.00		
Ge	kk	o 26 acce	essories extra charge, accessories not assembled					
		SIHPKNESK	headrest for mesh seats adjustable in height and angle, with quick release lever			189.00		
		SIZUBV	seat angle adapter to adjust the backrest in a more upright position, with quick release			119.00		
		SIKIGEF	Gekko seat pad additional comfortable upholstered seat pad to attach to the normal seat, fastening with buckles, breathable upholstery (already included in comfort box)			189.00		
		TAEPPA	Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag			79.00		
		LEHAPAKO	handrests left and right comfortable hand support, mounted on handlebar, removable cushion			169.00		
		SIZURS	rain cover for seats, Ripstop nylon fabric, blue			25.00		
		TASHSCF	transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric			99.00		
s		BRPBS	parking brake SHIMANO rear wheel V-Brake with thumblever			65.00		
accessories		LESHGE	side bag mount mounting for handlebar bags, fixed to the frame, maximum load 5 kg / 11 lbs, left and right, incl. ring clamp, unmounted, folding function limited, bike can no longer be pulled on wheels (bags not included)			179.00		
		GTKOGEF	rear rack 10 mm (0.39") tube, black powder coating, max. load 55 lbs / 25 kg			99.00		
		RSPBESK	rear mirror B&M E left wide view angle, easy to adjust, incl. mounting hardware			89.00		
		RSPBESKR	rear mirror B&M E right wide view angle, easy to adjust, incl. mounting hardware			89.00		
		RTZUSV	front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers			249.00		
		TFSETEM	water bottle set HP VELOTECHNIK 2 x 0.6 l PE-bottle with HP print, with bottle cages, mounted			79.00		
		СНИНТВ	universal mount for accessories Mounting on the handlebar end, Ø 22.2 mm / 0,87" tube holder for accessories like phone holder / GPS devices / bell, max. load 400 grams / 0,88lbs, unmounted			49.00		
		CHSMSET	speedometer mount for computers or battery lights, incl. sensor bracket for front wheel			29.00		
		SBKO26S3	mudguard set HP Trikefender front 60 mm / 2,4" width, rear SKS 53 mm / 2,1" with spoiler, black			329.00		
		WIHP	flag HP VELOTECHNIK double-sided print, with reflective strip			29.00		

All prices in US\$ and per item. The MSRP is calculated including shipping costs. This form is valid for USA orders only. Our general terms and conditions shall apply for all order. Please see 2025 HP VELOTECHNIK trade price list for details



notes





Gelsko fr. 26 frameset with sear, handlesh, froot hubs, chain guide seaup Options extra charge — drivetrain and brake options for complete bikes only I standard colour Orlegars et al. Deep blue	Gelden fr. 24 basier model STURIETY ARCHER Typlanth? 24 speed, SHINANO lydraulic disc brakes 3,610.0		×	Item		sugg. retail
Geldeto fr. 26 basic model STURNEY ARCHER Tripleshift. 29 speed. SHINANO hydraulic das brakes 4,33. Geldeto fr. 26 frameses with seat handlebur, front hubs, chain guide setup Options extra charge—drivetrain and brake options for complete bikes only I attandard colour of higher and of divertina and brake options for complete bikes only I attandard colour of higher and of divertina and brake options for complete bikes only I attandard colour of higher and of the colour divertina and brake options for complete bikes only I attandard colour of higher and of the colour divertina and brake of the colour divertina and divertina and brake of the colour divertina and div	Gelden fr. 24 basier model STURIETY ARCHER Typlanth? 24 speed, SHINANO lydraulic disc brakes 3,610.0	Ge	kk	to fx 26 foldable recumbent trike 20"/26" (GEL)		
Options extra charge — drivetrain and brake options for complete bikes only Itandard colour of Nigmar ed O Deep blue Single custom colour according to RAL-colour char: (phase specify) Individual control colour of Nigmar ed O Deep blue Individual control colour according to RAL-colour chart: (phase specify) Individual control colour according to RAL-colour chart: (phase specify) Individual control colour according to RAL-colour chart: (phase specify) Individual control colour according to RAL-colour chart: (phase specify) Individual control colour chart chart colour chart ch	potions extra charge — drivetrain and brake options for complete bikes only and a single custom colour according to Abt-closur drive: closes specify	П				4,340.00
Options extra charge — drivetrain and brake options for complete bikes only I standard colour O Rigars red O Deep blue I single custom colour scording to RAL-colour chart: (please specify) I front boom with derailleur tube regardless of shifting option (not with STEPS or PINION) I front boom with derailleur tube regardless of shifting option (not with STEPS or PINION) I length fitting services discusse center of bottom bracket to end of main frame, look at the marking on the skale on	potions extra charge — drivetrain and brake options for complete bikes only Canadrad colour O Nigra and O Drep Dus 0.0			Gekko fx 26 frameset with seat, handlebar, front hubs, chain guide setup		3,610.00
Standard colour O Regima red O Deep blue International Colours (International Colours) International Colours) International Colours (International Colours) International Colours (International Colours) International Colours (International Colours) International Colours) International Colours) International Colours (International Colours) International Colours)	Landard colour O Negros red Deep blue	on	io			.,.
single custom colour according to RAL-colour charc	Specific content colour according to RAL-colour chart:	ОР			— т	0.00
Front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)	Control boom with deraillour tube repreties of shifting option (see with STEPS or PRINCING) Control boom carbons to the steel (see the STEPS or PRINCING) Control boom carbons to the steel (see the STEPS or PRINCING) Control boom quick-digits without chain compensation (Relivery Control boom a significant to the steel (see the steel Control boom and the				-	
Grent boom carbon saves 170 g / 0.37 lbs of weight, nor with STEPS / PNNON 2.2	Gent boom carbon saves 170 g (0,37 hos of weight, not with STEPS PRINCIN 2339.0 10 10 10 10 10 10 10	l			- 	
Importation provides distance center of bottom bracket to end of main frame, look at the marking on the skale cm	The profit fixting service disease center of bottom broadet to end of main frame, look at the marking on the slade cm 5.00 5.00 5.00 6.00	-	_		- 	
Font boom quickadjust compensate extra chain length when front boom is adjusted, QR-levers 2	Segment boom quickagists without chain compensation (Relieves 189.00 Sont boom quickagists without chain compensation (Relieves 189.00 Seat angle adapter to adjust the backress in a more uprigit position, with quick release lever 189.00 Seat angle adapter to adjust the backress in a more uprigit position, with quick release lever 189.00 Seat angle adapter to adjust the backress in a more uprigit position, with quick release lever 189.00 Seat angle adapter to adjust the backress in a more uprigit position, with quick release lever 189.00 Seat angle adapter to adjust the backress in a more uprigit position, with quick release lever 189.00 Seat angle adapter to adjust the backress in a more uprigit position, with quick release lever 189.00 Seat angle adapter to adjust the backress in a more uprigit position, with quick release lever 189.00 Seat angle adapter to adjust the backress in a more uprigit position, with quick release lever Seat angle adapter to adjust the seat of the	1 -				
Forth boom quickadjust compensates extra chain leggth when front boom is adjusted, QR-levers 2	Page	at				
Readrest for mein seats adjustable in height and angle, with quick release lever	Bear angle adapter to odgive the bedresst is amore upplic protein, with quick release 119.0		=			
Gekko seat paid additional comfortable and breathable upholstered seat paid to attach to the seat, fastening with buckles II	See at angle adapter to adjust the backrest in a more upright position, with quick release 119.0					
Gekko seat pad additional comforable and breathable upholescered seat pad to attach to the seat, fastening with buckles handrests left and right comfortable hand support, mounted on handlebar, removable cushion adjustable end strops allow exact positioning of the seat Add-on bags for mesh seat pair mounted on backrest, each I.4 litres, I water-repellent bag, I ventilated bag rain cover for seats, Ripstop mylon fabric, blue drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur / (rwist shifters, SIURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur / (rwist shifters, SIURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT X5 LMICROSHIFT / STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT X5 LMICROSHIFT / STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT X5 LMICROSHIFT / STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur, crankset 60-52-40, MICROSHIFT / STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur, crankset 60-52-40, MICROSHIFT / STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur, crankset 60-52-40, MICROSHIFT / STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur, crankset 60-52-40, MICROSHIFT / STURMEY ARCHER Tripleshift 30 study of drivetrain SNAM/30 30 speed, SRAM St. 40 pt. 20 pt. 31 pt. 32 pt	□ Gekko seat pad additional comfortable and breathable upholibetered seat pad to attach to the seat, fastening with buckles □ Inandrests left and rights confortable hand support, mounted on handlebur, removable cashion □ Adjustable end stops allow exact positioning of the seat □ Add-on bags for mesh seat pair mounted on backrest, each ! A liters. I water-repellent bag. I ventilated bag □ Pain Cover for seats, Rispson print fibre. □ Pain Cover fibre. □ Pain Cov	ä	_			
handrests left and right comfortable hand support, mounted on handlebar, removable cushion dijustable end stops allow exact positioning of the seat Add-son bags for mesh seat pair mounted on handrest, each 1.4 litres, I water-repellent bag, I ventilated bag rain cover for seats, Ripstop mylon fabric, blue rain cover for seats, Ripstop mylon fabric, blue for fabric, blue for fabric, blue f	Nandrests left and right comfortable hand support, mounted on handlebar, removable cushion 169.0 19.0	fra	-		\longrightarrow	
adjustable end stops allow exact positioning of the seat Add-on bags for mesh seat pair mounted on backerst, each 1,4 litres, 1 water-repellent bag, 1 ventilated bag rain cover for seats. Ripstop nylon fabric, blue rain cover for seats. Ripstop nylon fabric, blue drivetrain STUMMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur (rwist shifters, 12 tumery ARCHER Tripleshift 39 speed internal gear hub, SHIMANO cassette 11-34, cranisest with 39 teeth drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black drivetrain SHIMANO REAR Tripleshift 30 30 speed, rear derailleur MICROSHIFT XILL, MICROSHIFT /STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT front derailleur, SRAM SL-500 barend shifters, SRAM assette PG (1050 11-36 barend shifters, SRAM sassette PG (1050 11-36 barend shifters, SRAM sasset PG (1050 11-36 barend shifters) shifter Place Part Part Part Part Part Part Part Part	3djustable end stops allow exact positioning of the seat 19.0	1 -				
Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag rain cover for seats, Ripstop nylon fabric, blue drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur / twist shifters, STURMEY ARCHER Tripleshift 24 24 speed with twist shifters, (basic specification), SRAM X4 rear derailleur / twist shifters, STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MicROSHIFT XLE, MICROSHIFT (STURMEY ARCHER barend shifters, STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MiCROSHIFT XLE, MICROSHIFT (STURMEY ARCHER barend shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth drivetrain STAMMAY speed speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth drivetrain STAMMAY speed speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth drivetrain STAMMAY speed speed front gear box, long twist shifter chrive SHIMANO STEPS Speedfubl/ 14 la speed, black, long twist shifter e-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 s-speed rear derailleur, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph e-drive SHIMANO STEPS E5000 Nexus DI2 up to 20 mph, SHIMANO Nexus 8 speed DI2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph e-drive SHIMANO STEPS E5001 Cargo Cues DI2 up to 20 mph, SHIMANO Cues DI2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function 4,01 battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function e-drive SHIMANO STEPS E600 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph e-drive SHIMANO STEPS E600 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph e-drive SHIMANO STEPS E600 Cargo ENVIOLO STEP	Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, I water-repellent bag. I ventilated bag 79.0 7			handrests left and right comfortable hand support, mounted on handlebar, removable cushion		169.00
rain cover for seats, Ripstop nylon fabric, blue drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur / twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO Cassette II-34, crankset with 39 teeth drivetrain STURMEY ARCHER 3 speed internal gear hub, SHIMANO Cassette II-34, crankset with 39 teeth drivetrain STURMEY ARCHER 7 speed internal gear hub, SHIMANO XT cassette, Crankset with 39 teeth drivetrain STURMEY ARCHER 7 speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth drivetrain STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth drivetrain SRAM/30 30 speed, SRAM (X rear derailleur, crankset 60-52-40, MICROSHIFT / If ront derailleur, SRAM SL-500 barend shifters, SRAM cassette PG 1050 II-36 drivetrain PINION CI.12 I2 speed front gear box, long twist shifter. Streamer not compatible 2,11 drivetrain ROHLOFF Speedhub/I II speed, black, long twist shifter 2,21 e-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-Ionen battery 418 Wh, 2 A charger, push assist 4 mph e-drive SHIMANO STEPS E5000 Nexus DI2 up to 20 mph, SHIMANO Nexus 8 speed DI2 gear hub, Li-Ionen battery 418 Wh, 2 A charger, push assist 4 mph e-drive SHIMANO STEPS E5000 Nexus DI2 sHIMANO Nexus 8 speed DI2 gear hub, Li-Ionen battery 418 Wh, 2 A charger, push assist 4 mph e-drive SHIMANO STEPS E5001 Cargo Civil Drives Drive	Pain cover for seats, Ripatop mylon fibric, blue 25.00 2			adjustable end stops allow exact positioning of the seat		19.00
drivetrain STURMEY ARCHER 7 ripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur / twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 39 teeth drivetrain SHIMANO hexus 8 Premium 8 speed internal gear hub with twist shifter, black drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY ARCHER Aspend shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 60-52-40, MICROSHIFT front derailleur, SRAM SL-500 barend shifters, SRAM cassette PG (1905) 11-36 drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter Streamer not compatible drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter 2,11 e-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh, 2 charger, push assist 4 mph 2,24 charger, push assist 4 mph 2,25 charger 2,45 push assist 4 mph 2,46 charger 3,47 charger 2,47 push assist 4 mph 2,47 charger 3,47 ch	driverain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur (voits shifters, STURMEY ARCHER 3 speed internal gare hub, SHIMANO Cassers I 1-34, cranistes with 39 teeth (artheres) and SHIMANO Nation STIPPS BEND (SAMP ARCHER 3 speed internal gare) hub, SHIMANO X1 cassette, craniscer with 39 teeth (artheres) and shifters, STURMEY ARCHER 1-19chshift 30-30 speed, rear derailleur MICROSHIFT XLE MICROSHIFT / STURMEY ARCHER Tripleshift 30-30 speed, rear derailleur, craniscer with 39 teeth (artheres) and driverrain SRAM JO 30 speed, SRAM CX rear derailleur, craniscer 60-52-40, MICROSHIFT / STURMEY ARCHER STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, craniscer with 39 teeth (artheres) shamed shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, craniscer with 39 teeth (artheres) shamed shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, craniscer with 39 teeth (artheres) shamed shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, craniscer with 39 teeth (artheres) shamed shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, craniscer with 39 teeth (artheres) shamed shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, craniscer with 39 teeth (artheres) shamed shifters, STURMEY ARCHER 3 speed internal shifters, STURMEY ARCHER 3 speed shifters, STURMEY ARCHER 3 speed rear derailleur, STURMEY ARCHER 3 speed shifters, STURMEY ARCHER 3 speed shifter, STURMEY AR			Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		79.00
Tewist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette II-34, crankset with 39 teeth drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black Criverain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY ARCHER barend shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 60-52-40, MICROSHIFT front derailleur, SRAM SL-500 Size and drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 60-52-40, MICROSHIFT front derailleur, SRAM SL-500 Size and drivetrain PINION CI.12 12 speed front gear box, long twist shifter C.1,11 C.1,12 C.1,12 C.1,12 C.1,13 C.1,14 C.	Power shiffers, STURNEY ARCHER 3 speed internal gear hub, SHIMANO cassetre II-34, crankest with 39 teeth drivertanis TURNEY ARCHER 17pleshiffs 30 speed, rear derailleur MICROSHIFT / STURNEY ARCHER 17pleshiffs 30 speed, rear derailleur MICROSHIFT / STURNEY ARCHER 17pleshiffs 30 speed, rear derailleur MICROSHIFT / SEL MICROSHIFT / STURNEY ARCHER 17pleshiffs 30 speed, rear derailleur MICROSHIFT / STURNEY ARCHER 17pleshiffs 30 speed, rear derailleur MICROSHIFT / STURNEY ARCHER 17pleshiffs 30 speed, rear derailleur, SRAM Statest vib 39 teeth drivertanis STURNEY ARCHER 17pleshiffs 30 speed, rear derailleur, Crankset 60-52-40. MICROSHIFT from derailleur, SRAM 51-500 339.0 drivetrain PINION CI.12 12 speed front gear box, long twist shifter. Streamer not compatible 2,190.0 drivetrain PINION CI.12 12 speed front gear box, long twist shifter 2,190.0 drivetrain PINION CI.12 12 speed front gear box, long twist shifter 2,190.0 drivetrain PINION CI.12 12 speed front gear box, long twist shifter 2,190.0 drivetrain PINION CI.12 12 speed front gear box, long twist shifter 2,190.0 drivetrain PINION CI.12 12 speed front gear box, long twist shifter 2,190.0 drivetrain PINION STEPS E6100 Nexus DI2 up to 20 mph, SHIMANO Nexus 8 speed DI2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Carge Cues DI2 up to 20 mph, SHIMANO Cues DI2 10-speed derailleur, Li-lonen battery 418 Wh, 2 A charger push assist up to 4 mph, freeshiff and autoshiff function 4,090.0 driver's SHIMANO STEPS E7801 Carge Cues DI2 up to 20 mph, SHIMANO Cues DI2 10-speed derailleur, Li-lonen battery 418 Wh, push assist dry his push assist dry his push assist dry his dry push assist dry his dry push assist dry his push assist forward and backwards, not compatible with streamer, d	Ш		rain cover for seats, Ripstop nylon fabric, blue		25.00
drivetrain SHIMANO Nexus B Premium 8 speed internal gear hub. SHIMANO Cassette IT-34, crankset with 39 teeth drivetrain SHIMANO Nexus B Speed internal gear hub with twits shifter, SHIMANO Cassette, Crankset with 39 teeth drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY ARCHER Tripleshift 30 30 speed internal gear hub. SHIMANO XT cassette, crankset with 39 teeth drivetrain SRAM/30 30 speed, SRAM GAS peed internal gear hub. SHIMANO XT cassette, crankset with 39 teeth drivetrain SRAM/30 30 speed, SRAM Gassette PG (1950 II-36 drivetrain PINION CI.12 12 speed front gear box, long twist shifter, Streamer not compatible drivetrain PINION CI.12 12 speed front gear box, long twist shifter 2,11 E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 s-speed rear derailleur, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph 2,24 Charger, push assist 4 mph 2,25 Chrive SHIMANO STEPS E6100 Nexus D12 Up to 20 mph, SHIMANO Nexus 8 speed D12 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph 2,26 Charger, push assist 4 mph 2,26 Charger, push assist 4 mph 2,27 Charger 2 A, push assist up to 4 mph, Freshlift and autoshift function 2,40 Charger 2 A, push assist up to 4 mph, Freshlift and autoshift function 2,40 Charger 2 A, push assist up to 4 mph, Freshlift and autoshift function 2,40 Charger 2 A, push assist up to 4 mph, Freshlift and autoshift function 2,40 Charger 2 A, push assist 4 mph 2,40 Charger 2 A, push assist up to 4 mph, Freshlift and autoshift function 2,40 Charger 2 A, push assist 4 mph 2,40 Charger	Comparison of the Comparison					0.00
drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY ARCHER STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, crankset with 39 ceeth drivetrain SRAM 30 speed, SRAM GX rear derailleur, crankset 60-52-40, MICROSHIFT front derailleur, SRAM SL-500 barend shifters, SRAM Gassette PG 1050 11-36 drivetrain RNAM/30 30 speed, SRAM GX rear derailleur, crankset 60-52-40, MICROSHIFT front derailleur, SRAM SL-500 drivetrain RNAM/30 from Step Step Step Step Step Step Step Step	drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY ARCHER barend shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT castestre, crankset with 39 teeth drivetrain RSAM/30 30 speed, SRAM CAS rear derailleur, crankset 60-52-40, MICROSHIFT front derailleur, SRAM SL-500 339.0			/ twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 39 teeth		
ARCHER barend shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth drivetrain SRAM/33 03 speed, SRAM GX rear derailleur, crankset 60-52-40, MICROSHIFT front derailleur, SRAM SL-500 barend shifters, SRAM cassette PG 1050 11-36 drivetrain PINION CI.12 12 speed front gear box, long twist shifter drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS E7801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen battery 418 Wh, 24 A charger, push assist 4 mph E-drive NEODRIVES Z20 with FINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, Display position: O above handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not comparent, display position: O above handlebar O side of handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not comparent, display position: O above handlebar O side of handlebar E-drive NEODRI	ARCHER barend shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth drivetrain SRAM/33 03 opeed, SRAM GX rear derailleur, crankset 60-52-40, MICROSHIFT front derailleur, SRAM SL-500 339.0 drivetrain SRAM/33 03 opeed, SRAM GX rear derailleur, crankset 60-52-40, MICROSHIFT front derailleur, SRAM SL-500 21,190.0 drivetrain PINION CI.12 12 speed front gear box, long twist shifter 21,190.0 drivetrain ROHLOFF Speedhubl/14 14 speed, black, long twist shifter 21,190.0 drivetrain ROHLOFF Speedhubl/14 14 speed, black, long twist shifter 22,190.0 drivetrain ROHLOFF Speedhubl/14 14 speed, black, long twist shifter 22,190.0 drivetrain ROHLOFF Speedhubl/14 14 speed, black, long twist shifter 24, charger, push assist 4 mph 22,290.0 drivetrain ROHLOFF Speedhubl/14 14 speed, black, long twist shifter 24, charger, push assist 4 mph 24, charger, push assist 4 mph 24, charger, push assist 4 mph 25, charger, push assist 4 mph 26, charger push assist 4 mph 27, charger push assist 4 mph 28, charger push 28, charger push 2			· · · · · · · · · · · · · · · · · · ·		45.00
drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 60-52-40, MICROSHIFT front derailleur, SRAM SL-500 barend shifters, SRAM cassette PG 1050 11-36 drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible drivetrain PINION C1.12 12 speed front gear box, long twist shifter E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E5000 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery 418 Wh, 2 A charger 2 A push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS E7801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen battery 418 Wh, push assist 4 mph E-drive NEODRIVES 220 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar E-drive NEODRIVES 220 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A chainwheed disc instead of chain guard, 150 g / 0,33lbs light	drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, cranises 60-52-40, MICROSHIFT front derailleur, SRAM SL-500 339.0 349.0			·		219.00
Darend shifters, SRAM cassette PG 1050 11-36 3.3	Darend shifters, SRAM cassette PG 1050 11-36 drivetrain PINION C1.12 12 speed front gear box, long twist shifter 2,190.0 drivetrain ROHLOFF Speedhub/1 41 speed, black, long twist shifter E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS E7801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq Internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen battery 418 Wh, push assist 4 mph E-drive NEODRIVES 220 with SRAM/30 up to 20 mph, 30 speed, rear deraillieur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar o sleed of handlebar E-drive NEODRIVES 220 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar o sleed of handlebar o sleed of handlebar of sleed			· · · ·		
drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh. 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS E801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen battery 418 Wh, push assist 4 mph E-drive SHIMANO STEPS E801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen battery 418 Wh, push assist 4 mph E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A chainwheel disc instead of chain guard, 150 g / 0.33lbs lighter (only with 30 gear options) short cranks 155 mm / 6,1°, recommended for riders under 175 cm / 5,7° tire exchange from SCHWALBE Tryker 40 mm / 1,6° to O Marathon Plus 47 mm / 1,8°	drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible 2,190.0 drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter 2,190.0 drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter 2,190.0 drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter 2,190.0 drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter 2,190.0 drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter 2,190.0 drivetrain ROHLOFF Speedhub/14 up to 20 mph, SRAM X4 speed rear derailleur, Li-Ionen battery 418 Wh. 2 A charger, push assist 4 mph 2,290.0 drivetrain ROHLOFF Set 5000 Nexus D12 up to 20 mph, SHIMANO Nexus 8 speed D12 gear hub, Li-Ionen battery 418 Wh. 2 A charger, push assist 4 mph 2 E-drive SHIMANO STEPS E9801 Cargo Cues D12 up to 20 mph, SHIMANO Cues D12 10-speed derailleur, Li-Ionen 2 Battery with 418 Wh. charger 2 A push assist up to 4 mph, freeshift and autochift function 2 E-drive SHIMANO STEPS E9801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq intermal steplets shifting, Li-Ionen battery 418 Wh. push assist 4 mph 2 E-drive SHIMANO STEPS E9801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq intermal steplets shifting, Li-Ionen battery 418 Wh. push assist 4 mph 2 E-drive NEODRIVES 220 with SRAM/30 up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-Ionen 2 Space States 1 Space			·		339.00
drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS E7801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen battery 418 Wh, push assist 4 mph E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM, SL-500, casteres SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of han	The Purpose of the Control of the Co					2 100 00
E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh. 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh. 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh. 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh. charger 2 A push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS E7801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh. 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen battery 418 Wh. 2 A charger, push assist 4 mph E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: 0 above handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: 0 above handlebar O side of handlebar E-drive pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options) big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options) short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" trie exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting. Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting. Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever E-drive NEODRIVES Z00 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever E-drive NEODRIVES Z00 with SRAM/30 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar E-drive NEODRIVES Z00 with SIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A E-drive NEODRIVES Z00 with SIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A E-drive NEODRIVES Z00 with SIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A E-drive NEODRIVES Z00 with SIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A E-drive NEODRIVES Z00 with SIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A E-drive NEODRIVES Z00 with SIMANO STEPS Li-lonen battery, 630 Wh, fa		_			
2 A charger, push assist 4 mph E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen battery 418 Wh, push assist 4 mph E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A definition of the property of the proper	2 A charger, push assist 4 mph 2,240.0 2 A charger, push assist 4 mph 2,640.0 2,640.0 2 His Wh, 2 A charger, push assist 4 mph 2,640.0 2 His Wh, 2 A charger, push assist 4 mph 2,640.0 2 His Wh, 2 A charger, push assist 4 mph 2,640.0 2 His Wh, 2 A charger, push assist 4 mph 2,640.0 2 His Wh, 2 A charger, push assist 4 mph 2 His Wh, 2 A charger, push assist 4 mph 2 His Wh, 2 A charger, push assist 4 mph 2 His Wh, 2 A charger, push assist 4 mph 2 His Wh, 2 A charger, push assist 4 mph 2 His Wh, 2 A charger, push assist 4 mph 2 His Wh, 2 A charger, push assist 4 mph 2 His Wh, 2 A charger 2 A push assist up to 4 mph, freeshift and autoshift function 2 His Wh, 2 A charger 2 A push assist up to 4 mph, freeshift and autoshift function 2 His Wh, 2 A charger 2 A push assist 4 mph 2 His Wh, 2 A charger, push assist 4 mph 3 His Wh, 2 A charger, push assist 4 mph 3 His Wh, 2 A charger, push assist 4 mph 3 His Wh, 2 A charger, push assist 4 mph 3 His Wh, 2 A charger, push assist 4 mph 4 His Wh, 2 A charger, push assist		ш			2,190.00
E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-Ionen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-Ionen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-Ionen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS E801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-Ionen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-Ionen battery 418 Wh, push assist 4 mph E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ionen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-Ionen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-Ionen battery, 630 Wh, fast charger with 4 A chainwheel disc instead of chain guard, 150 g / 0.33lbs lighter (only with 30 gear options) hort cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive NEODRIVES 220 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chaining set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar E-drive NEODRIVES 220 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A chainwheel disc instead of chain guard, 150 g / 0.33lbs lighter (only with 30 gear options) short cranks 155 mm / 6,1°, recommended for riders under 175 cm / 5,7° 25.00 ritie exchange from SCHWALBE Tryker 40 mm / 1,6° to O Marathon Plus 47 mm / 1,8° O Kojak 35 mm / 1,4° (SRAM/30) ritie exchange from SCHWALBE Tryker 40 mm / 1,6° to O Marathon Plus 47 mm / 1,8° O Kojak 35 mm / 1,4° (SRAM/30) disc brakes AVID BB7 mechanical, separate brake per front wheel (basic specification) disc brakes AVID BB7 mechanical, separate brake per front wheel (basic specification) disc brakes SHIMANO STEPS Elone battery. Coupled front brakes with one-hand operation and parking brake funct					2,290.00
His Wh., 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-Ionen battery 418 Wh., 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-Ionen battery with 418 Wh., charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal steepless shifting, Li-Ionen battery 418 Wh., 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-Ionen battery 418 Wh., push assist 4 mph E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ionen battery 576 Wh., push assist forward and backwards, Display position: O above handlebar O side of handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-Ionen 576 Wh., push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-Ionen battery, 630 Wh., fast charger with 4 A Chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options) short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	### 18 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen battery 418 Wh, push assist 4 mph E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassertes SRAM; chaining set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A chainwheel disc instead of chain guard, 150 g / 0.33lbs lighter (only with 30 gear options) short cranks 155 mm / 6.1", recommended for riders under 175 cm / 5.7" tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION) disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable 269.0					
E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen battery 418 Wh, push assist 4 mph E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options) short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen battery 418 Wh, push assist 4 mph E-drive NEODRIVES 220 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar of backwards, not compatible with streamer, display position: O above handlebar of backwards, not compatible with streamer, display position: O above handlebar of backwards, not compatible with streamer, display position: O above handlebar of backwards, not compatible with streamer, display position: O above handlebar of backwards, not compatible with streamer, display position: O above handlebar of backwards, not compatible with streamer, display position: O above handlebar of side of handlebar of handlebar of high backwards, not compatible with streamer, display position: O above handlebar of side of handlebar of handlebar of high backwards, not compatible with streamer, display position: O above handlebar of side of handlebar of handlebar of high backwards, not compatible with streamer, display position: O above handlebar of side of handlebar of handlebar of handlebar of high backwards, not compatible with streamer, display position: O above handlebar of side of handlebar of handlebar of handlebar of high handlebar of handlebar					2,640.00
charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen battery 418 Wh, push assist 4 mph E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options) short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	charger, push assist 4 mph charger, push assist 4 mph					
E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen battery 418 Wh, push assist 4 mph E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options) short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph	Ę.		· · · · · · · · · · · · · · · · · · ·		3,190.00
E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen battery 418 Wh, push assist 4 mph E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options) short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph	etra				
E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen battery 418 Wh, push assist 4 mph E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options) short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph	-≥				4,090.00
internal stepless shifting, Li-Ionen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-Ionen battery 418 Wh, push assist 4 mph E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ionen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-Ionen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-Ionen battery, 630 Wh, fast charger with 4 A chainwheel disc instead of chain guard, 150 g / 0,331bs lighter (only with 30 gear options) short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION)	Internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph	٦٦				
battery 418 Wh, push assist 4 mph E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar C side of handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options) short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	battery 418 Wh, push assist 4 mph E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar E-drive NEODRIVES Z20 with PINION CI.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A chainwheel disc instead of chain guard, 150 g / 0.33lbs lighter (only with 30 gear options) short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5.7" tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable 269.0		ш	internal stepless shifting, Li-Ionen battery 418 Wh, 2 A charger, push assist 4 mph		4,850.00
E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar Cipy position: O above handlebar Cipy position: O above handlebar O side of handlebar Cipy position: O above handlebar O side of handlebar Cipy pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A Cipy chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options) short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A			E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen		
□ SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, 3,9% □ Display position: O above handlebar O side of handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar 5,5% □ big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A 44 □ chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options) 5 □ short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" 5 □ tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) 6 □ disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) 6	SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options) short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) disc brakes AVID BB7 mechanical, separate brake per front wheel disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable 3,930.0 3,930.0 3,930.0 3,930.0 5,550.0 5,5		ш	battery 418 Wh, push assist 4 mph		5,250.00
Display position: O above handlebar O side of handlebar E-drive NEODRIYES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options) short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	Display position: O above handlebar O side of handlebar E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options) short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable 269,0			E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever		
E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options) short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A			SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ionen battery 576 Wh, push assist forward and backwards,		3,930.00
backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options) short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A					
backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A 44 chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options) 5 short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" 5 tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	backwards, not compatible with streamer, display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A					5,550.00
□ chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options) : □ short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" : □ tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) : □ disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) :	Chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options) 39.0				\longrightarrow	
short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	Short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" 25.0	1	┙			449.00
tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION) 49.0	1				39.00
or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	or PINION) or PINION	1				25.00
disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) 0.0					49.00
	disc brakes AVID BB7 mechanical, separate brake per front wheel disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable 75.0 199.0 229.0	H		,		
U disc brakes AVID BB7 mechanical, separate brake per front wheel	disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable 199.0				\longrightarrow	0.00
E L L AVED DET LICE II L L L L L L L L L L L L L L L L L L	front brake lever: O left O right hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable 199.0 329.0		ш			75.00
disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function	tront brake lever: O left O right hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable 329.0	s		· · · · · · · · · · · · · · · · · · ·		199.00
Tront Drake lever: O left O right	function, rear disc brake, front brake lever: O left O right disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable 269.0	ake				
	disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable	ģ				329.00
			ام		+++	240.00
This collaboration of the production of the prod	LI Linarking brake SHIMANO rear wheel V-Brake with thumblever	 	_		+++	
Inarking brake SHIMANO rear wheel V-Brake with thumblever	parking brake SHIMANO rear wheel V-Brake with thumblever		J	Parking of are of intitated real wheel Y-blake with thumblever		65.00





	×	Item	sugg. retail \$				
ac	accessories Surcharges, additional accessories on the "Comfort and rehab options" order form						
		light wire routing only twin wires routed through the frame for hub dynamo	119.00				
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight	129.00				
		lighting system SON xs-m disc dynohub/IQ-X with front and rear parking lights, SCHMIDTS ORIGINAL					
		NABENDYNAMO hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat	769.00				
		S plus with brake light, in combination with e-drive no quick frame adjustment possible					
	lo	B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to	239.00				
	-	80 Lux, rear light B&M Toplight 2C DC	237.00				
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	319.00				
		indicator lights system WingBling only in conjunction with electric drive	739.00				
		rear rack 10 mm (0.39") tube, black powder coating, max. load 55 lbs / 25 kg	99.00				
		side bag mount mounting for handlebar bags, fixed to the frame, maximum load 5 kg / 11 lbs, left and right, incl. ring clamp,	170.00				
		unmounted, folding function limited, bike can no longer be pulled on wheels (bags not included)	179.00				
S		mudguard set HP Trikefender front 60 mm / 2,4" width, rear SKS 53 mm / 2,1" with spoiler, black	329.00				
Jrie		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	129.00				
accessories		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted	79.00				
acc		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	89.00				
		rear mirror B&M E both sides left and right knuckle mounting	178.00				
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	65.00				
		rear mirror MIRRYCLE both sides barend mounting left and right	130.00				
		flag HP VELOTECHNIK double-sided print, with reflective strip	29.00				
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø	40.00				
	-	0,87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88lbs, unmounted	49.00				
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	29.00				
		air horn AIRZOUND XL about 30-115 dB	39.00				
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)	699.00				
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	99.00				
		frame lock AXA Victory with removable key, without chain, black	99.00				
		chain for frame lock AXA length 100 cm / 39,4"	35.00				





	×	Item			sugg. retail \$			
G	Gekko fx 26 US VERSION foldable recumbent trike 20"/26" (GEL)							
		Gekko fx 26 "s	port" model drivetrain SRAM X4 24 speed, SHIMANO BR-MT200 hydraulic disc brakes		2,430.00			
			performance" model drivetrain 27 speed, rear derailleur SHIMANO Deore 9 speed, barend shifter MICROSHIFT, ANO, brakes SHIMANO XT hydraulic		3,190.00			
			omfort" model drivetrain SRAM GX 10 speed with barend shifter, Avid BB7 coupled mechanical disc brakes, Irest, seat angle adapter, parking brake, Gekko seat cushion, 2 piece handlebar with qr clamp for fast adjusting		3,590.00			
			ands-On-Cycle (HOC) The HP hand drive mounted on a HPVELOTECHNIK trike, colour: blue shade grey matt, , height adjustable, length adjustable, adjustable leg rest, parking brake, width adjustable hand crank, restricts		6,990.00			
ор	tio	ns			-			
	×	standard col	our O Magma red O Deep blue		0.00			
G	ekk	o 26 acce	essories extra charge, accessories not assembled					
			headrest for mesh seats adjustable in height and angle, with quick release lever		189.00			
		SIZUBV	seat angle adapter to adjust the backrest in a more upright position, with quick release		119.00			
		SIKIGEF	Gekko seat pad additional comfortable upholstered seat pad to attach to the normal seat, fastening with		189.00			
)	SIKIGLI	buckles, breathable upholstery (already included in comfort box)		107.00			
		TAEPPA	Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		79.00			
		LEHAPAKO	handrests left and right comfortable hand support, mounted on handlebar, removable cushion		169.00			
		SIZURS	rain cover for seats, Ripstop nylon fabric, blue		25.00			
		TASHSCF	transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric		99.00			
s		BRPBS	parking brake SHIMANO rear wheel V-Brake with thumblever		65.00			
accessories		LESHGE	side bag mount mounting for handlebar bags, fixed to the frame, maximum load 5 kg / 11 lbs, left and right, incl. ring clamp, unmounted, folding function limited, bike can no longer be pulled on wheels (bags not included)		179.00			
ģ		GTKOGEF	rear rack 10 mm (0.39") tube, black powder coating, max. load 55 lbs / 25 kg		99.00			
		RSPBESK	rear mirror B&M E left wide view angle, easy to adjust, incl. mounting hardware		89.00			
		RSPBESKR	rear mirror B&M E right wide view angle, easy to adjust, incl. mounting hardware		89.00			
		RTZUSV	front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers		249.00			
		TFSETEM	water bottle set HP VELOTECHNIK 2 x 0.6 l PE-bottle with HP print, with bottle cages, mounted		79.00			
		СНИНТВ	universal mount for accessories Mounting on the handlebar end, Ø 22.2 mm / 0,87" tube holder for accessories like phone holder / GPS devices / bell, max. load 400 grams / 0,88lbs, unmounted		49.00			
		CHSMSET	speedometer mount for computers or battery lights, incl. sensor bracket for front wheel		29.00			
		SBKO26S3	mudguard set HP Trikefender front 60 mm / 2,4" width, rear SKS 53 mm / 2,1" with spoiler, black		329.00			
L		WIHP	flag HP VELOTECHNIK double-sided print, with reflective strip		29.00			

All prices in US\$ and per item. The MSRP is calculated including shipping costs. This form is valid for USA orders only. Our general terms and conditions shall apply for all order. Please see 2025 HP VELOTECHNIK trade price list for details



notes





		ובבחוא						
	×	Item		su	ıgg. retail \$			
Ge	Gekko 26 US VERSION recumbent trike 20"/26" (GEN) / shipment from US-warehouse, partly assembled							
	×		erformance" model color: lime green, drivetrain 27 speed, rear derailleur SHIMANO Deore 9 speed, barend SHIFT, crankset SHIMANO, brakes SHIMANO XT hydraulic		2,890.00			
	×		permonent" model drivetrain SRAM GX 10 speed with barend shifter, Avid BB7 coupled mechanical disc brakes, irest, seat angle adapter, parking brake, Gekko seat cushion, 2 piece handlebar with qr clamp for fast adjusting		3,290.00			
	×		unds-On-Cycle (HOC) The HP hand drive mounted on a HPVELOTECHNIK trike, colour: blue shade grey drive, height adjustable, length adjustable, adjustable leg rest, parking brake, width adjustable hand crank		6,690.00			
ор	tio	ns						
	×	standard col	our O Lime green O Deep blue		0.00			
Ge	kk	o 26 acce	essories extra charge, accessories not assembled					
		SIHPKNESK	headrest for mesh seats adjustable in height and angle, with quick release lever		189.00			
		SIZUBV	seat angle adapter to adjust the backrest in a more upright position, with quick release		119.00			
		SIKIGEF	Gekko seat pad additional comfortable upholstered seat pad to attach to the normal seat, fastening with buckles, breathable upholstery (already included in comfort box)		189.00			
		TAEPPA	Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		79.00			
		LEHAPAKO	handrests left and right comfortable hand support, mounted on handlebar, removable cushion		169.00			
S		SIZURS	rain cover for seats, Ripstop nylon fabric, blue		25.00			
		TASHSCF	transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric		99.00			
		BRPBS	parking brake SHIMANO rear wheel V-Brake with thumblever		65.00			
accessories		LESHGE	side bag mount mounting for handlebar bags, fixed to the frame, maximum load 5 kg / 11 lbs, left and right, incl. ring clamp, unmounted, folding function limited, bike can no longer be pulled on wheels (bags not included)		179.00			
а		GTKOGEF	rear rack 10 mm (0.39") tube, black powder coating, max. load 55 lbs / 25 kg		99.00			
		RSPBESK	rear mirror B&M E left wide view angle, easy to adjust, incl. mounting hardware		89.00			
		RSPBESKR	rear mirror B&M E right wide view angle, easy to adjust, incl. mounting hardware		89.00			
		RTZUSV	front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers		249.00			
		TFSETEM	water bottle set HP VELOTECHNIK 2 x 0.6 l PE-bottle with HP print, with bottle cages, mounted		79.00			
		СНИНТВ	universal mount for accessories Mounting on the handlebar end, Ø 22.2 mm / 0,87" tube holder for accessories like phone holder / GPS devices / bell, max. load 400 grams / 0,88lbs, unmounted		49.00			
		CHSMSET	speedometer mount for computers or battery lights, incl. sensor bracket for front wheel		29.00			
		SBKO26S3	mudguard set HP Trikefender front 60 mm / 2,4" width, rear SKS 53 mm / 2,1" with spoiler, black		329.00			
		WIHP	flag HP VELOTECHNIK double-sided print, with reflective strip		29.00			

All prices in US\$ and per item. The MSRP is calculated including shipping costs. This form is valid for USA orders only. Our general terms and conditions shall apply for all order. Please see 2025 HP VELOTECHNIK trade price list for details



notes





	×	Item	sugg. retail \$
S.	<u> </u>	nian 3 - recumbent trille 20"/24" (SCO2)	, , , , , , , , , , , , , , , , , , ,
3 C		pion 2 recumbent trike 20"/26" (SCO2)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		Scorpion 2 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes	4,990.00
	ر ب	Scorpion 2 frameset with suspension, seat, handlebar, front hubs, chain guide setup	4,260.00
op	tio	ns extra charge – drivetrain and brake options for complete bikes only	
		standard colour O Peeka blue O Anthracite grey metallic matt	0.00
		single custom colour according to RAL-colour chart: (please specify)	229.00
		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	319.00
frame		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)	0.00
fra		front boom carbon saves 170 g / 0,37 lbs of weight, not with STEPS / PINION	239.00
		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00
		front boom quickadjust without chain compensation QR-levers	59.00
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	249.00
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00
		ErgoMesh HS meshseat (4.3" higher than EM seat)	0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)	0.00
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	369.00
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)	369.00
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)	369.00
		BodyLink seat	199.00
		BodyLink seat with brackets for small riders (1.6" to the front)	199.00
seat		seat angle adapter for ErgoMesh Premium seats to adjust the backrest in a more upright position	119.00
Ň		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)	25.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	169.00
		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00
		headrest for mesh seats adjustable in height and angle, with quick release lever	189.00
		SeatWings hip support for BodyLink seat, carbon fiber, padded	319.00
	_	adjustable end stops allow exact positioning of the seat	19.00
	_	two adjustable end stops for ErgoMesh Premium seats only	38.00
	_	Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag	79.00
		rain cover for seats, Ripstop nylon fabric, blue	25.00
	J	rear shock DNM DV-22 (basic specification)	25.00
		O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 308 lbs	0.00
		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur	
		/ twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 39 teeth	0.00
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	45.00
		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY	
u		ARCHER barend shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth	219.00
		drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 52-42-30, MICROSHIFT front derailleur, SRAM SL-500	320.00
		barend shifters, SRAM cassette PG 1050 11–36	339.00
		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	2,190.00
		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	2,190.00
rain	П	E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-Ionen battery 418 Wh,	2,290.00
drivetrain	_	2 A charger, push assist 4 mph	2,270.00
dri		E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery	2,640.00
	_	418 Wh, 2 A charger, push assist 4 mph	2,540.00
		E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A	3,190.00
		charger, push assist 4 mph	3,79.00
		E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen	4,090.00
		battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function	
		E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq	4,850.00
		internal stepless shifting, Li-Ionen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-Ionen	-
		battery 418 Wh, push assist 4 mph	5,250.00





		-	VELDTELHINK
	×	Item	sugg. retail \$
		E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever	1 1 1
		SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ionen battery 576 Wh, push assist forward and backwards,	3,930.00
		Display position: O above handlebar O side of handlebar	
		E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and	5 550 00
		backwards, not compatible with streamer, display position: O above handlebar O side of handlebar	5,550.00
_		big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A	449.00
rai		2nd battery pack for SHIMANO STEPS Li-lonen battery, 630 Wh, battery holder, battery adapter set, (restricts folding	1 310 00
drivetrain	_	function), without power supply, battery must be inserted for use in main battery holder	1,319.00
dri		2nd battery pack for NEODRIVES Z20 36 V Li-ionen battery, 576 Wh, battery adapter set, cable extension for	1,200,00
	ш	convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)	1,290.00
		short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7"	25.00
		chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options)	39.00
		tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30	1 1 1
		or PINION)	49.00
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	0.00
		disc brakes AVID BB7 mechanical, separate brake per front wheel	75.00
		disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function	100.00
(es		front brake lever: O left O right	199.00
brakes		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake	
_		function, rear disc brake, front brake lever: O left O right	329.00
		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable	269.00
		parking brake SHIMANO rear wheel V-Brake with thumblever	65.00
20	C 0.5	sories Surcharges, additional accessories on the "Comfort and rehab options" order form	
ac			1 1 110 00
		light wire routing only twin wires routed through the frame for hub dynamo	119.00
	ш	lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight	145.00
		lighting system SON xs-m disc dynohub/IQ-X with front and rear parking lights, SCHMIDTS ORIGINAL	7,000
	_	NABENDYNAMO hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake light, in combination with e-drive no quick frame adjustment possible	769.00
		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to	
		80 Lux, rear light B&M Toplight 2C DC	239.00
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	319.00
	\vdash		
		indicator lights system WingBling only in conjunction with electric drive	739.00
	\vdash	rear rack 14 mm (0.55") tube, black powder coating, max. load 55 lbs / 25 kg	279.00
		top load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs	219.00
S		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted	179.00
rie.		mudguard set HP Trikefender front 60 mm / 2,4" width, rear SKS 53 mm / 2,1" with spoiler, black	329.00
ccessories		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	129.00
SCE		water bottle set HP VELOTECHNIK 2 x 0.6 I PE-bottle with HP print, with bottle cages, mounted	79.00
В		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	89.00
		rear mirror B&M E both sides left and right knuckle mounting	178.00
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	65.00
		rear mirror MIRRYCLE both sides barend mounting left and right	130.00
		flag HP VELOTECHNIK double-sided print, with reflective strip	29.00
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø	49.00
		0,87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88lbs, unmounted	
]	speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	29.00
		air horn AIRZOUND XL about 30-115 dB	39.00
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)	699.00
		frame lock AXA Victory with removable key, without chain, black	85.00
		chain for frame lock AXA length 100 cm / 39,4"	35.00





	×	Item	sugg. retail \$						
Sa	- N	nian fy foldable regumbent trike 20"/20" (SCE2)							
30	Scorpion fx foldable recumbent trike 20"/20" (SCF2) Scorpion fx basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes 5,790.0								
			5,790.00						
	_	Scorpion fx frameset with suspension, seat, handlebar, front hubs, chain guide setup	5,060.00						
options extra charge – drivetrain and brake options for complete bikes only									
		standard colour O Pearlorange O Cool grey metallic	0.00						
		single custom colour according to RAL-colour chart: (please specify)	229.00						
	-	double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	319.00						
ıme	_	front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)	0.00						
frame		front boom carbon saves 170 g / 0,37 lbs of weight, not with STEPS / PINION	239.00						
	_	length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00						
		front boom quickadjust without chain compensation QR-levers	59.00						
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	249.00						
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00						
		ErgoMesh HS meshseat (4.3" higher than EM seat)	0.00						
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00						
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)	0.00						
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.00						
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	369.00						
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)	369.00						
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)	369.00						
		BodyLink seat	199.00						
		BodyLink seat with brackets for small riders (1.6" to the front)	199.00						
at		seat angle adapter for ErgoMesh Premium seats to adjust the backrest in a more upright position	119.00						
seat		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)	25.00						
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	169.00						
		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00						
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00						
		headrest for mesh seats adjustable in height and angle, with quick release lever	189.00						
		SeatWings hip support for BodyLink seat, carbon fiber, padded	319.00						
		adjustable end stops allow exact positioning of the seat	19.00						
	=	two adjustable end stops for ErgoMesh Premium seats only	38.00						
		rain cover for seats, Ripstop nylon fabric, blue	25.00						
	\vdash	Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00						
	一	Microbag topbag for BodyLink seat, detachable as hip bag, I litre	49.00						
	Ħ	rear shock DNM DV-22 (basic specification)	15.00						
		O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 220 lbs O hard: 550 lbs/inch, up to 308 lbs	0.00						
		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00						
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear							
	ш	derailleur/twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 46 teeth	0.00						
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	45.00						
		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur and barend shifter MICROSHIFT XLE, cassette							
		SHIMANO XT, STURMEY ARCHER 3-speed internal gear hub and bar end shifter, crankset with 46 teeth	219.00						
		drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 60-52-40, MICROSHIFT front derailleur, SRAM SL-500	420.00						
		barend shifters, SRAM cassette PG 1050 11–36	429.00						
		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	2,190.00						
_		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	2,190.00						
drivetrain		E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh,	2,290.00						
vet	_	2 A charger, push assist 4 mph	2,270.00						
dri		E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery	2,640.00						
	_	418 Wh, 2 A charger, push assist 4 mph	2,010.00						
		E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A	3,190.00						
		charger, push assist 4 mph							
		E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen	4,090.00						
		battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function							
		E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph	4,850.00						
		E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen	 						
		battery 418 Wh, push assist 4 mph	5,250.00						
		/ /F::: F							





	×	Item	sugg	g. retail \$
		E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever		
		SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ionen battery 576 Wh, push assist forward and backwards,	3,9	930.00
		Display position: O above handlebar O side of handlebar		
		E-drive NEODRIVES Z20 with PINION C1.12 up to 16 mph, hub motor, 12 speed PINION C1.12 bottom bracket		
		gearbox, Li-lonen battery with 576 Wh, push assist forward and backwards, not compatible with streamer, 4 A charger,	5,5	550.00
ä.		display position: O above handlebar O side of handlebar big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A		449.00
drivetrain]	2nd battery pack for SHIMANO STEPS Li-lonen battery, 630 Wh, battery holder, battery adapter set, (restricts folding		147.00
.≟		function), without power supply, battery must be inserted for use in main battery holder	1,3	319.00
ľ		2nd battery pack for NEODRIVES Z20 36 V Li-ionen battery, 576 Wh, battery adapter set, cable extension for		
		convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)	1,2	290.00
		short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7"		25.00
	Ť	tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30		23.00
		or PINION)		49.00
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)		0.00
		disc brakes AVID BB7 mechanical, separate brake per front wheel		75.00
	_	disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function		73.00
es		front brake lever: O left O right		199.00
brakes		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake		
٩		function, rear disc brake, front brake lever: O left O right	3	329.00
		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable	2	269.00
		parking brake SHIMANO rear wheel V-Brake with thumblever		65.00
20	_	sories Surcharges, additional accessories on the "Comfort and rehab options" order for	m	-
ac	_	light wire routing only twin wires routed through the frame for hub dynamo		119.00
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight		129.00
	_	lighting system SON xs-m disc dynohub/IQ-X with front and rear parking lights, SCHMIDTS ORIGINAL		27.00
		NABENDYNAMO hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat	7	769.00
		S plus with brake light, in combination with e-drive no quick frame adjustment possible		
		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to		220.00
		80 Lux, rear light B&M Toplight 2C DC		239.00
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	3	319.00
		indicator lights system WingBling only in conjunction with electric drive	7	739.00
		rear rack 12 / 10 mm (0.47" / 0.39") tube, black powder coating, max. load 55 lbs / 25 kg	3	329.00
		lowrider rack 0mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack)	-	169.00
		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted		179.00
S		mudguard set HP Trikefender front 60 mm / 2,4" width, rear SKS 53 mm / 2,1" with spoiler, black	3	329.00
į.		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		129.00
ccessories		water bottle set HP VELOTECHNIK 2 x 0.6 l PE-bottle with HP print, with bottle cages, mounted		79.00
		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right		89.00
a		rear mirror B&M E both sides left and right knuckle mounting		178.00
		rear mirror MIRRYCLE with barend mounting, also computer mount. O left. O right		65.00
		rear mirror MIRRYCLE both sides barend mounting left and right		130.00
	-	flag HP VELOTECHNIK double-sided print, with reflective strip		29.00
	1	universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø		27.00
		0,87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88lbs, unmounted		49.00
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel		29.00
	Н	air horn AIRZOUND XL about 30-115 dB	 	39.00
	_	Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)		
	F	transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	 	699.00
	-	·		99.00
l	_	frame lock AXA Victory with removable key, without chain, black		85.00 35.00
		chain for frame lock AXA length 100 cm / 39,4"		33.VU





<u> </u>	×	Item	Sugg. Fetall						
Sc	Scorpion fs 20 foldable full suspension trike 20"/20" (SFS)								
		Scorpion fs 20 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes	6,430.00						
		Scorpion fs 20 frameset with suspension, seat, handlebar, front hubs, chain guide setup	5,700.00						
on		ns extra charge – drivetrain and brake options for complete bikes only							
77	standard colour O Colza yellow RAL1021 O Blue shade grey matt 0.00								
		single custom colour according to RAL-colour chart:	229.00						
		double custom colour according to RAL-colour chart main frame:	319.00						
e e	_	front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)	0.00						
frame		front boom carbon saves 170 g / 0,37 lbs of weight, not with STEPS / PINION	239.00						
+	_	length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00						
		front boom quickadjust without chain compensation QR-levers	59.00						
ŀ		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	249.00						
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00						
		ErgoMesh HS meshseat (4.3" higher than EM seat)	0.00						
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00						
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)	0.00						
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.00						
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	369.00						
└ 		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)	369.00						
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)	369.00						
		BodyLink seat	199.00						
		BodyLink seat with brackets for small riders (1.6" to the front)	199.00						
at		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)	25.00						
seat		seat angle adapter for ErgoMesh Premium seats to adjust the backrest in a more upright position	119.00						
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	169.00						
		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00						
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00						
		headrest for mesh seats adjustable in height and angle, with quick release lever	189.00						
		SeatWings hip support for BodyLink seat, carbon fiber, padded	319.00						
J		adjustable end stops allow exact positioning of the seat	19.00						
ļ		two adjustable end stops for ErgoMesh Premium seats only	38.00						
ļ		rain cover for seats, Ripstop nylon fabric, blue	25.00						
ļ		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00						
		Microbag topbag for BodyLink seat, detachable as hip bag, 1 litre	49.00						
ヿ		rear shock DNM DV-22 (basic specification)	0.00						
ension		O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 225 lbs O hard: 550 lbs/inch, up to 285 lbs							
Jen.	_	rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00						
dsns		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar	0.00						
··		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar	39.00						
]		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear	0.00						
		derailleur/twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 46 teeth							
ļ		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	45.00						
ļ		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur and barend shifter MICROSHIFT XLE, cassette	219.00						
		SHIMANO XT, STURMEY ARCHER 3-speed internal gear hub and bar end shifter, crankset with 46 teeth drivetrain SRAM/30 30 speed SRAM GX rear derailleur, crankset 60-52-40, MICROSHIFT front derailleur, SRAM SI -500	-+						
ļ		drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 60-52-40, MICROSHIFT front derailleur, SRAM SL-500 barend shifters, SRAM cassette PG 1050 11-36	429.00						
ļ		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	2,190.00						
딡.		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	2,190.00						
drivetrain		E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh,							
<u>₹</u>		2 A charger, push assist 4 mph	2,290.00						
٦	ا ـ ِ ا	E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-Ionen battery							
ļ		418 Wh, 2 A charger, push assist 4 mph	2,640.00						
ļ		E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A	3,190.00						
ļ	_	charger, push assist 4 mph	3,190.00						
ļ		E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen	4,090.00						
		battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function	-1,070.00						
ļ		E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq	4,850.00						
ļ		internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph							
ļ		E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-Ionen battery 418 Wh, push assist 4 mph	5,250.00						
!	_								





	×	Item	sugg. re
		E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever	
		SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ionen battery 576 Wh, push assist forward and backwards,	3,930
		Display position: O above handlebar O side of handlebar	
	_	E-drive NEODRIVES Z20 with PINION C1.12 up to 16 mph, hub motor, 12 speed PINION C1.12 bottom bracket	
		gearbox, Li-lonen battery with 576 Wh, push assist forward and backwards, not compatible with streamer, 4 A charger, display position: O above handlebar O side of handlebar	5,550
aj.	П	big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A	449
drivetrain	Ë	2nd battery pack for SHIMANO STEPS Li-lonen battery, 630 Wh, battery holder, battery adapter set, (restricts folding	+ + + + + + + + + + + + + + + + + + + +
ŀ⋛		function), without power supply, battery must be inserted for use in main battery holder	1,319
ľ		2nd battery pack for NEODRIVES Z20 36 V Li-ionen battery, 576 Wh, battery adapter set, cable extension for	-
		convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)	1,290
		short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7"	25
		tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30	- + + +
		or PINION)	49
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	0
		disc brakes AVID BB7 mechanical, separate brake per front wheel	75
	-	disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function	
es		front brake lever: O left O right	199
brakes		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake	
٩		function, rear disc brake, front brake lever: O left O right	329
		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable	269
		parking brake SHIMANO rear wheel V-Brake with thumblever	65
20	_	sories Surcharges, additional accessories on the "Comfort and rehab options" order for	
ac	_	light wire routing only twin wires routed through the frame for hub dynamo	
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight	129
	_	lighting system SON xs-m disc dynohub/IQ-X with front and rear parking lights, SCHMIDTS ORIGINAL	1 1 127
		NABENDYNAMO hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat	769
		S plus with brake light, in combination with e-drive no quick frame adjustment possible	
	١,	B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to	220
		80 Lux, rear light B&M Toplight 2C DC	239
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	319
		indicator lights system WingBling only in conjunction with electric drive	739
		rear rack 12 / 10 mm (0.47" / 0.39") tube, black powder coating, max. load 55 lbs / 25 kg	329
		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted	179
		mudguard set HP Trikefender front 60 mm / 2,4" width, rear SKS 53 mm / 2,1" with spoiler, black	329
١,,	<u> </u>	clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	129
į.	ᆸ	water bottle set HP VELOTECHNIK 2 x 0.6 l PE-bottle with HP print, with bottle cages, mounted	79
ccessories	盲	rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	89
S		rear mirror B&M E both sides left and right knuckle mounting	178
a		rear mirror MIRRYCLE with barend mounting, also computer mount. O left. O right	65
		rear mirror MIRRYCLE both sides barend mounting left and right	130
	-	flag HP VELOTECHNIK double-sided print, with reflective strip	
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø	29
		0,87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88lbs, unmounted	49
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	29
	E		
1		trailer hitch WEBER with HP VELOTECHNIK adapter, max. vertiacal load 6,5kg / 14lbs, max trailer load 40kg / 88lbs	169
		air horn AIRZOUND XL about 30-115 dB	39
	F	Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)	699
	_	transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	99
ĺ		frame lock AXA Victory with removable key, without chain, black	85
Ī	ı	chain for frame lock AXA length 100 cm / 39,4"	35





	×	Item				sugg. retail \$
Sc	orp	pion fs 20 SE special edition trike 20" / 20" (KRSFSV)		_		
	X	Scorpion fs 20 Special Edition color: Blue shade grey matt - drivetrain STURMEY ARCHER Tripleshift 30 gear, 3 speed gear hub combined with 10 speed SHIMANO XT rear derailleur - SHIMANO hydraulic disc brakes BR-MT200 - light system B&M Eyro with battery - luggage rack - headrest - ROCK SHOX Monarch air shock - parking brake - tyres SCHWALBE Marathon Plus - mudguards - mirror - hand rests - pennant - rain protection cover - water bottle set - AXA- frame lock				8,190.00
Sc	orp	oion fs 20 SE selection seat				
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags				0.00
seat		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)				0.00
se		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags				369.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)				369.00
Sc	orp	oion fs 20 SE accessories Surcharges, unmounted, additional special accessories on the	e "Comfo	ort and re	ehab opti	ons" orde
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers				249.00
		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag				79.00
		adjustable end stops allow exact positioning of the seat				19.00
	_	two adjustable end stops for ErgoMesh Premium seats only				38.00
		Streamer clear front fairing, with quickmount system				699.00
hör	_	air horn AIRZOUND XL about 30-115 dB				39.00
Zubehör		chain for frame lock AXA length 100 cm / 39,4"				35.00
Z		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted				179.00
		universal mount for accessories Mounting on the barend shifter, Ø 22.2 mm / 0,87" tube holder for accessories like				49.00
		phone holder / GPS devices / bell, max. load 400 grams / 0,88lbs, unmounted trailer hitch WEBER with HP VELOTECHNIK adapter, max. vertiacal load 6,5kg / 14lbs, max trailer load 40kg / 88lbs				169.00
	_	Trailer Tree Tree Trailer Tree Technique adapter, max. Verdacarioad 0,5 kg / 17105, max trailer load Tokg / 00105				107.00
	П	speedameter mount for computers or battery lights, incl. sensor bracket for front wheel				20.00
	-	speedometer mount for computers or battery lights, incl. sensor bracket for front wheel transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric				29.00 99.00





	×	Item				sugg. retail \$			
Sc	Scorpion fs 20 Pedelec SE special edition trike 20" / 20" (KRESFSV)								
	X	Scorpion fs 20 Special Edition electric color: colza yellow RAL 1021 - drivetrain SHIMANO STEPS EP801 Cargo with CUES Di2 shift 10 speed electric - battery with 630 Wh - disc brakes SHIMANO XT - light system B&M IQ-X - luggage rack - headrest - ROCK SHOX Monarch air damper - parking brake - tyres SCHWALBE Marathon Plus - mudguards - mirror - hand rests - pennant - rain protection cover - water bottle set - AXA frame lock				12,890.00			
Sc	_	pion fs 20 Pedelec SE selection seat							
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags				0.00			
seat		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)				0.00			
S		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags				369.00			
	_	ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)				369.00			
Sc		oion fs 20 Pedelec SE accessories Surcharges, unmounted, additional special accessor	ries on th	ne "Comf	ort and i	rehab opti			
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers				249.00			
		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag				79.00			
	_	adjustable end stops allow exact positioning of the seat				19.00			
		two adjustable end stops for ErgoMesh Premium seats only				38.00			
ö	_	air horn AIRZOUND XL about 30-115 dB				39.00			
Zubehör		chain for frame lock AXA length 100 cm / 39,4"				35.00			
Zul		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted				179.00			
		universal mount for accessories Mounting on the handlebar end, Ø 22.2 mm / 0,87" tube holder for accessories like phone holder / GPS devices / bell, max. load 400 grams / 0,88lbs, unmounted				49.00			
		trailer hitch WEBER with HP VELOTECHNIK adapter, max. vertiacal load 6,5kg / 14lbs, max trailer load 40kg / 88lbs				169.00			
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel				29.00			
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric				99.00			





	×	Item	sugg. retail \$					
3 C	_	pion fs 26 foldable full suspension trike 20"/26" (SFL)	1 (740.00					
		Scorpion fs 26 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes	6,740.00					
		Scorpion fs 26 frameset with suspension, seat, handlebar, front hubs, chain guide setup	6,010.00					
op		ns extra charge – drivetrain and brake options for complete bikes only						
		standard colour O Pure orange matt RAL2004 / Black O Cool grey metallic / Black	0.00					
		single custom colour according to RAL-colour chart: (please specify)	229.00					
		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	319.00					
ıme		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)	0.00					
frame		front boom carbon saves 170 g / 0,37 lbs of weight, not with STEPS / PINION	239.00					
		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00					
		front boom quickadjust without chain compensation QR-levers	59.00					
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	249.00					
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00					
		ErgoMesh HS meshseat (4.3" higher than EM seat)	0.00					
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00					
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)	0.00					
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.00					
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	369.00					
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)	369.00					
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)	369.00					
		BodyLink seat	199.00					
		BodyLink seat with brackets for small riders (1.6" to the front)	199.00					
seat		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)	25.00					
•		seat angle adapter for ErgoMesh Premium seats to adjust the backrest in a more upright position	119.00					
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	169.00					
,		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00					
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00					
		headrest for mesh seats adjustable in height and angle, with quick release lever	189.00					
		SeatWings hip support for BodyLink seat, carbon fiber, padded	319.00					
		adjustable end stops allow exact positioning of the seat	19.00					
		two adjustable end stops for ErgoMesh Premium seats only	38.00					
		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00					
		rain cover for seats, Ripstop nylon fabric, blue	25.00					
١,		rear shock DNM DV-22 (basic specification)	0.00					
sior]	O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 308 lbs	0.00					
oen		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00					
suspension		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar	0.00					
•		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar	39.00					
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur	0.00					
		/ twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 39 teeth						
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	45.00					
		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY	219.00					
		ARCHER barend shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth						
		drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 52-42-30, MICROSHIFT front derailleur, SRAM SL-500 barend shifters, SRAM cassette PG 1050 11–36	339.00					
		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	2,190.00					
] [drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter						
in]	E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-Ionen battery 418 Wh,	2,190.00					
drivetrain		2 A charger, push assist 4 mph	2,290.00					
ıriv		E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery						
٥		418 Wh, 2 A charger, push assist 4 mph	2,640.00					
		E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A	2 100 00					
		charger, push assist 4 mph	3,190.00					
		E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-Ionen	4,090.00					
	_	battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function	.,370.00					
		E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq	4,850.00					
		internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph						
		E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-Ionen battery 418 Wh, push assist 4 mph	5,250.00					
Ш		eaces / 1.0 mg poor about 1 mpr						





			VELDTECHNIK
	×	Item	sugg. reta \$
寸	寸	E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever	
		SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ionen battery 576 Wh, push assist forward and backwards,	3,930.0
		Display position: O above handlebar O side of handlebar	
	_	E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and	F FF0 0
	_	backwards, not compatible with streamer, display position: O above handlebar O side of handlebar	5,550.0
		big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A	449.0
		2nd battery pack for SHIMANO STEPS Li-lonen battery, 630 Wh, battery holder, battery adapter set, (restricts folding	1,319.0
	-	function), without power supply, battery must be inserted for use in main battery holder	1,317.0
	пΙ	2nd battery pack for NEODRIVES Z20 36 V Li-ionen battery, 576 Wh, battery adapter set, cable extension for	1,290.0
	_	convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)	1,270.0
		short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7"	25.0
ſ		chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options)	39.0
Ī	\Box	tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30	40.0
		or PINION)	49.0
T		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	0.0
	▫▮	disc brakes AVID BB7 mechanical, separate brake per front wheel	75.0
ړ	اه	disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function	199.0
prakes	-	front brake lever: O left O right	177.0
p.	пΙ	hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake	329.0
	٦,	function, rear disc brake, front brake lever: O left O right	327.0
		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable	269.0
		parking brake SHIMANO rear wheel V-Brake with thumblever	65.0
acc	es	sories Surcharges, additional accessories on the "Comfort and rehab options" order form	
		light wire routing only twin wires routed through the frame for hub dynamo	119.0
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight	145.0
	ı	lighting system SON xs-m disc dynohub/IQ-X with front and rear parking lights, SCHMIDTS ORIGINAL	
		NABENDYNAMO hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat	769.0
		S plus with brake light, in combination with e-drive no quick frame adjustment possible	
	اه	B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to	239.0
	٦	80 Lux, rear light B&M Toplight 2C DC	237.0
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	319.0
ſ		indicator lights system WingBling only in conjunction with electric drive	739.0
ľ		rear rack 14 mm (0.55") tube, black powder coating, max. load 55 lbs / 25 kg	279.0
ļ		top load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs	219.0
ļ		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted	179.0
F	-	mudguard set HP Trikefender front 60 mm / 2,4" width, rear SKS 53 mm / 2,1" with spoiler, black	329.0
į.	_	clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	129.0
Σŀ		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted	79.0
ξŀ	귀	rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	89.0
a	_	rear mirror B&M E both sides left and right knuckle mounting	178.0
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	65.0
ŀ		rear mirror MIRRYCLE both sides barend mounting left and right	130.0
ŀ	-	flag HP VELOTECHNIK double-sided print, with reflective strip	29.0
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø	49.0
ŀ	-	0,87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88lbs, unmounted	1 200
H	-	speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	29.0
ŀ	_	air horn AIRZOUND XL about 30-115 dB	39.0
ŀ	-	Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)	699.0
L		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	99.0
L		frame lock AXA Victory with removable key, without chain, black	85.0
		chain for frame lock AXA length 100 cm / 39,4"	35.0





	×	Item				sugg. retail \$
Sc	orp	oion fs 26 SE special edition trike 20" / 26" (KRSFLV)				
	K	Scorpion fs 26 Special Edition color: pure orange matt RAL2004 / black - drivetrain SRAM/30 gear - hydraulic disc brakes SHIMANO BR-MT200 - light system B&M Eyro with battery - luggage rack - headrest - ROCK SHOX Monarch air shock - parking brake - tires SCHWALBE Marathon Plus - mudguards - mirror - hand rests - pennant - rain protection cover - water bottle set - AXA- frame lock				8,470.00
Sc	orp	oion fs 26 SE selection seat				
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags				0.00
seat		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)				0.00
Se		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags				369.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)				369.00
Sc	orp	oion fs 26 SE accessories Surcharges, unmounted, additional special accessories on the	e "Comfo	ort and re	hab opti	ons" orde
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers				249.00
		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag				79.00
		adjustable end stops allow exact positioning of the seat				19.00
		two adjustable end stops for ErgoMesh Premium seats only				38.00
ċ		Streamer clear front fairing, with quickmount system				699.00
Zubehör		air horn AIRZOUND XL about 30-115 dB				39.00
Zub		chain for frame lock AXA length 100 cm / 39,4"				35.00
``		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted				179.00
		universal mount for accessories Mounting on the barend shifter, \oslash 22.2 mm / 0,87" tube holder for accessories like phone holder / GPS devices / bell, max. load 400 grams / 0,88lbs, unmounted				49.00
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel				29.00
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric				99.00





	×	Item				sugg. retail \$			
Sc	Scorpion fs 26 Pedelec SE special edition trike 20" / 26" (KRESFLV)								
	×	Scorpion fs 26 Special Edition electric color: pure orange matt RAL2004 / black - drivetrain SHIMANO STEPS EP801 Cargo with CUES Di2 shift 10 speed electric - battery with 630 Wh - disc brakes SHIMANO XT - lights B&M IQ-X - luggage rack - headrest - ROCK SHOX Monarch air shock - parking brake - tires SCHWALBE Marathon Plus - mutguards - mirror - hand rests - pennant - rain protection cover - water bottle set - AXA frame lock				13,120.00			
Sc	orp	oion fs 26 Pedelec SE selection seat							
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags				0.00			
seat		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)				0.00			
Se		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags				369.00			
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)				369.00			
Sc	orp	oion fs 26 Pedelec SE accessories Surcharges, unmounted, additional special accessor	ies on th	ne "Comf	ort and i	rehab opti			
	_	front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers				249.00			
	-	Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag				79.00			
		adjustable end stops allow exact positioning of the seat				19.00			
	_	two adjustable end stops for ErgoMesh Premium seats only				38.00			
hör		air horn AIRZOUND XL about 30-115 dB				39.00			
Zubehör		chain for frame lock AXA length 100 cm / 39,4"				35.00			
Z		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted				179.00			
		universal mount for accessories Mounting on the handlebar end, Ø 22.2 mm / 0,87" tube holder for accessories like phone holder / GPS devices / bell, max. load 400 grams / 0,88lbs, unmounted				49.00			
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel				29.00			
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric				99.00			





	×	Item	sugg. retai
Sc	orı	pion fs 26 Enduro foldable full suspension trike 20"/26" (SFN)	
		Scorpion fs 26 Enduro STURMEY ARCHER Tripleshift, MICROSHIFT XLE 30 speed with barend shifters, SRAM GX	7 222 2
		crankset, SHIMANO hydraulic disc brakes, SCHWALBE Smart Sam tires	7,220.0
op	tio	ns extra charge	
		standard colour Green metallic/ Black	0.0
		single custom colour according to RAL-colour chart: (please specify)	229.0
		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	319.0
frame		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)	0.0
fra		front boom carbon saves 170 g / 0,37 lbs of weight, not with STEPS / PINION	239.0
		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.0
		front boom quickadjust without chain compensation QR-levers	59.0
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	249.0
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.0
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.0
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.0
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	369.0
		BodyLink seat	199.0
		BodyLink seat with brackets for small riders (1.6" to the front)	199.0
		seat angle adapter for ErgoMesh Premium seats to adjust the backrest in a more upright position	119.0
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	169.0
seat		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.0
Ň		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.0
		headrest for mesh seats adjustable in height and angle, with quick release lever	189.0
		SeatWings hip support for BodyLink seat, carbon fiber, padded	319.0
		adjustable end stops allow exact positioning of the seat	19.0
		two adjustable end stops for ErgoMesh Premium seats only	38.0
		rain cover for seats, Ripstop nylon fabric, blue	25.0
		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag	79.0
		Microbag topbag for BodyLink seat, detachable as hip bag, I litre (position directly above suspension, not compatible with rear rack)	49.0
-		rear shock DNM DV-22 (basic specification)	-
ou		O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 308 lbs	0.0
suspension		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.0
dsr		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar	0.0
ıs		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar	39.0
]	drivetrain STURMEY ARCHER Tripleshift 30 30 speed with barend shifters, rear derailleur MICROSHIFT XLE,	
		SHIMANO XT 11–36 cassette, SRAM GX crankset	0.00
		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	1,780.0
		E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A	2,750.0
	_	charger, push assist 4 mph	2,730.0
		E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen	3,630.0
		battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function	.,
		E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph	4,390.0
ü		E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen	
drivetrain		battery 418 Wh, push assist 4 mph	4,950.0
lriv		E-drive NEODRIVES Z20 and drivetrain SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end	
٥		gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ionen battery 576 Wh, push assist forward and	3,470.0
		backwards, Display position: O above handlebar O side of handlebar	
		E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and	5,150.0
		backwards, not compatible with streamer, display position: O above handlebar O side of handlebar	
		big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A	449.0
		2nd battery pack for SHIMANO STEPS Li-lonen battery, 630 Wh, battery holder, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder	1,319.0
		2nd battery pack for NEODRIVES Z20 36 V Li-ionen battery, 576 Wh, battery adapter set, cable extension for	
		convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)	1,290.0
-			





	×	Item	sugg. retail \$				
ac	accessories Surcharges, additional accessories on the "Comfort and rehab options" order form						
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	0.00				
		disc brakes AVID BB7 mechanical, separate brake per front wheel	75.00				
	_	disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function	1 1 1				
es		front brake lever: O left O right	199.00				
brakes		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake	220.00				
ľ		function, rear disc brake, front brake lever: O left O right	329.00				
		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable	269.00				
		parking brake SHIMANO rear wheel V-Brake with thumblever	65.00				
		light wire routing only twin wires routed through the frame for hub dynamo	119.00				
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight	145.00				
		lighting system SON xs-m disc dynohub/IQ-X with front and rear parking lights, SCHMIDTS ORIGINAL					
		NABENDYNAMO hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat	769.00				
		S plus with brake light, in combination with e-drive no quick frame adjustment possible					
		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to	239.00				
	L	80 Lux, rear light B&M Toplight 2C DC	310.00				
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	319.00				
		indicator lights system WingBling only in conjunction with electric drive	739.00				
		rear rack 14 mm (0.55") tube, black powder coating, max. load 55 lbs / 25 kg	279.00				
		top load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs	219.00				
S	-	side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted	179.00				
accessories		mudguard Enduro SKS MUD-X seat mounted, black	55.00				
ess	-	clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	69.00				
acc		water bottle set HP VELOTECHNIK 2 x 0.6 I PE-bottle with HP print, with bottle cages, mounted	79.00				
		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	89.00				
		rear mirror B&M E both sides left and right knuckle mounting	178.00				
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	65.00				
	-	rear mirror MIRRYCLE both sides barend mounting left and right	130.00				
		flag HP VELOTECHNIK double-sided print, with reflective strip	29.00				
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø	49.00				
	L	0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88lbs, unmounted					
	1	speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	29.00				
	<u> </u>		39.00				
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	99.00				
		frame lock AXA Victory with removable key, without chain, black	85.00				
		chain for frame lock AXA length 100 cm / 39,4"	35.00				





	×	Item	sugg. retail \$				
Sc	Scorpion plus 20 foldable full suspension trike 20"/20" (SPS)						
30		Scorpion plus 20 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes	6,850.00				
		Scorpion plus 20 frameset with suspension, seat, handlebar, front hubs, chain guide setup	6,120.00				
ор	tio	ons extra charge – drivetrain and brake options for complete bikes only					
		standard colour O Cool grey metallic O Magma red / Black	0.00				
		single custom colour according to RAL-colour chart: (please specify)	229.00				
		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	319.00				
ne		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)	0.00				
frame		front boom carbon saves 170 g / 0,37 lbs of weight, not with STEPS / PINION	239.00				
,		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00				
		front boom quickadjust without chain compensation QR-levers	59.00				
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	249.00				
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00				
		ErgoMesh HS meshseat (4.3" higher than EM seat)	0.00				
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00				
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)	0.00				
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.00				
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	369.00				
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)	369.00				
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)	369.00				
		BodyLink seat	199.00				
		BodyLink seat with brackets for small riders (1.6" to the front)	199.00				
ıt		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)	25.00				
seat		seat angle adapter for ErgoMesh Premium seats to adjust the backrest in a more upright position	119.00				
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	169.00				
		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00				
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00				
		headrest for mesh seats adjustable in height and angle, with quick release lever	189.00				
		SeatWings hip support for BodyLink seat, carbon fiber, padded	319.00				
		adjustable end stops allow exact positioning of the seat	19.00				
		two adjustable end stops for ErgoMesh Premium seats only	38.00				
		rain cover for seats, Ripstop nylon fabric, blue	25.00				
		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00				
		Microbag topbag for BodyLink seat, detachable as hip bag, 1 litre	49.00				
	_	rear shock DNM DV-22 (basic specification)					
ension	u	O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 220 lbs O hard: 550 lbs/inch, up to 330 lbs	0.00				
ens		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00				
dsns		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar	0.00				
S		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar	39.00				
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear	0.00				
		derailleur/twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 46 teeth	0.00				
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	45.00				
		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur and barend shifter MICROSHIFT XLE, cassette	219.00				
		SHIMANO XT, STURMEY ARCHER 3-speed internal gear hub and bar end shifter, crankset with 46 teeth					
		drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 60-52-40, MICROSHIFT front derailleur, SRAM SL-500	429.00				
		barend shifters, SRAM cassette PG 1050 11–36	2 100 00				
in		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	2,190.00				
etra		E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh,	2,190.00				
drivetrain		2 A charger, push assist 4 mph	2,290.00				
		E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph	2,640.00				
		E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph	3,190.00				
		E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function	4,090.00				
		E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq	 				
		internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph	4,850.00				
		E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-Ionen battery 418 Wh, push assist 4 mph	5,250.00				
			-				





			VELDTECHNIK
	×	Item	sugg. retail \$
		E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever	*
		SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards,	3,930.00
		Display position: O above handlebar O side of handlebar	
		E-drive NEODRIVES Z20 with PINION C1.12 up to 16 mph, hub motor, 12 speed PINION C1.12 bottom bracket	1 1 1 1 -
		gearbox, Li-lonen battery with 576 Wh, push assist forward and backwards, not compatible with streamer, 4 A charger,	5,550.00
_		display position: O above handlebar O side of handlebar	
drivetrain		big battery pack SHIMANO STEPS Li-Ionen battery, 630 Wh, fast charger with 4 A	449.00
ĕ		2nd battery pack for SHIMANO STEPS Li-lonen battery, 630 Wh, battery holder, battery adapter set, (restricts folding	1,319.00
ģ	J	function), without power supply, battery must be inserted for use in main battery holder	1,517.00
		2nd battery pack for NEODRIVES Z20 36 V Li-ionen battery, 576 Wh, battery adapter set, cable extension for	1,290.00
)	convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)	1,270.00
		short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7"	25.00
		tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30	49.00
)	or PINION)	47.00
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	0.00
		disc brakes AVID BB7 mechanical, separate brake per front wheel	75.00
l.,		disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function	199.00
kes	_	front brake lever: O left O right	177.00
brakes		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake	329.00
	_	function, rear disc brake, front brake lever: O left O right	327.00
		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable	269.00
		parking brake SHIMANO rear wheel V-Brake with thumblever	65.00
Sc	orı	pion plus 20 accessories extra charge	
		light wire routing only twin wires routed through the frame for hub dynamo	119.00
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight	129.00
		lighting system SON xs-m disc dynohub/IQ-X with front and rear parking lights, SCHMIDTS ORIGINAL	
		NABENDYNAMO hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat	769.00
		S plus with brake light, in combination with e-drive no quick frame adjustment possible	
		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to	239.00
	•	80 Lux, rear light B&M Toplight 2C DC	257.00
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	319.00
		indicator lights system WingBling only in conjunction with electric drive	739.00
		rear rack 12 / 10 mm (0.47" / 0.39") tube, black powder coating, max. load 55 lbs / 25 kg	329.00
1		lowrider rack 10mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack)	169.00
1		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted	179.00
Ś		mudguard set HP Trikefender front 60 mm / 2,4" width, rear SKS 53 mm / 2,1" with spoiler, black	329.00
rie		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	129.00
essories		water bottle set HP VELOTECHNIK 2 x 0.6 I PE-bottle with HP print, with bottle cages, mounted	79.00
acce		rear mirror B&M E wide view angle, easy to adjust, mounted to handlebar O left O right	89.00
1 "	_	rear mirror B&M E both sides left and right, mounted to handlebar	178.00
1		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	65.00
1		rear mirror MIRRYCLE both sides barend mounting left and right	130.00
1	\vdash	flag HP VELOTECHNIK double-sided print, with reflective strip	29.00
1]	universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø	27.00
1		0,87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88lbs, unmounted	49.00
1		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	29.00
1	_	air horn AIRZOUND XL about 30-115 dB	39.00
1		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)	
1	=		699.00
1	-	transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	99.00
1		frame lock AXA Victory with removable key, without chain, black	85.00
		chain for frame lock AXA length 100 cm / 39,4"	35.00



Scorpion 20

	×	Item				sugg. retail \$		
Sc	Scorpion plus 20 Pedelec SE special edition trike 20" / 20" (KRESPSV)							
	X	Scorpion plus 20 Special Edition electric color: magma red / black - drivetrain SHIMANO STEPS E6100 with NEXUS 8-speed electric internal gear hub - battery with 630 Wh - front suspension hard - long handlebar - disc brakes SHIMANO XT - lighting system B&M IQ-X - rear rack - headrest - ROCK SHOX Monarch air damper - parking brake - tyres SCHWALBE Marathon Plus - mudguards - mirror - hand rests - flag - rain cover - water bottle set - AXA- frame lock				12,470.00		
Sc		pion plus 20 Pedelec SE selection seat						
		ErgoMesh HS meshseat (4.3" higher than EM seat)				0.00		
seat		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)				0.00		
Š		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)				369.00		
•	_	ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)		1 110		369.00		
Sc	_	pion plus 20 Pedelec SE accessories Surcharges, unmounted, additional special access	sories oi	the "Co	mfort an			
	\vdash	front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag				249.00 79.00		
		adjustable end stops allow exact positioning of the seat two adjustable end stops for ErgoMesh Premium seats only				19.00 38.00		
ř		air horn AIRZOUND XL about 30-115 dB				39.00		
Zubehör		chain for frame lock AXA length 100 cm / 39,4"				35.00		
Zub	=	side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted				179.00		
	ם ו	universal mount for accessories Mounting on the handlebar end, Ø 22.2 mm / 0,87" tube holder for accessories like phone holder / GPS devices / bell, max. load 400 grams / 0,88lbs, unmounted				49.00		
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel				29.00		
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric				99.00		



notes





	×	Item	sugg. retail \$				
Sc	Scorpion plus 26 foldable full suspension trike 20"/26" (SPL)						
		Scorpion plus 26 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes	6,950.00				
		Scorpion plus 26 frameset with suspension, seat, handlebar, front hubs, chain guide setup	6,220.00				
ОD	tio	ns extra charge – drivetrain and brake options for complete bikes only					
-		standard colour O Cool grey metallic O Magma red / Black	0.00				
		single custom colour according to RAL-colour chart:(please specify)	229.00				
	_	double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	319.00				
ē		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)	0.00				
frame		front boom carbon saves 170 g / 0,37 lbs of weight, not with STEPS / PINION	239.00				
ų.		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00				
		front boom quickadjust without chain compensation QR-levers	59.00				
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	249.00				
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00				
] [ErgoMesh HS meshseat (4.3" higher than EM seat)	0.00				
	ם כ	ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)					
	<u>ר</u>		0.00				
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)	0.00				
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.00				
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	369.00				
	⊔	ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)	369.00				
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)	369.00				
		BodyLink seat	199.00				
ţ		BodyLink seat with brackets for small riders (1.6" to the front)	199.00				
seat		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)	25.00				
		seat angle adapter for ErgoMesh Premium seats to adjust the backrest in a more upright position	119.00				
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	169.00				
		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00				
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00				
		headrest for mesh seats adjustable in height and angle, with quick release lever	189.00				
		SeatWings hip support for BodyLink seat, carbon fiber, padded	319.00				
		adjustable end stops allow exact positioning of the seat	19.00				
		two adjustable end stops for ErgoMesh Premium seats only	38.00				
		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00				
		rain cover for seats, Ripstop nylon fabric, blue	25.00				
		rear shock DNM DV-22 (basic specification)	0.00				
uspension		O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 330 lbs	0.00				
ens		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00				
dsn		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar	0.00				
S		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar	39.00				
	_	drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur					
		twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 39 teeth	0.00				
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	45.00				
		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY	219.00				
	Ţ	ARCHER barend shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth	219.00				
		drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 52-42-30, MICROSHIFT front derailleur, SRAM SL-500	339.00				
	•	barend shifters, SRAM cassette PG 1050 11–36	337.00				
		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	2,190.00				
_		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	2,190.00				
rai		E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-Ionen battery 418 Wh,	2,290.00				
drivetrain		2 A charger, push assist 4 mph					
p.		E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-Ionen battery 418 Wh, 2 A charger, push assist 4 mph	2,640.00				
		E-drive SHIMANO STEPS E6100 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A	3,190.00				
	_	charger, push assist 4 mph	3,170.00				
		E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-Ionen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function	4,090.00				
		E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq	4,850.00				
	_	internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph	4,330.00				
		E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-Ionen battery 418 Wh, push assist 4 mph	5,250.00				
-							





				JIELHINIK
	×	Item		sugg. retail \$
H		E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever	- 	Ψ
		SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ionen battery 576 Wh, push assist forward and backwards,		3,930.00
		Display position: O above handlebar O side of handlebar		1,
		E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and		5 550 00
		backwards, not compatible with streamer, display position: O above handlebar O side of handlebar		5,550.00
		big battery pack SHIMANO STEPS Li-Ionen battery, 630 Wh, fast charger with 4 A		449.00
		2nd battery pack for SHIMANO STEPS Li-Ionen battery, 630 Wh, battery holder, battery adapter set, (restricts folding		1,319.00
	_	function), without power supply, battery must be inserted for use in main battery holder		1,319.00
		2nd battery pack for NEODRIVES Z20 36 V Li-ionen battery, 576 Wh, battery adapter set, cable extension for		1,290.00
]	convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)		1,290.00
		short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7"		25.00
		chainwheel disc instead of chain guard, 150 g / 0,33lbs lighter (only with 30 gear options)		39.00
		tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30		40.00
	J	or PINION)		49.00
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)		0.00
		disc brakes AVID BB7 mechanical, separate brake per front wheel		75.00
_		disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function		100.00
es		front brake lever: O left O right		199.00
brakes		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake		330.00
		function, rear disc brake, front brake lever: O left O right		329.00
		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable		269.00
		parking brake SHIMANO rear wheel V-Brake with thumblever		65.00
Sc	orı	pion plus 26 accessories extra charge		
		light wire routing only twin wires routed through the frame for hub dynamo		119.00
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight		145.00
		lighting system SON xs-m disc dynohub/IQ-X with front and rear parking lights, SCHMIDTS ORIGINAL		
		NABENDYNAMO hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat		769.00
		S plus with brake light, in combination with e-drive no quick frame adjustment possible		
		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to		239.00
	•	80 Lux, rear light B&M Toplight 2C DC		257.00
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		319.00
		indicator lights system WingBling only in conjunction with electric drive		739.00
		rear rack 14 mm (0.55") tube, black powder coating, max. load 55 lbs / 25 kg		279.00
		top load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs		219.00
		lowrider rack 10mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack)		169.00
		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted		179.00
ies		mudguard set HP Trikefender front 60 mm / 2,4" width, rear SKS 53 mm / 2,1" with spoiler, black		329.00
cessories		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		129.00
		water bottle set HP VELOTECHNIK 2 x 0.6 I PE-bottle with HP print, with bottle cages, mounted		79.00
ac		rear mirror B&M E wide view angle, easy to adjust, mounted to handlebar O left O right	 	89.00
	_	rear mirror B&M E both sides left and right, mounted to handlebar	+	178.00
	J [rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	- - 	65.00
	ם	rear mirror MIRRYCLE both sides barend mounting left and right	 	130.00
		flag HP VELOTECHNIK double-sided print, with reflective strip	 	29.00
	ַ		-+	29.00
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0,87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88lbs, unmounted		49.00
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	- 	29.00
			 	
		air horn AIRZOUND XL about 30-115 dB Streamor clear front filing with guidenount system, incl. assembly (not w/PINION) and SHIMANO STEPS)	-+	39.00
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)	- - 	699.00
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric		
		frame lock AXA Victory with removable key, without chain, black chain for frame lock AXA length 100 cm / 39,4"		99.00 85.00 35.00





	×	Item				sugg. retail \$		
Sc	Scorpion plus 26 Pedelec SE special edition trike 20" / 26" (KRESPLV)							
	X	Scorpion plus 26 Special Edition electric color: magma red / black drivetrain SHIMANO STEPS E6100 with NEXUS 8-speed electric internal gear hub battery with 630 Wh front suspension hard long handlebar disc brakes SHIMANO XT lighting system B&M IQ-X rear rack headrest ROCK SHOX Monarch air damper parking brake tyres SCHWALBE Marathon Plus mudguards mirror hand rests flag rain cover water bottle set AXA frame lock				12,490.00		
Sc	or	pion plus 26 Pedelec SE selection seat						
		ErgoMesh HS meshseat (4.3" higher than EM seat)				0.00		
seat		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)				0.00		
Se		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)				369.00		
	_	ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)				369.00		
Sc	_	pion plus 26 Pedelec SE accessories Surcharges, unmounted, additional special acces	sories o	n the "Co	mfort ar			
	-	front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers				249.00		
		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag				79.00		
		adjustable end stops allow exact positioning of the seat				19.00		
		two adjustable end stops for ErgoMesh Premium seats only				38.00		
Zubehör		air horn AIRZOUND XL about 30-115 dB				39.00		
əqn		chain for frame lock AXA length 100 cm / 39,4"				35.00		
Z		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted				179.00		
		universal mount for accessories Mounting on the handlebar end, Ø 22.2 mm / 0,87" tube holder for accessories like phone holder / GPS devices / bell, max. load 400 grams / 0,88lbs, unmounted				49.00		
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel				29.00		
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric				99.00		
	_							



notes





	×	Item	sugg. retail \$
Sp	ee	dmachine S-Pedelec recumbent 20"/26" (SPE)	
	×	Speedmachine S-Pedelec up to 28 mph (45 km/h), class L1e, full suspension, Neodrives Z20RS hub motor	10,420.00
ор	tio	ns extra charge	
		standard colour O Silvergrey O Carmine red RAL3002	0.00
е		single custom colour according to RAL-colour chart: (please specify)	229.00
frame		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	319.00
fr		front boom carbon saves 170 g / 0,37 lbs of weight, not with STEPS / PINION	239.00
		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.00
		BodyLink seat	199.00
		BodyLink seat with brackets for small riders (1.6" to the front)	199.00
t		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00
seat		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00
		headrest for mesh seats adjustable in height and angle, with quick release lever	189.00
		adjustable end stops allow exact positioning of the seat	19.00
		two adjustable end stops for ErgoMesh Premium seats only	38.00
		rain cover for seats, Ripstop nylon fabric, blue	25.00
		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00
		Microbag topbag for BodyLink seat, detachable as hip bag, 1 litre	49.00
_		rear shock DNM DV-22 (basic specification)	0.00
sio		O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 285lbs	
suspension		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00
sns		suspension fork CONCEPT 2" suspension travel, steerer suspension system, adjustable	349.00
	_	hard spring for suspension fork for loads over 220 lbs, pre-installed	35.00
	×	above seat steering (ASS) with Aerobar direct (basic specification)	0.00
		E-drive NEODRIVES Z20RS and SHIMANO XT30 up to 28 mph, 30 speed, rear derailleur SHIMANO XT, shifter SHIMANO XT, cassette SHIMANO XT, chainring set 3-speed black, Li-lonen battery 65 I Wh, push assist	0.00
ain		E-drive NEODRIVES Z20RS and PINION C1.12 hub motor, 12-speed PINION bottom bracket gearbox, Li-lonen	-
drivetrain		battery with 651 Wh, charger 4 A, push assist	1,790.00
dri		short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7"	25.00
		tires SCHWALBE Marathon Plus 47mm / I,8", very good puncture protection	0.00
	×	disc brake MAGURA MT5e hydraulic	0.00
_		·	





	×	Item		sugg. retail \$
ac	ces	sories extra charge		
	×	lighting system e-drive Z20RS IQ-XE / horn B&M IQ-XE up to 150 Lux, with B&M horn		319.00
	×	rear rack 2 mm (0.47") tube, black powder coating, max. load 55 lbs / 25 kg		0.00
		lowrider rack 10 mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg		179.00
		mudguards SKS 20"/26" with spoiler, rear 53mm / 2,1", black, stainless steel stays, mounted		159.00
	×	kickstand PLETSCHER Esge Zoom mounted on the rear swingarm, black		49.00
		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		129.00
		water bottle set HP VELOTECHNIK 2 x 0.6 l PE-bottle with HP print, with bottle cages, mounted		79.00
	×	rear mirror B&M E left wide view angle, easy to adjust, incl. mounting hardware		0.00
		rear mirror B&M E both sides left and right, mounted to handlebar		42.00





Options extra charge Instandard colour O Pure orange natz RAL2004 / Black O Cool grey metallic / Black Instandard colour O Pure orange natz RAL2004 / Black O Cool grey metallic / Black Instandard colour o Drure orange natz RAL2004 / Black O Cool grey metallic / Black Instandard colour o Drure orange natz RAL2004 / Black O Cool grey metallic / Black Instandard colour o Country orange (Jease specify) Instandard colour o Country orange (Jease specify) Instandard colour according to RAL-colour chart main frame: Instandard colour o Rala (Jease specification orange) Instandard colour according to RAL-colour chart main frame: Instandard colour orange (Jease specification orange) Instandard colour according to RAL-colour chart main frame: Instandard colour according to RAL-colour chart main frame: Instandard colour according to RAL-colour chart main frame: Instandard colour orange (Jease specification) Instandard particle service orange seems colour chart main frame: Instandard colour orange (Jease specification) Instandard particle seems (J		×	Item	sugg. retail \$
Options extra charge attandard colour O Pure orange matt RAL2004 / Black O Cool grey metallic / Black ingle custom colour according to RAL-colour chart	Sc	orı	pion fs 26 S-Pedelec foldable full suspension trike 20"/26" (SFE)	
Latandard colour O Pure orange matt RA120041 Black O Cool grey metallic / Black		×	Scorpion fs 26 S-Pedelec up to 28 mph (45 km/h), incl. horn, B&M Light IQ-XE with 150 lux, rack with plate mount	7,220.00
Single custom colour according to RAL-colour chart	ор	tio	ons extra charge	
Description			standard colour O Pure orange matt RAL2004 / Black O Cool grey metallic / Black	0.00
Engineering Content			single custom colour according to RAL-colour chart: (please specify)	229.00
Infort boom quickadjust compensation Releases S9.00	a		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	319.00
Infort boom quickadjust compensation Releases S9.00	am		front boom carbon saves 170 g / 0,37 lbs of weight, not with STEPS / PINION	239.00
Front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers 249,00	₽		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00
PergoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags 0.00	ľ		front boom quickadjust without chain compensation QR-levers	59.00
FrgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	l		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	249.00
FrgoMesh Premium OrthoFiex technology, seat and seatback independently adjustable, prepared for add-on bags 369,000			ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00
ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium) 369,000			ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00
BodyLink seat 199.00 10 199.00			ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.00
long handlebars 2.4" higher grip position 25.00 handrests left and right comfortable hand support, mounted on handlebar, removable cushion 169.00 Airflow seat cushion breathable fabric, sewn, for BodyLink seat 89.00 headrest for BodyLink seat flexible, with cushion, adjustable in height and angle headrest for mesh seats adjustable in height and angle headrest for mesh seats adjustable in height and angle, with quick release lever 189.00 SeatWings hip support for BodyLink seat, carbon fiber, padded 319.00 dad-on bags for mesh seat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag 79.00 dad-on bags for mesh seat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag 79.00 rain cover for seats, Ripstop nylon fabric, blue 25.00 rear shock DNM DV-22 (basic specification) 25.00 osoft- 650 lbs/inch, up to 175 lbs 0 standard: 550 lbs/inch, up to 220 lbs 0 hard: 650 lbs/inch, up to 308 lbs 0.00 front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar 500, cassette SRAM; chainring set 3-speed black, Li-lonen battery 651 Wh, push assist, display position: O above handlebar 0.00 city of handlebar 2nd battery pack for NEODRIVES Z20RS and PINION C1.12 12 speed PINION front gear box, up to 28 mph, Li-lonen 651 Wh, charger with 4A, not compatible with streamer, display position: O above handlebar 0.00 city of battery pack for NEODRIVES Z20RS 48 V Li-lonen 651 Wh incl. adapter, mounting hardware, incl. mounting 1,890.00 city of battery pack for NEODRIVES Z20RS 48 V Li-lonen 651 Wh incl. adapter, mounting hardware, incl. mounting 1,890.00 whytaulic disc brakes coupled hydraulic, coupled front brakes with one-hand operation, right lever, rear disc brake 0.00 bydraulic left lever 0.0			ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	369.00
handrests left and right comfortable hand support, mounted on handlebar, removable cushion 169.00 Airflow seat cushion breathable fabric, sewn, for BodyLink seat 89.00 headrest for BodyLink seat flexible, with cushion, adjustable in height and angle 149.00 headrest for mesh seats adjustable in height and angle, with quick release lever 189.00 headrest for mesh seats adjustable in height and angle, with quick release lever 189.00 Seat-Wings hip support for BodyLink seat, carbon fiber, padded 319.00 daijustable end stops allow exact positioning of the seat 19.00 daijustable end stops allow exact positioning of the seat 19.00 daijustable end stops for ErgoMesh Premium seats only 38.00 rain cover for seats, Ripstop nylon fabric, blue 25.00 dare shock DNN DV-22 (basic specification) 25.00 osoft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 308 lbs 0.00 orar shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump 339.00 front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar front suspension hard from 198 lbs, with standard stabilizer/anti-roll-bar 500, caseette SRAM, chainring set 3-speed black, Li-lonen battery 651 Wh, push assist, display position: O above handlebar 0.00 oside of handlebar 2nd battery pack for NEODRIVES Z20RS and PINION CI.12 12 speed PINION front gear box, up to 28 mph, Li-lonen 651 Wh, charger with 4A, not compatible with streamer, display position: O above handlebar 0.00 oside of handlebar 2nd battery pack for NEODRIVES Z20RS 48 V Li-lonen 651 Wh incl. adapter, mounting hardware, incl. mounting accessories (restricts folding function) 1,790.00 oside of handlebar 2nd battery pack for NEODRIVES Z20RS 48 V Li-lonen 651 Wh incl. adapter, mounting hardware, incl. mounting 1,890.00 oside of handlebar 2nd battery pack for NEODRIVES Z20RS 48 V Li-lonen 651 Wh incl. adapt			BodyLink seat	199.00
Airflow seat cushion breathable fabric, sewn, for BodyLink seat 89.00	ľ		long handlebars 2.4" higher grip position	25.00
headrest for BodyLink seat flexible, with cushion, adjustable in height and angle 149,000 189,000	ľ		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	169.00
headrest for BodyLink seat flexible, with cushion, adjustable in height and angle 149,000 189,000	eat		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00
SeatWings hip support for BodyLink seat, carbon fiber, padded 319.00 adjustable end stops allow exact positioning of the seat 19.00 19.00 28.00 25.00	° l		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00
adjustable end stops allow exact positioning of the seat two adjustable end stops for ErgoMesh Premium seats only Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag rain cover for seats, Ripstop nylon fabric, blue rear shock DNM DV-22 (basic specification) osoft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 308 lbs rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar front suspension hard from 198 lbs, with standard stabilizer/anti-roll-bar Bedrive NEODRIVES Z20RS and SRAM 30 up to 28 mph, 30 speed, rear derailleur SRAM GX, bar end shifter SRAM SL- 500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 651 Wh, push assist, display position: O above handlebar oside of handlebar E-drive NEODRIVES Z20RS and PINION C1.12 12 speed PINION front gear box, up to 28 mph, Li-lonen 651 Wh, charger with 4A, not compatible with streamer, display position: O above handlebar accessories (restricts folding function) accessories (restricts folding function) accessories (restricts folding function) accessories (restricts folding function) short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" hydraulic, left lever 1,790.00			headrest for mesh seats adjustable in height and angle, with quick release lever	189.00
two adjustable end stops for ErgoMesh Premium seats only 38.00 Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag 79.00 rain cover for seats, Ripstop nylon fabric, blue 25.00 rain cover for seats, Ripstop nylon fabric, blue 25.00 rear shock DNM DV-22 (basic specification) 0 soft: 450 lbs/inch, up to 175 lbs 0 standard: 550 lbs/inch, up to 220 lbs 0 hard: 650 lbs/inch, up to 308 lbs 0.00 rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump 339.00 front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar 0.00 front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar 0.00 E-drive NEODRIVES Z20RS and SRAM 30 up to 28 mph, 30 speed, rear derailleur SRAM GX, bar end shifter SRAM SL- 0 side of handlebar 1,790.00 E-drive NEODRIVES Z20RS and PINION C1.12 12 speed PINION front gear box, up to 28 mph, Li-lonen 651 Wh, charger with 4A, not compatible with streamer, display position: O above handlebar 0 side of handlebar 1,790.00 2 and battery pack for NEODRIVES Z20RS 48 V Li-lonen 651 Wh incl. adapter, mounting accessories (restricts folding function) 1,890.00 2 accessories (restricts folding function) 1,890.00 3 tires SCHWALBE Marathon Plus 47mm / 1,8", very good puncture protection 0.00 3 short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" 25.00 4 bydraulic disc brakes coupled hydraulic, coupled front brakes with one-hand operation, right lever, rear disc brake 0.00	ľ		SeatWings hip support for BodyLink seat, carbon fiber, padded	319.00
Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag 79.00 rain cover for seats, Ripstop nylon fabric, blue 25.00 rear shock DNM DV-22 (basic specification) 0.00 0	ľ		adjustable end stops allow exact positioning of the seat	19.00
rain cover for seats, Ripstop nylon fabric, blue 25.00	ľ		two adjustable end stops for ErgoMesh Premium seats only	38.00
rear shock DNM DV-22 (basic specification) O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 308 lbs rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump 339.00 front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar E-drive NEODRIVES Z20RS and SRAM 30 up to 28 mph, 30 speed, rear derailleur SRAM GX, bar end shifter SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 651 Wh, push assist, display position: O above handlebar O side of handlebar E-drive NEODRIVES Z20RS and PINION C1.12 12 speed PINION front gear box, up to 28 mph, Li-lonen 651 Wh, charger with 4A, not compatible with streamer, display position: O above handlebar 2nd battery pack for NEODRIVES Z20RS 48 V Li-lonen 651 Wh incl. adapter, mounting hardware, incl. mounting accessories (restricts folding function) tires SCHWALBE Marathon Plus 47mm / 1.8", very good puncture protection short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" 1,890.00 hydraulic, left lever rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump 339.00 339.00 339.00 339.00 300 300 300 300 300 300 300 300 300	ľ		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00
O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 308 lbs rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump 339.00 front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar E-drive NEODRIVES Z20RS and SRAM 30 up to 28 mph, 30 speed, rear derailleur SRAM GX, bar end shifter SRAM SL- 500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 651 Wh, push assist, display position: O above handlebar O side of handlebar E-drive NEODRIVES Z20RS and PINION C1.12 12 speed PINION front gear box, up to 28 mph, Li-lonen 651 Wh, charger with 4A, not compatible with streamer, display position: O above handlebar accessories (restricts folding function) And battery pack for NEODRIVES Z20RS 48 V Li-lonen 651 Wh incl. adapter, mounting hardware, incl. mounting accessories (restricts folding function) accessories (restricts folding function) accessories (restricts folding function) brot cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" 1,890.00 hydraulic disc brakes coupled hydraulic, coupled front brakes with one-hand operation, right lever, rear disc brake hydraulic, left lever	ľ		rain cover for seats, Ripstop nylon fabric, blue	25.00
O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 308 lbs rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar E-drive NEODRIVES Z20RS and SRAM 30 up to 28 mph, 30 speed, rear derailleur SRAM GX, bar end shifter SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 651 Wh, push assist, display position: O above handlebar O side of handlebar E-drive NEODRIVES Z20RS and PINION C1.12 12 speed PINION front gear box, up to 28 mph, Li-lonen 651 Wh, charger with 4A, not compatible with streamer, display position: O above handlebar 2nd battery pack for NEODRIVES Z20RS 48 V Li-lonen 651 Wh incl. adapter, mounting hardware, incl. mounting accessories (restricts folding function) 2nd battery pack for NEODRIVES Z20RS 48 V Li-lonen 651 Wh incl. adapter, mounting hardware, incl. mounting accessories (restricts folding function) 1,890.00 short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" 25.00 hydraulic disc brakes coupled hydraulic, coupled front brakes with one-hand operation, right lever, rear disc brake hydraulic, left lever			rear shock DNM DV-22 (basic specification)	0.00
Front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar 39.00	ion	Ч	O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 308 lbs	0.00
Front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar 39.00	eus		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00
Front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar 39.00	dsn		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar	0.00
Use Solo, cassette SRAM, chainring set 3-speed black, Li-lonen battery 651 Wh, push assist, display position: O above handlebar O side of handlebar E-drive NEODRIVES Z20RS and PINION C1.12 12 speed PINION front gear box, up to 28 mph, Li-lonen 651 Wh, charger with 4A, not compatible with streamer, display position: O above handlebar Interpretation of the property of the propert	S		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar	39.00
O side of handlebar E-drive NEODRIVES Z20RS and PINION C1.12 12 speed PINION front gear box, up to 28 mph, Li-lonen 651 Wh, charger with 4A, not compatible with streamer, display position: O above handlebar O side of handlebar I,790.00 Interesting the data of the compatible with streamer, display position: O above handlebar O side of handlebar Interesting the charger with 4A, not compatible with streamer, display position: O above handlebar O side of handlebar Interesting the charger with 4A, not compatible with streamer, display position: O above handlebar O side of handlebar Interesting the charger with 4A, not compatible with streamer, display position: O above handlebar O side of handlebar Interesting the charger with 4A, not compatible with streamer, display position: O above handlebar O side of handlebar Interesting the charger with 4A, not compatible with streamer, display position: O above handlebar O side of handlebar Interesting the charger with 4A, not compatible with streamer, display position: O above handlebar O side of handlebar Interesting the charger with 4A, not compatible with streamer, display position: O above handlebar O side of handlebar Interesting the charger with 4A, not compatible with streamer, display position: O above handlebar O side of handlebar Interesting the charger with 4A, not compatible with streamer, display position: O above handlebar O side of handlebar Interesting the charger with 4A, not compatible with streamer, display position: O above handlebar O side of handlebar Interesting the charger with 4A, not compatible with streamer, display position: O above handlebar O side of handlebar Interesting the charger with 4A, not compatible with streamer, display position: O above handlebar O side of handlebar Interesting the charger with 4A, not compatible with streamer, display position: O above handlebar O side of handlebar or side of			E-drive NEODRIVES Z20RS and SRAM 30 up to 28 mph, 30 speed, rear derailleur SRAM GX, bar end shifter SRAM SL-	
E-drive NEODRIVES Z20RS and PINION C1.12 12 speed PINION front gear box, up to 28 mph, Li-lonen 651 Wh, charger with 4A, not compatible with streamer, display position: O above handlebar O side of handlebar 2 nd battery pack for NEODRIVES Z20RS 48 V Li-lonen 651 Wh incl. adapter, mounting hardware, incl. mounting accessories (restricts folding function) 2 tires SCHWALBE Marathon Plus 47mm / 1,8", very good puncture protection 3 short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7" 4 ydraulic disc brakes coupled hydraulic, coupled front brakes with one-hand operation, right lever, rear disc brake hydraulic, left lever 4				0.00
charger with 4A, not compatible with streamer, display position: O above handlebar O side of handlebar 2nd battery pack for NEODRIVES Z20RS 48 V Li-lonen 651 Wh incl. adapter, mounting hardware, incl. mounting accessories (restricts folding function) 2ind battery pack for NEODRIVES Z20RS 48 V Li-lonen 651 Wh incl. adapter, mounting hardware, incl. mounting accessories (restricts folding function) 2ind battery pack for NEODRIVES Z20RS 48 V Li-lonen 651 Wh incl. adapter, mounting hardware, incl. mounting accessories (restricts folding function) 3ind battery pack for NEODRIVES Z20RS 48 V Li-lonen 651 Wh incl. adapter, mounting hardware, incl. mounting accessories (restricts folding function) 4ind battery pack for NEODRIVES Z20RS 48 V Li-lonen 651 Wh incl. adapter, mounting hardware, incl. mounting accessories (restricts folding function) 5ind battery pack for NEODRIVES Z20RS 48 V Li-lonen 651 Wh incl. adapter, mounting hardware, incl. mounting accessories (restricts folding function) 5ind battery pack for NEODRIVES Z20RS 48 V Li-lonen 651 Wh incl. adapter, mounting hardware, incl. mounting hardware,			O side of handlebar	
hydraulic disc brakes coupled hydraulic, coupled front brakes with one-hand operation, right lever, rear disc brake hydraulic, left lever hydraulic, left lever	train			1,790.00
hydraulic disc brakes coupled hydraulic, coupled front brakes with one-hand operation, right lever, rear disc brake hydraulic, left lever	rive	-	2nd battery pack for NEODRIVES 720RS 48 V Lilonen 651 Whited adapter mounting bardware incl. mounting	
hydraulic disc brakes coupled hydraulic, coupled front brakes with one-hand operation, right lever, rear disc brake hydraulic, left lever hydraulic, left lever	p/se			1,890.00
hydraulic disc brakes coupled hydraulic, coupled front brakes with one-hand operation, right lever, rear disc brake hydraulic, left lever hydraulic, left lever	ake	×	tires SCHWALBE Marathon Plus 47mm / 1,8", very good puncture protection	0.00
Nydraulic, left lever	þ		short cranks 155 mm / 6,1", recommended for riders under 175 cm / 5,7"	25.00
		×		0.00
		×	•	0.00





	×	Item			sugg. retail				
					\$				
acc	accessories extra charge								
	×	lighting system e-drive Z20RS IQ-XE / horn B&M IQ-XE up to 150 Lux, with B&M horn			0.00				
		indicator lights system WingBling only in conjunction with electric drive			769.00				
	×	rear rack 14 mm / 0,47" tube, black, for panniers max. load 27,5 lbs / 12,5 kg each side			0.00				
		top load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs			219.00				
		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted			179.00				
	×	rear mirror B&M E wide view angle, easy to adjust, knuckle mounting left			0.00				
		rear mirror B&M E both sides knuckle mounting right			89.00				
es		mudguard set HP Trikefender front 60 mm / 2,4" width, rear SKS 53 mm / 2,1" with spoiler, black			329.00				
accessories		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes			129.00				
ces		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted			79.00				
ac		flag HP VELOTECHNIK double-sided print, with reflective strip			29.00				
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0,87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88lbs, unmounted			49.00				
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel			29.00				
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION)			699.00				
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric			99.00				
	×	frame lock AXA Victory with removable key, without chain, black			0.00				
		chain for frame lock AXA length 100 cm / 39,4"			35.00				



/∈	:LC	DTECHNIK	
	×	Item	sugg. retail \$
Ha	ınd	ds-On-Cycle hand drive - Gekko fx 26 (GELH)	
	_	Gekko fx 26 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes	4,340.00
	×	standard colour HOC unit Blue shade grey matt	0.00
		standard colour O Magma red O Deep blue	0.00
	<u>'</u>	single custom colour according to RAL-colour chart: (please specify)	229.00
adj	justa	ction of hand drive and options The HP hand drive mounted on a HP VELOTECHNIK tritable, length adjustable, adjustable leg rest, optional fully integrated headlight, parking brake, within 16,89" length, colour: blue shade grey matt, restricts folding	•
		Hands-On-Cycle with drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters, SRAM X4 rear derailleur, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34	3,190.00
		Hands-On-Cycle with drivetrain ROHLOFF Speedhub/14 14 speed, black, twist shifter	5,719.00
НОС		Hands-On-Cycle with E-drive NEODRIVES Z20 and drivetrain SHIMANO/MICROSHIFT 10 up to 20 mph, hub motor, 10 speed, rear derailleur MICROSHIFT XLE, XT Triggershifter, cassette SHIMANO XT, Li-lonen battery 576 Wh, push assist	7,290.00
		Footplate HOC for placing the feet, incl. fastening strap, mounted on the leg rest	329.00
	ш	calf brace HOC Legs can be secured, adjustable angle, restraint straps with quick-entry function, lower leg fixation adjustable to leg length and leg position, mounted on the leg rest	169.00
op	tio	ons extra charge	
	<u> </u>	headrest for mesh seats adjustable in height and angle, with quick release lever	189.00
		seat angle adapter to adjust the backrest in a more upright position, with quick release	119.00
		Gekko seat pad additional comfortable and breathable upholstered seat pad to attach to the seat, fastening with buckles	189.00
		adjustable end stops allow exact positioning of the seat	19.00
		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00
at		pelvic support belt for pelvis support on HP VELOTECHNIK recumbent trikes with mesh seats, not mounted	279.00
seat		pelvic support belt XL for pelvis support on HP VELOTECHNIK recumbent trikes with mesh seats, recommended for XL seats and tall people, not mounted	279.00
		chest support belt for upper body support on HP VELOTECHNIK recumbent trikes with mesh seats, not mounted	279.00
		chest support belt XL for upper body support on HP VELOTECHNIK recumbent trikes with mesh seats, recommended for XL seats and tall people, not mounted	279.00
		rain cover for seats, Ripstop nylon fabric, blue	25.00
	ш	tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION)	49.00
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	0.00
rakes	╚	hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right	329.00
þ	\vdash	disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable	269.00
	IVI	parking brake SHIMANO rear wheel V-Brake with thumblever	0.00





	×	Item	sugg. retail
ac	ces	ssories extra charge	\$
	_	lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight	129.00
		lighting system SON xs-m disc dynohub/IQ-X with front and rear parking lights, SCHMIDTS ORIGINAL NABENDYNAMO hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake light, in combination with e-drive no quick frame adjustment possible	769.00
		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M Toplight 2C DC	239.00
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	319.00
		indicator lights system WingBling HOC only in combination with electric drive, operable from the handlebar	769.00
ries		rear rack 10 mm (0.39") tube, black powder coating, max. load 55 lbs / 25 kg	99.00
SSO		mudguard set HP Trikefender front 60 mm / 2,4" width, rear SKS 53 mm / 2,1" with spoiler, black	329.00
accessories		water bottle set HP VELOTECHNIK 2 x 0.6 l PE-bottle with HP print, with bottle cages, mounted	79.00
В		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	89.00
		flag HP VELOTECHNIK double-sided print, with reflective strip	29.00
		air horn AIRZOUND XL about 30-115 dB	39.00
		frame lock AXA Victory with removable key, without chain, black	99.00
		chain for frame lock AXA length 100 cm / 39,4"	35.00
		walking aid mount single sided easy fixing and safety clip, mounting side: O left O right	99.50
		walking aid mounts left and right easy fixing and safety clip	199.00



νE	:LC	OTECHNIK		
	×	Item		sugg. retail \$
Ha	anc	ds-On-Cycle hand drive - Scorpion fs 20 (SFSH)		
		Scorpion fs 20 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes		6,430.00
	×	standard colour HOC unit Blue shade grey matt		0.00
Je	Н	standard colour O Colza yellow RAL1021 O Blue shade grey matt		0.00
frame		single custom colour according to RAL-colour chart:		229.00
#		double custom colour according to RAL-colour chart main frame:, swing arm:	- 	229.00
-	_		" released desires bai	
adj	just	ction of hand drive and options The HP hand drive mounted on a HP VELOTECHNIK tr table, length adjustable, adjustable leg rest, optional fully integrated headlight, parking brake, w nm / 6,89" length, colour: blue shade grey matt, restricts folding		~
		* * * * * * * * * * * * * * * * * * * *		
ĪΙ		Hands-On-Cycle with drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters, SRAM X4 rear		3,190.00
	ı – ۱	derailleur, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34		3,170.00
				5,719.00
U	1 1	Hands-On-Cycle with E-drive NEODRIVES Z20 and drivetrain SHIMANO/MICROSHIFT 10 up to 20 mph, hub		
НОС		motor, 10 speed, rear derailleur MICROSHIFT XLE, XT Triggershifter, cassette SHIMANO XT, Li-Ionen battery 576 Wh,		7,290.00
_	\bigsqcup	push assist		
		Footplate HOC for placing the feet, incl. fastening strap, mounted on the leg rest		329.00
		calf brace HOC Legs can be secured, adjustable angle, restraint straps with quick-entry function, lower leg fixation		169.00
	<u>二</u> '	adjustable to leg length and leg position, mounted on the leg rest		107.00
ор	tio	ons extra charge		
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags		0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)		0.00
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags		369.00
				369.00
	\vdash			119.00
	\vdash		- 	189.00
	\vdash		- 	
	\vdash	·		19.00
frame	-			38.00
fra	H	Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		79.00
		pelvic support belt for pelvis support on HP VELOTECHNIK recumbent trikes with mesh seats, not mounted		279.00
		pelvic support belt XL for pelvis support on HP VELOTECHNIK recumbent trikes with mesh seats, recommended for XL seats and tall people, not mounted		279.00
		chest support belt for upper body support on HP VELOTECHNIK recumbent trikes with mesh seats, not mounted		279.00
	-			217.00
		chest support belt XL for upper body support on HP VELOTECHNIK recumbent trikes with mesh seats, recommended for XL seats and tall people, not mounted		279.00
		rain cover for seats, Ripstop nylon fabric, blue		25.00
_		rear shock DNM DV-22 (basic specification)		0.00
sior	-	O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 225 lbs O hard: 550 lbs/inch, up to 285 lbs		0.00
)eu		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump		339.00
suspension		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar		0.00
6		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar		39.00
		2nd battery pack for NEODRIVES Z20 36 V Li-ionen battery, 576 Wh, battery adapter set, cable extension for		1 200 00
		convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)		1,290.00
		tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION)		49.00
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)		0.00
ς		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake	- 	
brakes		function, rear disc brake, front brake lever: O left O right		329.00
ģ		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable		269.00
	×	parking brake SHIMANO rear wheel V-Brake with thumblever		0.00





	×	Item	sugg. retail
ac	ces	ssories extra charge	•
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight	129.00
		lighting system SON xs-m disc dynohub/IQ-X with front and rear parking lights, SCHMIDTS ORIGINAL NABENDYNAMO hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake light, in combination with e-drive no quick frame adjustment possible	769.00
		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M Toplight 2C DC	239.00
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	319.00
		indicator lights system WingBling HOC only in combination with electric drive, operable from the handlebar	769.00
es		rear rack 2 / 10 mm (0.47" / 0.39") tube, black powder coating, max. load 55 lbs / 25 kg	329.00
accessories		mudguard set HP Trikefender front 60 mm / 2,4" width, rear SKS 53 mm / 2,1" with spoiler, black	329.00
ess		water bottle set HP VELOTECHNIK 2×0.6 PE-bottle with HP print, with bottle cages, mounted	79.00
acc		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	89.00
		flag HP VELOTECHNIK double-sided print, with reflective strip	29.00
		air horn AIRZOUND XL about 30-115 dB	39.00
		trailer hitch WEBER with HP VELOTECHNIK adapter, max. vertiacal load 6,5kg / 14lbs, max trailer load 40kg / 88lbs	169.00
		frame lock AXA Victory with removable key, without chain, black	85.00
		chain for frame lock AXA length 100 cm / 39,4"	35.00
		walking aid mount single sided easy fixing and safety clip, mounting side: O left O right	99.50
		walking aid mounts left and right easy fixing and safety clip	199.00



VELOTECHNIK					
	×	Item			sugg. retail \$
Ha	and	ls-On-Cycle hand drive - Scorpion plus 20 (SPSH)		<u> </u>	
		Scorpion plus 20 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes			6,850.00
	×	standard colour HOC unit Blue shade grey matt			0.00
)e		standard colour O Cool grey metallic O Magma red / Black			0.00
frame		single custom colour according to RAL-colour chart:			229.00
Ų		double custom colour according to RAL-colour chart main frame:, swing arm:			229.00
S.		etion of hand drive and options The HP hand drive mounted on a HP VELOTECHNIK	م ماندم	nalasad a	
adj	ust	able, length adjustable, adjustable leg rest, optional fully integrated headlight, parking brakenm / 6,89" length, colour: blue shade grey matt, restricts folding			_
		Hands-On-Cycle with drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters, SRAM X4 rear derailleur, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34			3,190.00
		Hands-On-Cycle with drivetrain ROHLOFF Speedhub/14 14 speed, black, twist shifter			5,719.00
]	Hands-On-Cycle with E-drive NEODRIVES Z20 and drivetrain SHIMANO/MICROSHIFT 10 up to 20 mph, hub			3,717.00
НОС		motor, 10 speed, rear derailleur MICROSHIFT XLE, XT Triggershifter, cassette SHIMANO XT, Li-Ionen battery 576 Wh, push assist			7,290.00
		Footplate HOC for placing the feet, incl. fastening strap, mounted on the leg rest			329.00
		calf brace HOC Legs can be secured, adjustable angle, restraint straps with quick-entry function, lower leg fixation			1/0.00
	ч	adjustable to leg length and leg position, mounted on the leg rest			169.00
op	tio	ons extra charge			
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags			0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)			0.00
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags			369.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)			369.00
		seat angle adapter for ErgoMesh Premium seats to adjust the backrest in a more upright position			119.00
		headrest for mesh seats adjustable in height and angle, with quick release lever			189.00
		adjustable end stops allow exact positioning of the seat			19.00
е		two adjustable end stops for ErgoMesh Premium seats only			38.00
frame		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag			79.00
fr		pelvic support belt for pelvis support on HP VELOTECHNIK recumbent trikes with mesh seats, not mounted			279.00
	J 0	pelvic support belt XL for pelvis support on HP VELOTECHNIK recumbent trikes with mesh seats, recommended for XL			279.00
		seats and tall people, not mounted			
		chest support belt for upper body support on HP VELOTECHNIK recumbent trikes with mesh seats, not mounted			279.00
		chest support belt XL for upper body support on HP VELOTECHNIK recumbent trikes with mesh seats, recommended for XL seats and tall people, not mounted			279.00
		rain cover for seats, Ripstop nylon fabric, blue			25.00
suspension		rear shock DNM DV-22 (basic specification) O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 225 lbs O hard: 550 lbs/inch, up to 285 lbs			0.00
ens		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump			339.00
dsn		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar			0.00
S		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar			39.00
		2nd battery pack for NEODRIVES Z20 36 V Li-ionen battery, 576 Wh, battery adapter set, cable extension for			1,290.00
	_	convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)			1,270.00
		tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION)			49.00
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)			0.00
es		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake			329.00
brakes	1	function, rear disc brake, front brake lever: O left O right			327.00
þ		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable			269.00
	×	parking brake SHIMANO rear wheel V-Brake with thumblever		Ī	0.00





	×	Item	su	ıgg. retail \$
ac	ces	ssories extra charge		·
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight		129.00
		lighting system SON xs-m disc dynohub/IQ-X with front and rear parking lights, SCHMIDTS ORIGINAL		
		NABENDYNAMO hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat		769.00
		S plus with brake light, in combination with e-drive no quick frame adjustment possible		
	П	B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to		239.00
	•	80 Lux, rear light B&M Toplight 2C DC		237.00
	П	IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		319.00
	О	indicator lights system WingBling only in conjunction with electric drive		739.00
es		rear rack 12 / 10 mm (0.47" / 0.39") tube, black powder coating, max. load 55 lbs / 25 kg		329.00
accessories		lowrider rack 10mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack)		169.00
Ses		mudguard set HP Trikefender front 60 mm / 2,4" width, rear SKS 53 mm / 2,1" with spoiler, black		329.00
ac		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted		79.00
		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right		89.00
		flag HP VELOTECHNIK double-sided print, with reflective strip		29.00
		air horn AIRZOUND XL about 30-115 dB		39.00
		frame lock AXA Victory with removable key, without chain, black		85.00
		chain for frame lock AXA length 100 cm / 39,4"		35.00
		walking aid mount single sided easy fixing and safety clip, mounting side: O left O right		99.50
		walking aid mounts left and right easy fixing and safety clip		199.00



VE	VELOTECHNIK					
	X	Item			sugg. retail \$	
Ha	ınd	ls-On-Cycle hand drive - Scorpion plus 26 (SPLH)				
	×	Scorpion plus 26 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes			6,950.00	
	×	standard colour HOC unit Blue shade grey matt			0.00	
ł		standard colour O Cool grey metallic O Magma red / Black			0.00	
		single custom colour according to RAL-colour chart: (please specify)			229.00	
ł		double custom colour according to RAL-colour chart main frame:, swing arm:			229.00	
Se	lec	ction of hand drive and options The HP hand drive mounted on a HP VELOTECHNIK	trike e	nclosed (drive height	
adj	ust	able, length adjustable, adjustable leg rest, optional fully integrated headlight, parking brakenm / 6,89" length, colour: blue shade grey matt, restricts folding			•	
		Hands-On-Cycle with drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters, SRAM X4 rear derailleur, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34			3,190.00	
		Hands-On-Cycle with drivetrain ROHLOFF Speedhub/14 14 speed, black, twist shifter			5,719.00	
	•	Hands-On-Cycle with E-drive NEODRIVES Z20 and drivetrain SHIMANO/MICROSHIFT 10 up to 20 mph, hub			3,717.00	
9		motor, 10 speed, rear derailleur MICROSHIFT XLE, XT Triggershifter, cassette SHIMANO XT, Li-Ionen battery 576 Wh, push assist			7,290.00	
Ī		Footplate HOC for placing the feet, incl. fastening strap, mounted on the leg rest			329.00	
ı		calf brace HOC Legs can be secured, adjustable angle, restraint straps with quick-entry function, lower leg fixation			140.00	
		adjustable to leg length and leg position, mounted on the leg rest			169.00	
op	tio	ons extra charge				
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags			0.00	
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)			0.00	
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags			369.00	
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)			369.00	
İ		seat angle adapter for ErgoMesh Premium seats to adjust the backrest in a more upright position			119.00	
İ		headrest for mesh seats adjustable in height and angle, with quick release lever			189.00	
İ		adjustable end stops allow exact positioning of the seat			19.00	
e l		two adjustable end stops for ErgoMesh Premium seats only			38.00	
frame		Add-on bags for mesh seat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag			79.00	
٦		pelvic support belt for pelvis support on HP VELOTECHNIK recumbent trikes with mesh seats, not mounted			279.00	
		pelvic support belt XL for pelvis support on HP VELOTECHNIK recumbent trikes with mesh seats, recommended for XL seats and tall people, not mounted			279.00	
ŀ		chest support belt for upper body support on HP VELOTECHNIK recumbent trikes with mesh seats, not mounted			279.00	
	•				277.00	
		chest support belt XL for upper body support on HP VELOTECHNIK recumbent trikes with mesh seats, recommended for XL seats and tall people, not mounted			279.00	
		rain cover for seats, Ripstop nylon fabric, blue			25.00	
suspension		rear shock DNM DV-22 (basic specification) O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 225 lbs O hard: 550 lbs/inch, up to 285 lbs			0.00	
ben		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump			339.00	
sns		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar			0.00	
		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar			39.00	
		2nd battery pack for NEODRIVES Z20 36 V Li-ionen battery, 576 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)			1,290.00	
		tire exchange from SCHWALBE Tryker 40 mm / 1,6" to O Marathon Plus 47 mm / 1,8" O Kojak 35 mm / 1,4" (SRAM/30 or PINION)			49.00	
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)			0.00	
Se		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake			220.00	
brakes		function, rear disc brake, front brake lever: O left O right			329.00	
٥		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable			269.00	
ſ	×	parking brake SHIMANO rear wheel V-Brake with thumblever			0.00	





	×	Item		sugg. retail \$					
ac	accessories extra charge								
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight		129.00					
		lighting system SON xs-m disc dynohub/IQ-X with front and rear parking lights, SCHMIDTS ORIGINAL							
		NABENDYNAMO hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat		769.00					
		S plus with brake light, in combination with e-drive no quick frame adjustment possible							
		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to		239.00					
	_	80 Lux, rear light B&M Toplight 2C DC		257.00					
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		319.00					
		indicator lights system WingBling only in conjunction with electric drive		739.00					
es		rear rack 12 / 10 mm (0.47" / 0.39") tube, black powder coating, max. load 55 lbs / 25 kg		329.00					
ori		lowrider rack 10mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack)		169.00					
accessories		mudguard set HP Trikefender front 60 mm / 2,4" width, rear SKS 53 mm / 2,1" with spoiler, black		329.00					
acı		water bottle set HP VELOTECHNIK 2 x 0.6 l PE-bottle with HP print, with bottle cages, mounted		79.00					
		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right		89.00					
		flag HP VELOTECHNIK double-sided print, with reflective strip		29.00					
		air horn AIRZOUND XL about 30-115 dB		39.00					
		frame lock AXA Victory with removable key, without chain, black		85.00					
		chain for frame lock AXA length 100 cm / 39,4"		35.00					
		walking aid mount single sided easy fixing and safety clip, mounting side: O left O right		99.50					
		walking aid mounts left and right easy fixing and safety clip		199.00					



	×	Item		sugg. retail \$
HI	PV	'elotechni	ik Premium Acessories - shipment from US-warehouse	
rd		SBKO26S3	mudguard set HP Trikefender 20"/26" fits Gekko fx 26, Scorpion 2, black, front and rear incl. mounting hardware	329.00
mudguard		SBKOSFS	mudguard set HP Trikefender 20" fs fits Scorpion fs 20 /plus 20, black, front and rear incl. mounting hardware	329.00
٤		SBKOSFL	mudguard set HP Trikefender 20"/26" fs fits Scorpion fs 26 /fs 26 S-Pedelec /plus 26, black, front and rear incl. mounting hardware	329.00
ttle		TFSETGHP	water bottle set HP VELOTECHNIK for BodyLink fits Grasshopper/fx, Streetmachine Gte, Scorpion, 2 x 0.6 PE-bottle, bottle cages and mounting hardware	79.00
water bottle		TFSETSCF	water bottle set HP VELOTECHNIK for BodyLink 2×0.6 l PE-bottle, bottle cages and mounting hardware	79.00
wa		TFSETEM	water bottle set HP VELOTECHNIK for ErgoMesh and Gekkos 2 x 0.6 PE-bottle, bottle cages and mounting hardware	79.00
,		RSPBESK	rear mirror B&M E, left fits Gekko fxs /fx 20 /fx 26, Scorpion /2 /fx /fx2	89.00
ror		RSPBESKR	rear mirror B&M E, right fits Gekko fxs /fx 20 /fx 26, Scorpion /2 /fx /fx2	89.00
morrors	-	RSPBEK	rear mirror B&M E, left fits Scorpion fs 20 /fs 26 /fs 26 Enduro /fs 26 S-Pedelec	89.00
		RSPBEKR	rear mirror B&M E, right fits Scorpion fs 20 /fs 26 /fs 26 Enduro /fs 26 S-Pedelec	89.00
trike		RSPBEPLK	rear mirror B&M E, left fits Scorpion plus 20 /plus 26	89.00
		RSPBEPRK	rear mirror B&M E, right fits Scorpion plus 20 /plus 26	89.00
	П	LESHEM	side bag mount only for Ergomesh seats on tricycles, mounting for handlebar bags, attached to the seat,	179.00
1	Ц	LLOTTLIVI	maximum load 5 kg, left and right, unmounted	. 77.00
		LESHEM	side bag mount for Gekko 26 / fx 20 / fx 26 mounting for handlebar bags, fixed to the frame, maximum load 5 kg, left and right, unmounted, folding function limited, bike can no longer be pulled on wheels	179.00
racks		GTKOTL	top load rack additional luggage rack above the rear wheel, maximum load 10 kg, not suitable for side panniers, only for Scorpion models with 26" wheel	219.00
rac		GTKOGEF	rear rack 10 mm tube, black, max. load 25 kg / 55 lbs, fits Gekko fxs /fx 20	99.00
		GTKOGEL	rear rack 10 mm tube, black, max. load 25 kg / 55 lbs, fits Gekko fx 26	99.00
		GTKOSCO	rear rack 10/12 mm tube, black, max. load 25 kg / 55 lbs, fits Scorpion /fs 20	329.00
		GTKOSFL	rear rack 14 mmtube, black, max. load 25kg/55lbs, for panniers only, fits Scorpion 2 / fs 26 / fs 26 Enduro	279.00
		GTKOSPS	rear rack 10/12 mm tube, black, max. load 25 kg / 55 lbs, fits Scorpion plus 20	329.00
		GTKOSPL	rear rack 14 mm tube, black, max. load 25 kg / 55 lbs, for panniers only, fits Scorpion plus 26	279.00
		SIHPKNESK	headrest for mesh seats adjustable in angle and height, with quick release lever	189.00
		SIHPKSV	headrest for BodyLink seats adjustable in angle and height	149.00
		TAEPPA	Add-on bags for mesh seat for all mesh seats except GES, I pair of bags, mounts to the backrest, I bag water repellent, I bag ventilated, capacity approx. 0.3 gal. per bag	79.00
		LEHAPAKO	handrests left and right, comfortable hand support, adjustable	169.00
1		SIZUBV	seat angle adapter for ErgoMesh Premium, to adjust the backrest in a more upright position	119.00
6		SIKIGEF	seat pad for Gekko 26 / fx20 / fx26, additional comfortable upholstered seat pad to attach to the normal seat, fastening with buckles, breathable upholstery	189.00
30 U.		SIZURS	rain cover for seat Ripstop nylon fabric, blue	25.00
ane		TASHSCF	transport cover for folded trike models suitable for all trikes in folded state, Nylon fabric	99.00
miscellaneous		СНИНТВ	universal mount for accessories Mounting on the handlebar end, Ø 22.2 mm / 0,87" tube holder for accessories like phone holder / GPS devices / bell, max. load 400 grams / 0,88lbs, unmounted	49.00
		СНИНТВ	universal mount for accessories Mounting on the handlebar end, ∅ 22.2 mm / 0,87" tube holder for accessories like phone holder / GPS devices / bell, max. load 400 grams / 0,88lbs, unmounted	49.00
		RTZUSV	front boom quickadjust compensates surplus chain length when front boom is adjusted, QR-levers (not for Speedmachine, Spirit and Gekko fxs)	249.00
1		CHSMSET	speedometer mount for computers or GPS-devices, incl. sensor bracket for front wheel	15.00
1		WIHP	flag HP VELOTECHNIK double-sided print, with reflective strip	29.00
1		WZSL	track adjustment tool for HP VELOTECHNIK trikes for easy aligning of the front wheel	199.00
L		BRPBS	parking brake set SHIMANO rear wheel V-Brake with thumblever	65.00
pt.		KLRSPM	HP VELOTECHNIK idler incl. bearings and O-rings	39.00
re p		Z70071	HP VELOTECHNIK O-ring fits KLRSPM idler (see above), 2 pcs. needed	1.29
spare		Z20195	deraileur hanger for all models except Spirit	9,90
<u> </u>			and now item. The MCPP is calculated including chinning costs. This form is valid for LISA orders only. Our general	

All prices in US\$ and per item. The MSRP is calculated including shipping costs. This form is valid for USA orders only. Our general terms and conditions shall apply for all order. Please see the 2025 HP VELOTECHNIK trade price list for details.



	×	Item		sugg. retail \$		
co	omfort and ability options for HP VELOTECHNIK trikes					
OneHand		one-hand operation for brakes and drivetrain (not for SFE, GES, DET and SE models) includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right		559.00		
		one-hand operation for brakes and drivetrain (not for SFE, GES, DET and SE models) includes coupled AVID BB7 disc brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right		379.00		
g-up		standing-up aid for HP VELOTECHNIK trikes WITH front suspension (SFS, SFL, SFN, SFE, SPS, SPL) except Delta tx, support with grip for easy entry and exit from the trike, mounted on the frame. price per side, O left O right O pair		164.50		
standing-up		standing-up aid for HP VELOTECHNIK trikes WITHOUT front suspension (GEF, GEL, GEN, SCO2, SCF2) except Delta tx, support with grip for easy entry and exit from the trike, mounted to the knuckle, price per side, O left O right O pair		104.50		
		pedal with heelstrap and foot clamp single sided easy entry and positive grip, adjustable length, standard pedal on the other side, mounting side of pedal with heelstrap and foot clamp: O left O right size range: O 8.7" - 11" O 10.6" - 13.4"		99.00		
		pedals with heelstrap and foot clamp left and right easy entry and positive grip, adjustable length, size range 0 8.7" - 11" 0 10.6" - 13.4"		199.00		
-pedals		ErgoPedal single sided (not for SFE) adjustable position, easy entry straps, leg fixation adjustable in length and position, other side standard pedal, mounting side of ErgoPedal: O left O right size: O 7,9" - 11" O 10,6" - 13,4"		159.00		
mfort		ErgoPedal left and right (for all trike models except SFE) adjustable position, easy entry straps, size: O 7,9" - 11" O 10,6" - 13,4"		319.00		
seat ergo- and comfort-pedals		ErgoPedal with safety release single sided (for all trike models except SFE) incl. one SPD-pedal SHIMANO PD-A530, adjustable position, joint-friendly freedom of movement +/-3 degrees, easy entry straps, other side standard pedal, higher safety due to adjustable release force, mounting side of safety pedal: O left O right size: O 7,9" - 11" O 10,6" - 13,4"		209.00		
eat erg		ErgoPedal with safety release left and right (not for SFE) adjustable position, joint-friendly freedom of movement +/-3 degrees, easy entry straps, higher safety due to adjustable release force, size: 7,9 - 11" O 10,6 - 13,4"		419.00		
S		ErgoPedal with calf brace single sided (for all trike models except SFE) adjustable position, easy entry straps, leg fixation adjustable in length and position, other side standard pedal, mounting side of ErgoPedal: O left O right size: O 7,9" - 11" O 10,6" - 13,4"		349.00		
		ErgoPedal with calf brace left and right (for all trike models except SFE) adjustable position, easy entry straps, leg fixation adjustable in length and position, size: 0 7,9" - 11" 0 10,6" - 13,4"		699.00		
walking		walking aid mount single sided easy fixing and safety clip, mounting side: O left O right		99.50		
wall		walking aid mounts left and right easy fixing and safety clip		199.00		
		pelvic support belt for pelvis support on HP VELOTECHNIK recumbent trikes with mesh seats, not mounted		279.00		
		chest support belt for upper body support on HP VELOTECHNIK recumbent trikes with mesh seats, not mounted		279.00		
seat		pelvic support belt XL for pelvis support on HP VELOTECHNIK recumbent trikes with mesh seats, recommended for XL seats and tall people, not mounted		279.00		
		chest support belt XL for upper body support on HP VELOTECHNIK recumbent trikes with mesh seats, recommended for XL seats and tall people, not mounted		279.00		
handrest		handrest with retaining strap (for all trike models except SFE and Delta tx) comfortable hand support mounted on handlebar mounting side: O left O right		119.00		
hanc		handrests left and right with one retaining strap (for all trike models except SFE and Delta tx) comfortable hand support, mounting side of retaining strap: O left O right		219.00		

This order refers to an order of the following complete bike (please check):

□ Dalta tv (DET) □ Galdo fv 20 (GEF)	□ Galdo for 26 (GEL) □ Galdo 26	(GENI) \(\Pi \) Scorpion 2 (SCO2) \(\Pi \)	Scorpion fx (SCF2) Scorpion fs 20 (SFS)

🗆 Scorpion fs 26 (SFL) 🗅 Scorpion fs 26 End. (SFN) 🗅 Scorpion fs 26 S-Ped. (SFE) 🗅 Scorpion plus 20 (SPS) 🗅 Scorpion plus 26 (SPL) 🗅 Hands-on-Cycle (HOC)

